

PURINA® CORNERSTONE® AMPLI-CALF® DX30

NET WEIGHT SHOWN ON BAG AND/OR INVOICE
0011520 (bagged) 0023308 (bulk)

PURINA® CORNERSTONE® AMPLI-CALF® DX30

LB-

MEDICATED

FULL GROWTH POTENTIAL

FEED FOR DAIRY CALVES FROM 3 DAYS TO APPROXIMATELY 3 MONTHS OF AGE
FOR THE PREVENTION OF COCCIDIOSIS IN RUMINATING AND NON-RUMINATING
CALVES, AND CATTLE CAUSED BY EIMERIA BOVIS
AND EIMERIA ZUERNII.

CAUTION: USE ONLY AS DIRECTED

ACTIVE DRUG INGREDIENTS

DECOQUINATE .0033%
(15.0 MG/LB)

GUARANTEED ANALYSIS

CRUDE PROTEIN	(MIN)	20.0000%
CRUDE FAT	(MIN)	2.0000%
CRUDE FIBER	(MAX)	8.0000%
ACID DETERGENT FIBER	(ADF) (MAX)	12.0000%
CALCIUM	(CA) (MIN)	.9000%
CALCIUM	(CA) (MAX)	1.4000%
PHOSPHORUS	(P) (MIN)	.5000%
SELENIUM	(SE) (MIN)	.3000PPM
VITAMIN A	(MIN)	3000.00IU/LB

INGREDIENTS

GRAIN PRODUCTS, PLANT PROTEIN PRODUCTS, PROCESSED GRAIN BY-PRODUCTS, MOLASSES
PRODUCTS, ROUGHAGE PRODUCTS, CALCIUM CARBONATE, SALT, SOYBEAN OIL, CALCIUM
PROPIONATE, FRUCTOOLIGOSACCHARIDE, LIGNIN SULFONATE, PROPIONIC ACID (A
PRESERVATIVE), PHOSPHORIC ACID, ANIMAL FAT PRESERVED WITH ETHOXYQUIN, DRIED
SACCHAROMYCES CEREVISIAE FERMENTATION, VITAMIN E SUPPLEMENT, VITAMIN A
SUPPLEMENT, SULFUR, SUGAR, ANISE OIL, GARLIC OIL, CASSIA, ETHYL VANILLIN,
PROPYLENE GLYCOL, FENUGREEK FLAVOR, VITAMIN D3 SUPPLEMENT, CALCIUM SILICATE,
ARTIFICIAL AND/OR NATURAL FLAVOR, ETHYLENEDIAMINE DIHYDRIDIDE, FERROUS
SULFATE, MANGANESE SULFATE, ZINC SULFATE, ZINC AMINO ACID COMPLEX, MANGANESE
AMINO ACID COMPLEX, COPPER AMINO ACID COMPLEX, COBALT GLUCOHEPTONATE, COBALT
PROTEINATE, SODIUM SELENITE.

RUMINANT MEAT AND BONE MEAL FREE

1 LB- T 0011520, 0023308

PURINA MILLS, LLC

PO BOX 66812

ST. LOUIS MO 63166-6812

FEED QUESTIONS? PLEASE CALL 1-800-227-8941

DIRECTIONS

FEED THIS RATION AT A RATE TO PROVIDE 22.7 MG. DECOQUINATE PER 100
POUNDS OF BODY WEIGHT (0.5 MG/KG) DAILY TO CATTLE - AS INDICATED IN
THE TABLE BELOW.

ANIMAL WEIGHT	FEEDING RATE PER HEAD/DAY
-----	-----
100 LBS.	1.51 LBS.

FEED FOR AT LEAST 28 DAYS DURING PERIODS OF COCCIDIOSIS OR WHEN
EXPERIENCE INDICATES THAT COCCIDIOSIS IS LIKELY TO BE A HAZARD.
COCCIDIOSTATS ARE NOT INDICATED FOR USE IN ADULT ANIMALS DUE TO
CONTINUOUS PREVIOUS EXPOSURE.

WARNING

DO NOT FEED TO COWS PRODUCING MILK FOR FOOD.

CAUTION

DO NOT MIX WITH FEEDS CONTAINING BENTONITE.

IMPORTANT

THIS PRODUCT IS TO BE FED ONLY TO THE ANIMAL SPECIES AS DIRECTED ON
THIS LABEL. FOLLOW THESE MANAGEMENT PRACTICES:

1. PROVIDE A SOURCE OF FRESH CLEAN WATER AT ALL TIMES.
2. TO INSURE FRESHNESS, OFFER ONLY THE AMOUNT OF FEED RECOMMENDED.
3. CLEAN FEEDER PAILS DAILY.
4. PROPER HOUSING AND SANITATION ARE IMPORTANT TO HELP PREVENT CALF
DIARRHEA AND PNEUMONIA. CONSULT YOUR VETERINARIAN FOR A PLANNED
HERD HEALTH PROGRAM.
5. WHEN CALVES ARE HOUSED IN GROUPS AFTER WEANING, PROVIDE ADEQUATE
FEEDING SPACE.

STORE IN A DRY, WELL VENTILATED AREA PROTECTED FROM RODENTS AND
INSECTS. DO NOT FEED MOLDY OR INSECT-INFESTED FEED TO ANIMALS AS IT
MAY CAUSE ILLNESS OR DEATH.

UPC 0883576010440	E1 CODE 0011520	TEXT 50# 5/32-11/64
UPC	E1 CODE 0023308	TEXT BULK 5/32-11/64
UPC	E1 CODE 0023308	TEXT BULK 5/32-11/64
