Feed Tag Details Page 1 of 2

TRANSCOW® RALLY® 20 DCAD R40

NET WEIGHT SHOWN ON BAG AND/OR INVOICE 1594081

TRANSCOW® RALLY® 20 DCAD R40

MAU

MEDICATED

DAIRY COW SUPPLEMENT

FOR USE IN DAIRY CATTLE FEEDS ONLY

DO NOT FEED UNDILUTED

FOR INCREASED MILK PRODUCTION EFFICIENCY (PRODUCTION OF MARKETABLE SOLIDS-CORRECTED MILK PER UNIT OF FEED INTAKE).

CAUTION: USE ONLY AS DIRECTED

ACTIVE DRUG INGREDIENTS

MONENSIN (AS MONENSIN SODIUM)

40.0 G/T

GUARANTEED ANALYSIS			
CRUDE PROTEIN		(MIN)	20.0000%
CRUDE FAT		(MIN)	2.0000%
CRUDE FIBER		(MAX)	16.0000%
ACID DETERGENT FIBER	(ADF)	(MAX)	21.0000%
CALCIUM	(CA)	(MIN)	1.3000%
CALCIUM	(CA)	(MAX)	1.8000%
PHOSPHORUS	(P)	(MIN)	.5000%
SELENIUM	(SE)	(MIN)	.8800PPM
VITAMIN A		(MIN)	12500.00IU/LB
VITAMIN D(3)		(MIN)	2500.00IU/LB
VITAMIN E		(MTN)	300 00TII/T.B

INGREDIENTS

PLANT PROTEIN PRODUCTS, ROUGHAGE PRODUCTS, GRAIN PRODUCTS, PROCESSED GRAIN BY-PRODUCTS, NATURAL AND ARTIFICIAL FLAVORS, CALCIUM CARBONATE, MONOCALCIUM PHOSPHATE, DICALCIUM PHOSPHATE, SALT, METHIONINE SUPPLEMENT, MAGNESIUM OXIDE, CALCIUM SULFATE, VITAMIN E SUPPLEMENT, HYDROCHLORIC ACID, SELENIUM YEAST, VITAMIN D3 SUPPLEMENT, ETHYLENEDIAMINE DIHYDRIODIDE, FERROUS SULFATE, MANGANESE SULFATE, ZINC SULFATE, ZINC AMINO ACID COMPLEX, MANGANESE AMINO ACID COMPLEX, COPPER AMINO ACID COMPLEX, COBALT GLUCOHEPTONATE, VITAMIN A SUPPLEMENT, COBALT PROTEINATE, COPPER CHLORIDE, SODIUM SELENITE. RUMINANT MEAT AND BONE MEAL FREE 02MAU G 1594081

LAND O'LAKES PURINA FEED LLC 1080 COUNTY ROAD F WEST SHOREVIEW MN 55126-2910

DIRECTIONS

THOROUGHLY MIX TRANSCOW RALLY 20 DCAD R40 INTO ONE TON OF TOTAL MIXED RATION ACCORDING TO THE TABLE BELOW TO OBTAIN 11 G/TON OF MONENSIN IN TOTAL MIXED RATION ON A 100% DRY MATTER BASIS.

AMOUNT OF	POUNDS OF			
MONENSIN IN		G/TON OF		
TRANSCOW RALLY	DRY MATTER	DCAD R40 AS FED ADDED	MONENSIN IN	
20 DCAD R40	OF TMR, %	PERON OF TMR AS FED	TMR (100% DMB)	
	50	275.0		
40	55	302.5	11	
	60	330.0		

YOU MAY NOTICE

REDUCED VOLUNTARY FEED INTAKE IN DAIRY COWS FED MONENSIN. THIS REDUCTION INCREASES WITH HIGHER DOSES OF MONENSIN FED. RULE OUT MONENSIN AS THE CAUSE OF REDUCED FEED INTAKE BEFORE ATTRIBUTING TO OTHER CAUSES SUCH AS ILLNESS, FEED MANAGEMENT, OR THE ENVIRONMENT. REDUCED MILK FAT PERCENTAGE IN DAIRY COWS FED MONENSIN. THIS REDUCTION INCREASES WITH HIGHER DOSES OF MONENSIN FED.

INCREASED INCIDENCE AND TREATMENT OF CYSTIC OVARIES AND METRITIS IN

DAIRY COWS FED MONENSIN.
REDUCED CONCEPTION RATES, INCREASED SERVICES PER ANIMAL, AND EXTENDED DAYS OPEN AND CORRESPONDING CALVING INTERVALS IN DAIRY COWS FED

DAYS OPEN AND CORRESPONDING CALVING INTERVALS IN DAIRY COWS FED MONENSIN.
HAVE A COMPREHENSIVE AND ONGOING NUTRITIONAL, REPRODUCTIVE AND HERD

HAVE A COMPREHENSIVE AND ONGOING NUTRITIONAL, REPRODUCTIVE AND HERD HEALTH PROGRAM IN PLACE WHEN FEEDING MONENSIN TO DAIRY COWS. THIS IS A PROTEIN SUPPLEMENT FOR DAIRY COWS DESIGNED TO BE FED ALONG WITH GRAIN AND FORAGE.

FOR ACCURATE RATION BALANCING AND FEEDING RECOMMENDATIONS, CONTACT YOUR FEED SALES REPRESENTATIVE.

IMPORTANT

MUST BE THOROUGHLY MIXED INTO FEED BEFORE USE.

CAUTION

DO NOT ALLOW HORSES OR OTHER EQUINES ACCESS TO FEEDS CONTAINING MONENSIN. INGESTION OF MONENSIN BY HORSES HAS BEEN FATAL. MONENSIN MEDICATED FEED IS SAFE FOR USE IN CATTLE ONLY. CONSUMPTION BY UNAPPROVED SPECIES MAY RESULT IN TOXIC REACTIONS. DO NOT FEED UNDILUTED. FEEDING UNDILUTED OR MIXING ERRORS RESULTING IN HIGH CONCENTRATIONS OF MONENSIN HAS BEEN FATAL TO CATTLE.

IF FEED REFUSALS CONTAINING MONENSIN ARE FED TO OTHER GROUPS OF CATTLE THE CONCENTRATION OF MONENSIN IN THE REFUSALS AND AMOUNT OF REFUSALS FED SHOULD BE TAKEN INTO CONSIDERATION TO PREVENT MONENSIN OVERDOSING. MUST BE THOROUGHLY MIXED IN FEEDS BEFORE USE.

WARNING A WITHDRAWAL PERIOD HAS NOT BEEN ESTABLISHED FOR PRE-RUMINATING CALVES. DO NOT USE IN CALVES TO BE PROCESSED FOR VEAL.