



CoMark Equity Alliance L.L.C

8/23/2022

CORN DISCOUNT SCHEDULE NW KS Locations

Moisture	% Shrink	\$ MHC
15.0	0.00	0
15.1	0.00	0
15.2	0.00	0
15.3	0.00	0
15.4	0.00	0
15.5	0.00	0
15.6	0.15	0
15.7	0.30	0
15.8	0.45	0
15.9	0.60	0
16.0	0.75	0
16.1	0.90	0
16.2	1.05	0
16.3	1.20	0
16.4	1.35	0
16.5	1.50	0.000
16.6	1.65	0.00
16.7	1.80	0.000
16.8	1.95	0.00
16.9	2.10	0.000
17.0	2.25	0.00
17.1	2.40	0.002

Moisture	% Shrink	\$ MHC
17.2	2.55	0.04
17.3	2.70	0.006
17.4	2.85	0.008
17.5	3.00	0.010
17.6	3.15	0.012
17.7	3.30	0.014
17.8	3.45	0.016
17.9	3.60	0.018
18.0	3.75	0.020
18.1	3.90	0.022
18.2	4.05	0.024
18.3	4.20	0.026
18.4	4.35	0.028
18.5	4.50	0.030
18.6	4.65	0.032
18.7	4.80	0.034
18.8	4.95	0.036
18.9	5.10	0.038
19.0	5.25	0.041
19.1	5.40	0.044
19.2	5.55	0.047
19.3	5.70	0.050

Moisture	% Shrink	\$ MHC
19.4	5.85	0.053
19.5	6.00	0.056
19.6	6.15	0.059
19.7	6.30	0.062
19.8	6.45	0.065
19.9	6.60	0.068
20.0	6.75	0.071
20.1	6.90	0.074
20.2	7.05	0.077
20.3	7.20	0.080
20.4	7.35	0.083
20.5	7.50	0.086
20.6	7.65	0.089
20.7	7.80	0.092
20.8	7.95	0.095
20.9	8.10	0.098
21.0	8.25	0.101
21.1	8.40	0.104
21.2	8.55	0.107
21.3	8.70	0.110
21.4	8.85	0.113
21.5	9.00	0.116

Moisture: 1.5 % Shrink per point above 15.5%
Option to Reject over 18% moisture

Drying Charges start at 17.1 % to 19% at 2 cents per point
3 cents per point from 19.0%-20%
above that is subject to elevators ability to handle

Test Wt: 55.9-55.0 0 c/bu
54.9-54.0 0 c/bu
53.9-53.0 3 c/bu
52.9-52.0 6 c/bu
51.9-51.0 12 c/bu
50.9-50.0 18 c/bu
49.9-49.0 24 c/bu
Option to Reject below 50 lbs/bu.

Aflatoxin: 0-299 ppb = NO DISCOUNT
300 ppb or higher = 50c/bu - SUBJECT TO REJECT

Musty: 20 c/bu
Sour: 20 c/bu
COFO 20 c/bu
Infested: 20 c/bu

Broken Kernels
Foreign Material

0.0-3.0	0
3.1-4.0	1 c/bu
4.1-5.0	2 c/bu
5.1-6.0	4 c/bu
6.1-7.0	8 c/bu

Continues at 6 c/bu for each
1% BCFM above 7%
Option to Reject above 7%

Damage Discount Scale

3.1-4.0%	2 c/bu
4.1-5.0%	4 c/bu
5.1-6.0%	8 c/bu
6.1-7.0%	12 c/bu

7.0 and over additional 6 c/bu per .05%
Option to Reject above 8%

SUBJECT TO CHANGE WITHOUT NOTICE