GREGORY J. ARTZ M.D.
CLAUDELL COX M.D.
ROBERT J. MELECA M.D.
THOMAS W. PFENNIG D.O.
JOSEPH C. TAYLOR M.D.



FACIAL PLASTIC & COSMETIC SURGERY

ALLERGY TESTING & TREATMENT

HEARING AID SALES & SERVICE

Post-Operative Instructions ENDOSCOPIC SINUS SURGERY / NASAL SURGERY

POST-OPERATIVE Expectations:

- Bleeding: you should expect minor bleeding following your nasal or sinus surgery. Minor bleeding should consist of a trickle or so of fresh blood from your nose if you should lean forward or look down. Expect to change the nasal dressing as needed (5-10 times the first evening, 2-3 times the second day, and maybe 1-2 times by the third of fourth day). The minor bleeding is tolerated well by patients; it is allowed in order to avoid painful nasal packing following surgery. Every attempt will be made to avoid the placement of nasal packs if possible; of course, your safety and comfort are important.
 - You may use Afrin Nasal Spray (available over the counter) as directed to control any persistent or bothersome bleeding. If bleeding should become significant please contact your doctor.
- If you were started on a steroid nasal spray prior to surgery (Flonase, Nasonex, Nasocort, etc.) please begin using it again as directed by your doctor.
- Sinus patients should begin using the **Saline Nasal Rinse Kit** (or saline nasal spray/mist, *available over the counter*) as directed by your doctor. This will reduce the amount of dried secretions and crusting in your nose.

Breathing: you will **not** be able to breathe well through your nose until

after your first post-op appointment with your doctor.

If you had a nasal septoplasty (NSR), you may have surgical splints or packing inside your nose to assist with healing. Your doctor will remove these splints during your first post-op appointment. **DO NOT ATTEMPT TO REMOVE THESE SPLINTS!** Using the

sinus nasal rinse kit or saline nasal mist as directed by your doctor will help moisten and remove secretions.

• **Discomfort**: Recovery *may* take 5 to 7 days; patients should take their prescribed medications and avoid any strenuous activities until cleared by their doctor. A pressure headache after surgery is normal, sleeping with your head elevated can help as well as applying ice packs to your forehead for comfort.

you may require 1-2 nasal debridement's following surgery billable to your healthcare insurance that may incur additional cost.

A post-operative appointment has been scheduled for			
LOCATION:	☐ Southwest	☐ Northeast	
	1555 44 th St. SW Wyoming MI 49509	1425 Michigan NE Grand Rapids MI 49503	
	☐ Mecosta	☐ Hastings	
	705 Oak St. Big Rapids MI 49307	915 W. Green St. Hastings MI 49058	
		☐ Greenville	
		403 S Nelson, St Greenville MI 48838	