




STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH

IMMUNIZATION REQUIREMENTS FOR ENROLLED STUDENTS IN CONNECTICUT SCHOOLS 2013-2014 SCHOOL YEAR



PRESCHOOL

(Children entering between 24-59 months of age)

- DTaP: 4 doses
- Polio: 3 doses
- MMR: 1 dose on or after 1st birthday
- Hep B: 3 doses, last one on or after 24 weeks of age
- Varicella: 1 dose on or after 1st birthday or verification of disease
- Hib: 1 dose on or after 1st birthday
- Pneumococcal: 1 dose on or after 1st birthday
- Influenza: 1 dose administered each year between August 1st-December 31st (2 doses separated by at least 28 days required for those receiving flu for the first time)
- Hepatitis A: 2 doses given six calendar months apart, 1st dose on or after 1st birthday

KINDERGARTEN

- DTaP: At least 4 doses. The last dose must be given on or after 4th birthday
- Polio: At least 3 doses. The last dose must be given on or after 4th birthday
- MMR: 2 doses separated by at least 28 days, 1st dose on or after 1st birthday
- Hep B: 3 doses, last dose on or after 24 weeks of age
- Varicella: 2 doses separated by at least 3 months-1st dose on or after 1st birthday; or verification of disease
- Hib: 1 dose on or after 1st birthday for children less than 5 years old
- Pneumococcal: 1 dose on or after 1st birthday for children less than 5 years old
- Hepatitis A: 2 doses given six calendar months apart, 1st dose on or after 1st birthday

GRADE 1

- DTaP: At least 4 doses. The last dose must be given on or after 4th birthday.
- Polio: At least 3 doses. The last dose must be given on or after 4th birthday
- MMR: 2 doses separated by at least 28 days, 1st dose on or after 1st birthday
- Hep B: 3 doses, last dose on or after 24 weeks of age
- Varicella: 2 doses separated by at least 3 months-1st dose on or after 1st birthday; or verification of disease
- Hepatitis A: 2 doses given six calendar months apart, 1st dose on or after 1st birthday

GRADE 2

- DTaP/Td: At least 4 doses. The last dose must be given on or after 4th birthday. Students who start the series at age 7 or older only need a total of 3 doses.
- Polio: At least 3 doses. The last dose must be given on or after 4th birthday
- MMR: 2 doses separated by at least 28 days, 1st dose on or after 1st birthday
- Hep B: 3 doses, last dose on or after 24 weeks of age
- Varicella: 2 doses separated by at least 3 months-1st dose on or after 1st birthday; or verification of disease

GRADES 3-6

- DTaP /Td/Tdap: At least 4 doses. The last dose must be given on or after 4th birthday. Students who start the series at age 7 or older only need a total of 3 doses.
- Polio: At least 3 doses. The last dose must be given on or after 4th birthday
- MMR: 2 doses separated by at least 28 days, 1st dose on or after 1st birthday
- Hep B: 3 doses, last dose on or after 24 weeks of age
- Varicella: 1 dose on or after the 1st birthday; or verification of disease

GRADES 7-9

- Tdap/Td: 1 dose for students who have completed their primary DTaP series. Students who start the series at age 7 or older only need a total of 3 doses of tetanus-diphtheria containing vaccine, one of which must be Tdap
- Polio: At least 3 doses. The last dose must be given on or after 4th birthday
- MMR: 2 doses separated by at least 28 days, 1st dose on or after 1st birthday
- Meningococcal: 1 dose
- Hep B: 3 doses, last dose on or after 24 weeks of age
- Varicella: 2 doses separated by at least 3 months-1st dose on or after 1st birthday; or verification of disease

GRADE 10-12

- Td/Tdap: At least 3 doses. The last dose must be given on or after 4th birthday. Students who start the series at age 7 or older only need a total of 3 doses one of which should be Tdap.
- Polio: At least 3 doses. The last dose must be given on or after 4th birthday
- MMR: 2 doses separated by at least 28 days, 1st dose on or after 1st birthday
- Hep B: 3 doses, last dose on or after 24 weeks of age
- Varicella: For students <13 years of age, 1 dose given on or after 1st birthday; for unvaccinated students 13 years of age or older, 2 doses given at least 4 weeks apart; or verification of disease

Important Reminders:

- DTaP vaccine is not given on or after the 7th birthday and may be given for all doses in the primary series.
- Tdap can be given in lieu of Td vaccine for children 7 years and older unless contraindicated. Tdap is only licensed for one dose.
- Hib is not required for children 5 years of age or older.
- Pneumococcal is required for all Pre-K and K students born on or after 1/1/2007 and less than 5 years of age.
- Hepatitis A requirement for school year 2013-14 applies to all Pre-K, K, and 1st grade students born on or after 1/1/2007.
- Hep B requirement for school year 2013-2014 applies to all students in grades K-12.
Spacing intervals for a valid Hep B series: at least 4 weeks between doses 1 and 2; 8 weeks between doses 2 and 3; at least 16 weeks between doses 1 and 3; dose 3 should not be given before 24 weeks of age.
- Second MMR for school year 2013-2014 applies to all students in grades K-12.
- Lab confirmation of immunity is **only** acceptable for Hep B, Hep A, Measles, Mumps, Rubella, and Varicella.
- **VERIFICATION OF VARICELLA DISEASE:** Confirmation in writing by a MD, PA, or APRN that the child has a previous history of disease, based on family or medical history.
- For the full legal requirements for school entry visit www.ct.gov/dph/cwp/view.asp?a=3136&Q=467374&PM=1

New Entrant Definition:

*New entrants are any students who are new to the school district, including preschoolers and all students coming in from Connecticut private, parochial and charter schools located in the same or another community. **All students entering kindergarten**, including those moving from any public or private pre-school program, even in the same school district, **are considered new entrants**. The one exception is students returning from private approved special education placements—they are not considered new entrants.

Commonly Administered Vaccines:

<u>Vaccine:</u>	<u>Brand Name:</u>	<u>Vaccine:</u>	<u>Brand Name:</u>
DTaP-IPV-Hib	Pentacel	MMRV	ProQuad
DTaP-HIB	TriHibit	PCV7	Prevnar
HIB-Hep B	Comvax	PCV13	Prevnar 13
DTaP-IPV-Hep B	Pediarix	DTaP-IPV	Kinrix
Hepatitis A	Havrix, Vaqta	Influenza	Fluzone, FluMist, Fluviron, Fluarix