



Louisiana Department of Health and Hospitals
Office of Public Health

FAX

Date:

From: Jeanette Webb, Follow-up Coordinator
Early Hearing Detection & Intervention (EHDI) Program
Ph 337-238-3338 Email: ehdifollowup@hughes.net

To:
FAX #
Attn:

The following patient(s) were recently reported to the EHDI Program as having received audiological screening/testing at your facility following failed Newborn Hearing Screening in the hospital. The Department of Health and Hospitals has not received the Audiology Follow-up Services Report (FSR) with the results of your outpatient testing.

Please complete the attached Audiology Follow-up Services Report (FSR) & fax to # at bottom of the FSR form.

Child's Name: DOB: Mother's Maiden Name:

Child's Name: DOB: Mother's Maiden Name:

pages, including this cover sheet

If you have any questions or comments, please contact Jeanette Webb at contact information above.

Thank you for your response to this request.

Under HIPAA (164.512 (b) THE PUBLIC HEALTH EXCEPTION
Covered entities may disclose data to Public Health Authorities for use in public health activities.
Covered entities that are also Public Health Authorities may use data for public health activities.
Authorization from patients is not required for these uses and disclosures.

The information contained in this fax is confidential, privileged and should only be reviewed by the individual named above. If you are not the intended recipient, please immediately notify the sender by telephone and return this fax to the sender.