

FMP BSAI crab quotas in metric tons from 1960-present

Fishery	Area	2020/21						2019/20						2018/19						2017/18					
		OFL	ABC	total TAC	IFQ	CDQ	harvest	OFL	ABC	total TAC	IFQ	CDQ	harvest	OFL	ABC	total TAC	IFQ	CDQ	harvest	OFL	ABC	total TAC	IFQ	CDQ	harvest
Bristol Bay red king crab (BBR)	Bristol Bay	2,140.0	1,610.0	1,201.1	1,081.0	120.1	3,400.0	2,720.0	1,722.3	1,550.1	172.2	1,719.8	5,340.0	4,270.0	1,954.1	1,758.7	195.4	1,954.1	5,600.0	5,040.0	2,994.2	2,694.8	299.4	2,994.1	
Saint Matthew blue king crab (SMB)	Saint Matthew	50.0	40.0	Fishery Closed			44.0	35.0	Fishery Closed			40.0	30.0	Fishery Closed			120.0	100.0	Fishery Closed						
Pribilof Island golden king crab ^c (PIG)	Pribilof Islands (PI)	93.0 ^d	70.0 ^d	59.0 ^d	NA	NA	93.0 ^d	70.0 ^d	59.0 ^d	NA	NA	CF ^d	93.0 ^d	70.0 ^d	59.0 ^d	NA	NA	CF ^d	93.0 ^d	70.0 ^d	59.0 ^d	NA	NA	CF ^d	
Pribilof Island red and blue king crab (PIK)	PI red and blue king crab combined	Greyed out																							
	PI red king crab only	864.0	648.0	Fishery Closed			864.0	648.0	Fishery Closed			482.0	362.0	Fishery Closed			482.0	362.0	Fishery Closed						
	PI blue king crab only	1.16	0.87	Fishery Closed			1.16	0.87	Fishery Closed			1.16	0.87	Fishery Closed			1.16	0.87	Fishery Closed						
Eastern Bering Sea Tanner crab (EBT)	Bering Sea (BS) East of 166° W	21,130.0	16,900.0	Fishery Closed			28,860.0	23,090.0	Fishery Closed			20,870.0	16,700.0	Fishery Closed			25,420.0	20,330.0	Fishery Closed						
	BS West of 166° W	1,065.0			958.5	106.5	Fishery Closed			1,106.3			995.7	110.6	1,107.3	1,134.1			1,020.7	113.4	1,132.5				
	BS West of 168° W	Greyed out																							
	BS East of 168° W	Greyed out																							
	BS 163° W to 173° W	Greyed out																							
	BS	Greyed out																							
Bering Sea snow crab (BSS)	BS	95,400.0	71,550.0	20,411.7	18,370.5	2,041.2	54,900.0	43,900.0	15,430.7	13,887.7	1,543.1	15,433.3	29,700.0	23,800.0	12,510.6	11,259.5	1,251.1	12,509.3	28,400.0	22,700.0	8,600.6	7,740.5	860.1	8,601.7	
Aleutian Islands golden king crab ^b (AIG)	Aleutian Islands (AI) East of 174° W	4,798.0	3,599.0	1,655.6	1,490.1	165.6	5,249.0	3,937.0	1,955.0	1,759.5	195.5	1,954.3	5,514.0	4,136.0	1,749.1	1,574.2	174.9	1,748.2	6,048.0	4,536.0	1,501.4	1,351.3	150.1	1,500.6	
	AI West of 174° W	1,342.6			1,208.4	134.3 ^a	1,301.8			1,171.6	130.2 ^a	1,288.2	1,134.0			1,020.6	113.4 ^a	1,134.6	1,013.8			907.1	106.7 ^a	1,013.7	
	AI East of 171° W	Greyed out																							
	AI West of 171° W	Greyed out																							
	AI East of 172° W	Greyed out																							
	AI West of 172° W	Greyed out																							
Western Aleutian Islands red king crab ^b (WAI)	AI West of 179° W	56.0	14.0	Fishery Closed			56.0	14.0	Fishery Closed			56.0	14.0	Fishery Closed			56.0	14.0	Fishery Closed						
	AI 171° W to 179° W	Fishery Closed			Fishery Closed			Fishery Closed			Fishery Closed			Fishery Closed											
	Petrel Bank (179° W to 179° E)	Greyed out																							
	AI West of 174° W	Greyed out																							
	AI West of 171° W	Greyed out																							
	AI West of 172° W	Greyed out																							
	AI East of 172° W	Greyed out																							
Norton Sound red king crab ^c (NSR)	Norton Sound	130.0 ^d	90.0 ^d	77.2 ^d	71.4 ^{c,d}	5.8 ^{c,d}	110.0 ^d	90.0 ^d	68.3 ^{c,d}	63.2 ^{c,d}	5.1 ^{c,d}	35.5 ^d	200.0 ^d	160.0 ^d	144.9 ^{c,d}	134.0 ^{c,d}	10.9 ^{c,d}	148.6 ^d	300.0 ^d	240.0 ^d	225.3 ^{c,d}	208.4 ^{c,d}	16.9 ^{c,d}	222.1 ^d	

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

^bPrior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set.

none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

Greyed out sections indicate fisheries that did not exist for that year.

FMP BSAI crab quotas in metric tons from 1960-present

Fishery	Area	2016/17						2015/16						2014/15						2013/14						
		OFL	ABC	total TAC	IFQ	CDQ	harvest	OFL	ABC	total TAC	IFQ	CDQ	harvest	OFL	ABC	total TAC	IFQ	CDQ	harvest	OFL	ABC	total TAC	IFQ	CDQ	harvest	
Bristol Bay red king crab (BBR)	Bristol Bay	6,640.0	5,970.0	3,841.5	3,457.3	384.1	3,840.4	6,730.0	6,060.0	4,524.1	4,071.7	452.4	4,522.3	6,820.0	6,140.0	4,529.6	4,076.6	453.0	4,530.0	7,070.0	6,360.0	3,900.9	3,510.8	390.1	3,901.1	
Saint Matthew blue king crab (SMB)	Saint Matthew	140.0	110.0	Fishery Closed				280.0	220.0	186.4	167.8	18.6	48.3	430.0	340.0	297.1	267.4	29.7	140.0	560.0	450.0	Fishery Closed				
Pribilof Island golden king crab ^c (PIG)	Pribilof Islands (PI)	91.0 ^d	68.0 ^d	59.0 ^d	NA	NA	0 ^d	91.0 ^d	68.0 ^d	59.0 ^d	NA	NA	0 ^d	91.0 ^d	82.0 ^d	68.0 ^d	NA	NA	CF ^d	91.0 ^d	82.0 ^d	68.0 ^d	NA	NA	CF ^d	
Pribilof Island red and blue king crab (PIK)	PI red and blue king crab combined																									
	PI red king crab only	1,492.0	1,096.0	Fishery Closed				2,119.0	1,467.0	Fishery Closed				1,359.0	1,019.0	Fishery Closed				903.0	718.0	Fishery Closed				
	PI blue king crab only	1.16	0.87	Fishery Closed				1.16	0.87	Fishery Closed				1.16	0.87	Fishery Closed				1.16	1.04	Fishery Closed				
Eastern Bering Sea Tanner crab (EBT)	Bering Sea (BS) East of 166° W	25,610.0	20,490.0	Fishery Closed				27,190.0	21,750.0	5,112.9	4,601.6	511.3	5,109.1	31,480.0	25,180.0	3,846.5	3,461.8	384.6	3,833.1	25,350.0	17,820.0	663.6	597.2	66.4	660.6	
	BS West of 166° W				Fishery Closed							3,808.4			3,427.5			380.8			3,800.6					
	BS West of 168° W																									
	BS East of 168° W																									
	BS 163° W to 173° W																									
	BS																									
Bering Sea snow crab (BSS)	BS	23,700.0	21,300.0	9,784.0	8,805.6	978.4	9,784.4	83,100.0	62,300.0	18,420.9	16,578.8	1,842.1	18,421.1	69,000.0	62,100.0	30,821.6	27,739.5	3,082.2	30,817.8	78,100.0	70,300.0	24,486.3	22,037.7	2,448.6	24,486.4	
Aleutian Islands golden king crab ^b (AIG)	Aleutian Islands (AI) East of 174° W	5,690.0	4,260.0	1,501.4	1,351.3	150.1	1,500.1	5,690.0	4,260.0	1,501.4	1,351.3	150.1	1,498.0	5,690.0	4,260.0	1,501.4	1,351.3	150.1	1,500.0	5,690.0	5,120.0	1,501.4	1,351.3	150.1	1,497.8	
	AI West of 174° W				1,013.8			907.1			106.7 ^a			1,014.5			1,351.7			1,216.5			135.2 ^a			CF
	AI East of 171° W																									
	AI West of 171° W																									
	AI East of 172° W																									
	AI West of 172° W																									
Western Aleutian Islands red king crab ^b (WAI)	AI West of 179° W	56.0	34.0	Fishery Closed				56.0	34.0	Fishery Closed				56.0	34.0	Fishery Closed				56.0	34.0	Fishery Closed				
	AI 171° W to 179° W				Fishery Closed							Fishery Closed							Fishery Closed							
	Petrel Bank (179° W to 179° E)																									
	AI West of 174° W																									
	AI West of 171° W																									
	AI West of 172° W																									
	AI East of 172° W																									
Norton Sound red king crab ^c (NSR)	Norton Sound	320.0 ^d	260.0 ^d	234.6 ^d	217.0 ^d	17.6 ^d	226.9 ^d	330.0 ^d	260.0 ^d	179.0 ^d	165.6 ^d	13.4 ^d	181.9 ^d	210.0	190.0	173.6 ^c	160.6 ^c	13.0 ^c	176.5	260.0	240.0	224.8 ^c	208.0 ^c	16.9 ^c	177.7	

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

^bPrior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set.

none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

Greyed out sections indicate fisheries that did not exist for that year.

FMP BSAI crab quotas in metric tons from 1960-present

Fishery	Area	2012/13						2011/12						2010/11						2009/10						2008/09							
		OFL	ABC	total TAC	IFQ	CDQ	harvest	OFL	ABC	total TAC	IFQ	CDQ	harvest	OFL	ABC	total TAC	IFQ	CDQ	harvest	OFL	ABC	total TAC	IFQ	CDQ	harvest	OFL	ABC	total TAC	IFQ	CDQ	harvest		
Bristol Bay red king crab (BBR)	Bristol Bay	7,960.0	7,170.0	3,562.1	3,205.9	356.2	3,560.6	8,800.0	7,920.0	3,553.4	3,198.1	355.3	3,553.3	10,660.0	NA	6,730.9	6,057.8	673.1	6,728.5	10,230.0	NA	7,261.6	6,535.4	726.2	7,226.9	10,980.0	NA	9,237.0	8,313.3	923.7	9,221.3		
Saint Matthew blue king crab (SMB)	Saint Matthew	1,020.0	920.0	739.4	665.4	73.9	733.0	1,700.0	1,540.0	1,070.0	963.0	107.0	853.4	1,040.0	NA	725.7	653.2	72.6	573.3	780.0	NA	529.3	476.4	52.9	209.0	740.0	NA	Fishery Closed					
Pribilof Island golden king crab ^c (PIG)	Pribilof Islands (PI)	90.7 ^d	81.6 ^d	68.0 ^d	NA	NA	CF ^d	81.6 ^d	NA	68.0 ^d	NA	NA	CF ^d	77.1 ^d	NA	68.0 ^d	NA	NA	CF ^d	77.1 ^d	NA	68.0 ^d	NA	NA	0 ^e	NA	NA	68.0 ^d	NA	NA	0 ^e		
Pribilof Island red and blue king crab (PIK)	PI red and blue king crab combined																																
	PI red king crab only	569.0	455.0	Fishery Closed			393.0	307.0	Fishery Closed			350.0	NA	Fishery Closed			230.0	NA	Fishery Closed			1,510.0	NA	Fishery Closed									
	PI blue king crab only	1.16	1.04	Fishery Closed			1.16	1.04	Fishery Closed			1.81	NA	Fishery Closed			1.81	NA	Fishery Closed			1.81	NA	Fishery Closed									
Eastern Bering Sea Tanner crab (EBT)	Bering Sea (BS) East of 166° W	19,020.0	8,170.0	Fishery Closed			2,750.0	2,480.0	Fishery Closed			1,610.0	NA	Fishery Closed			2,270.0	NA	612.4	551.1	61.2	600.8	7,040.0	NA	1,253.3	1,127.9	125.3	830.1					
	BS West of 166° W																																
	BS West of 168° W																																
	BS East of 168° W																																
	BS 163° W to 173° W																																
	BS																																
Bering Sea snow crab (BSS)	BS	67,800.0	61,000.0	30,095.9	27,086.3	3,009.6	30,052.6	73,500.0	66,150.0	40,321.7	36,289.5	4,032.2	40,293.0	44,400.0	NA	24,621.5	22,159.3	2,462.1	24,613.4	33,100.0	NA	21,780.2	19,602.2	2,178.0	21,778.9	35,100.0	NA	26,557.9	23,902.1	2,655.8	26,556.9		
Aleutian Islands golden king crab ^b (AIG)	Aleutian Islands (AI) East of 174° W	5,690.0	5,120.0	1,501.4	1,351.3	150.1	1,503.7	5,170.0	4,660.0	1,428.8	1,285.9	142.9	1,429.0	5,020.0	NA	1,428.8	1,285.9	142.9	1,428.0	4,160.0	NA	1,428.8	1,285.9	142.9	1,429.0	4,160.0	NA	1,428.8	1,285.9	142.9	1,426.3		
	AI West of 174° W																																
	AI East of 171° W																																
	AI West of 171° W																																
	AI East of 172° W																																
	AI West of 172° W																																
Western Aleutian Islands red king crab ^b (WAI)	AI West of 179° W	56.0	34.0	Fishery Closed			54.43	12.0	Fishery Closed			54.43	NA	Fishery Closed			226.8	NA	Fishery Closed			208.7	NA	Fishery Closed									
	AI 171° W to 179° W																																
	Petrel Bank (179° W to 179° E)																																
	AI West of 174° W																																
	AI West of 171° W																																
	AI West of 172° W																																
	AI East of 172° W																																
Norton Sound red king crab ^c (NSR)	Norton Sound	240.0	220.0	211.1 ^c	195.3 ^c	15.8 ^c	215.9	300.0	270.0	162.4 ^c	150.2 ^c	12.2 ^c	181.8	330.0	NA	181.4 ^c	167.8 ^c	13.6 ^c	189.3	320.0	NA	170.1 ^c	157.3 ^c	12.8 ^c	180.3	310.0	NA	186.9 ^c	172.9 ^c	14.0 ^c	179.2		

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

^bPrior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set.

none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

Greyed out sections indicate fisheries that did not exist for that year.

FMP BSAI crab quotas in metric tons from 1960-present

Fishery	Area	2007/08				2006/07				2005/06				2005				2004/05				2003/04			
		total TAC	IFQ	CDQ	harvest	total TAC	IFQ	CDQ	harvest	total TAC	IFQ	CDQ	harvest	total GHJ	Open Access	CDQ	harvest	total GHJ	Open Access	CDQ	harvest	total GHJ	Open Access	CDQ	harvest
Bristol Bay red king crab (BBR)	Bristol Bay	9,245.6	8,321.0	924.6	9,237.9	7,042.9	6,338.6	704.3	7,083.7	8,313.9	7,482.5	831.4	8,305.0					6,996.2 ^d	6,471.4 ^d	515.0 ^d	7,006.7 ^d	7,127.3 ^d	6,593.0 ^d	529.4 ^d	7,134.2 ^d
Saint Matthew blue king crab (SMB)	Saint Matthew	Fishery Closed				Fishery Closed				Fishery Closed								Fishery Closed ^d				Fishery Closed ^d			
Pribilof Island golden king crab ^c (PIG)	Pribilof Islands (PI)	68.0 ^d	NA	NA	0 ^d	68.0 ^d	NA	NA	0 ^d	68.0 ^d	NA	NA	CF ^d					68.0 ^d	NA	NA	CF ^d	68.0 ^d	NA	NA	CF ^d
Pribilof Island red and blue king crab (PIK)	PI red and blue king crab combined																	Fishery Closed ^d				Fishery Closed ^d			
	PI red king crab only	Fishery Closed				Fishery Closed				Fishery Closed															
	PI blue king crab only	Fishery Closed				Fishery Closed				Fishery Closed															
Eastern Bering Sea Tanner crab (EBT)	Bering Sea (BS) East of 166° W	1,562.6	1,406.4	156.3	718.0	850.5	765.4	85.0	635.8	Fishery Closed															
	BS West of 166° W	987.0	888.3	98.7	237.6	496.2	446.6	49.6	327.0	734.8	661.3	73.5	432.2												
	BS West of 168° W													Fishery Closed				Fishery Closed							
	BS East of 168° W													Fishery Closed				Fishery Closed							
	BS 163° W to 173° W																								
	BS																								
Bering Sea snow crab (BSS)	BS	28,591.8	25,732.6	2,859.2	28,589.1	16,586.1	14,927.5	1,658.6	16,490.7	16,866.4	15,179.8	1,686.6	16,771.1	9,494.6*	8,782.5*	843.1*	11,290.9*	9,448.8 ^d	8,740.3 ^d	805.0 ^d	10,860.1 ^d	11,616.5 ^d	10,745.6 ^d	963.0 ^d	12,844.4 ^d
Aleutian Islands golden king crab ^b (AIG)	Aleutian Islands (AI) East of 174° W	1,360.8	1,224.7	136.1	1,356.2	1,360.8	1,224.7	136.1	1,357.2	1,360.8	1,224.7	136.1	1,300.3					1,360.8	NA	NA	1,309.4	1,360.8	NA	NA	1,350.4
	AI West of 174° W	1,224.7	1,102.2	122.5 ^a	1,142.2	1,224.7	1,102.2	122.5 ^a	1,029.8	1,224.7	1,102.2	122.5 ^a	1,203.7					1,224.7	NA	NA	1,219.4	1,224.7	NA	NA	1,219.6
	AI East of 171° W																								
	AI West of 171° W																								
	AI East of 172° W																								
	AI West of 172° W																								
Western Aleutian Islands red king crab ^b (WAI)	AI West of 179° W	Fishery Closed				Fishery Closed				Fishery Closed															
	AI 171° W to 179° W	Fishery Closed				Fishery Closed				Fishery Closed															
	Petrel Bank (179° W to 179° E)													Fishery Closed				226.8	NA	NA	217.3				
	AI West of 174° W																								
	AI West of 171° W																								
	AI West of 172° W																								
Norton Sound red king crab ^c (NSR)	Norton Sound	142.9 ^d	132.2 ^d	10.7 ^d	141.9 ^d	205.9 ^d	190.5 ^d	15.4 ^d	204.9 ^d	167.8 ^d	155.2 ^d	12.6 ^d	181.8 ^d					160.1 ^d	148.1 ^d	12.0 ^d	154.6 ^d	114.8 ^d	106.2 ^d	8.6 ^d	121.2 ^d

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

^bPrior to the 1980/81 season the GHJ for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set.

none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

Greyed out sections indicate fisheries that did not exist for that year.

Note: Crab Rationalization program starts July 1, 2005.

*There was a calendar year fishery in January of 2005. The fishery opened again under the Crab Rationalization program in Oct 2005 for the 2005/06

FMP BSAI crab quotas in metric tons from 1960-present

Fishery	Area	2002/03				2001/02				2000/01				1999/2000				1998/99				1997/98		1996/97		1995/96							
		total	GHL	Open Access	CDQ	harvest	total	GHL	Open Access	CDQ	harvest	total	GHL	Open Access	CDQ	harvest	total	GHL	Open Access	CDQ	harvest	total	GHL	harvest	total	GHL	harvest	total	GHL	harvest			
Bristol Bay red king crab (BBR)	Bristol Bay	4,205.0 ^d	3,889.7 ^d	324.0 ^d	4,384.8 ^d	3,243.2 ^d	3,000.0 ^d	280.1 ^d	3,866.2 ^d	3,787.5 ^d	3,503.6 ^d	276.8 ^d	3,737.9 ^d	4,835.3 ^d	4,593.5 ^d	263.4 ^d	5,368.7 ^d	7,438.9 ^d	7,166.8 ^d	238.2 ^d	6,805.4 ^d	3,175.2 ^d	4,042.1 ^d	2,268.0 ^d	3,866.0 ^d	Fishery Closed ^d		Fishery Closed ^d					
Saint Matthew blue king crab (SMB)	Saint Matthew	Fishery Closed ^d				Fishery Closed ^d				Fishery Closed ^d				Fishery Closed ^d				1,859.5 ^d	1,814.4 ^d	45.1 ^d	1,346.5 ^d	2,268.0 ^d	2,109.1 ^d	1,950.4 ^d	1,396.6 ^d	1,088.6 ^d	1,436.1 ^d						
Pribilof Island golden king crab ^c (PIG)	Pribilof Islands (PI)	68.0 ^d	NA	NA	68.2 ^d	68.0 ^d	NA	NA	66.2 ^d	68.0 ^d	NA	NA	57.7 ^d	90.7 ^d	NA	NA	80.3 ^d	none ^d	NA	NA	16.2 ^d	none ^d	81.3 ^d	none ^d	149.2 ^d	none ^d	155.1 ^d	none ^d					
Pribilof Island red and blue king crab (PIK)	PI red and blue king crab combined	Fishery Closed ^d				Fishery Closed ^d				Fishery Closed ^d				Fishery Closed ^d				583.3 ^d	567.0 ^d	16.3 ^d	CF ^d	680.39 ^d	575.7 ^d	816.5 ^d	515.9 ^d	1,134.0 ^d	1,035.4 ^d						
	PI red king crab only																																
	PI blue king crab only																																
Eastern Bering Sea Tanner crab (EBT)	Bering Sea (BS) East of 166° W																																
	BS West of 166° W																																
	BS West of 168° W	Fishery Closed				Fishery Closed				Fishery Closed				Fishery Closed				Fishery Closed				Fishery Closed											
	BS East of 168° W	Fishery Closed				Fishery Closed				Fishery Closed				Fishery Closed				Fishery Closed				Fishery Closed		997.9	368.0	Fishery Closed							
	BS 163° W to 173° W																							2,812.3	451.2	2,494.8	1,920.1						
BS																																	
Bering Sea snow crab (BSS)	BS	13,979.7 ^d	12,931.9 ^d	1,113.0 ^d	14,802.2 ^d	12,383.1 ^d	11,454.4 ^d	851.9 ^d	11,456.1 ^d	12,927.4 ^d	11,957.8 ^d	969.6 ^d	15,100.7 ^d	88,904.2 ^d	84,459.0 ^d	4,388.2 ^d	88,162.1 ^d	106,186.1 ^d	102,471.2 ^d	4,030.9 ^d	114,459.3 ^d	53,070.4 ^d	54,244.9 ^d	22,997.2 ^d	29,799.3 ^d	25,265.1 ^d	34,159.7 ^d						
Aleutian Islands golden king crab ^b (AIG)	Aleutian Islands (AI) East of 174° W	1,496.5	NA	NA	1,280.0	1,360.8	NA	NA	1,441.8	1,360.8	NA	NA	1,421.6	1,360.8	NA	NA	1,392.5	1,360.8	NA	NA	1,473.2	1,451.5	1,588.1	1,451.5	1,492.7								
	AI West of 174° W	1,224.7	NA	NA	1,197.8	1,224.7	NA	NA	1,242.9	1,224.7	NA	NA	1,308.5	1,224.7	NA	NA	1,256.0	1,224.7	NA	NA	768.4	1,224.7	1,108.9	1,224.7	1,145.3								
	AI East of 171° W																							680.4	904.5								
	AI West of 171° W																									2,268	2,722	2,252.7					
	AI East of 172° W																																
	AI West of 172° W																																
Western Aleutian Islands red king crab ^b (WAI)	AI West of 179° W																																
	AI 171° W to 179° W																																
	Petrel Bank (179° W to 179° E)	226.8	NA	NA	229.4	Fishery Closed				Fishery Closed																							
	AI West of 174° W													Fishery Closed				6.8	NA	NA	CF												
	AI West of 171° W																					Fishery Closed		Fishery Closed		450	680	17.7					
	AI West of 172° W																																
AI East of 172° W																																	
Norton Sound red king crab ^c (NSR)	Norton Sound	112.5 ^d	114.4 ^d	8.4 ^d	117.8 ^d	137.4 ^d	127.1 ^d	10.3 ^d	130.7 ^d	152.4 ^d	141.0 ^d	11.4 ^d	141.8 ^d	36.3 ^d	33.6 ^d	2.7 ^d	10.7 ^d	36.3 ^d	33.6 ^d	2.7 ^d	13.5 ^d	32.3 ^d	42.2 ^d	154.2 ^d	101.7 ^d	154.2 ^d	146.4 ^d						

^dThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

^bPrior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set.

none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

Greyed out sections indicate fisheries that did not exist for that year.

FMP BSAI crab quotas in metric tons from 1960-present

Fishery	Area	1994/95		1993/94		1992/93		1991/92		1990/91		1990		1989/90		1988/89		1987/88		1986/87		1985/86	
		total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest
Bristol Bay red king crab (BBR)	Bristol Bay	Fishery Closed ^d		7,620.4 ^d	6,616.9 ^d	4,672.0 ^d	3,660.6 ^d	8,164.7 ^d	7,791.8 ^d	7,756.4 ^d	9,272.8 ^d			7,484.3 ^d	4,607.1 ^d	3,401.9 ^d	3,338.9 ^d	3,856 - 8,029 ^d	5,574.2 ^d	2,722 - 5,897 ^d	5,128.4 ^d	1,361 - 2,268 ^d	1,855.3 ^d
Saint Matthew blue king crab (SMB)	Saint Matthew	1,360.8 ^d	1,707.4 ^d	1,995.8 ^d	1,362.2 ^d	1,406.1 ^d	1,123.1 ^d	1,451.5 ^d	1,529.5 ^d	861.8 ^d	782.6 ^d			771.1 ^d	529.0 ^d	317 - 680 ^d	560.9 ^d	272 - 590 ^d	471.6 ^d	91 - 227 ^d	455.0 ^d	408 - 862 ^d	986.6 ^d
Pribilof Island golden king crab ^c (PIG)	Pribilof Islands (PI)	none ^d	40.4 ^d	none ^d	30.6 ^d	none ^d	0 ^d	none ^d	0 ^d	none ^d	0 ^d			none ^d	CF ^d	none ^d	CF ^d	none ^d	CF ^d	none ^d	0 ^d	none ^d	CF ^d
Pribilof Island red and blue king crab (PIK)	PI red and blue king crab combined																						
	PI red king crab only	907.2 ^d	607.3 ^d	1,542.2 ^d	1,183.0 ^d	Fishery Closed		Fishery Closed		Fishery Closed				Fishery Closed		Fishery Closed							
	PI blue king crab only	Fishery Closed ^d		Fishery Closed ^d		Fishery Closed		Fishery Closed		Fishery Closed				Fishery Closed		Fishery Closed		136 - 771	318.1	136 - 363	117.5	136 - 363	239.6
Eastern Bering Sea Tanner crab (EBT)	Bering Sea (BS) East of 166° W																						
	BS West of 166° W																						
	BS West of 168° W																						
	BS East of 168° W			Fishery Closed	4,853.4	1,875.4																	
	BS 163° W to 173° W	3,401.9	3,523.0	4,127.7	5,795.3																		
	BS			17,281.9	15,935.1	14,877.8	14,421.7	19,413.8*	18,180.7*	13,381 ^{dd}	11,134.6 ^{dd}	6,123.5 ^d	3,167.4 ^d	2,540.1 ^d	1,041.0 ^d	Fishery Closed ^d		Fishery Closed ^d				1,360.8 ^d	1,377.5 ^d
Bering Sea snow crab (BSS)	BS	47,990.1 ^d	67,944.9 ^d	93,984.5 ^d	104,668.4 ^d	151,046.4 ^d	143,018.8 ^d	142,881.8 ^d	149,072.5 ^d	63,412.3 ^d	73326.2 ^d			59,874.3 ^d	67,270.7 ^d	50,212.7 ^d	60,808.7 ^d	25,582.6 ^d	46,222.7 ^d	25,854.8 ^d	44,308.8 ^d	44,452.1 ^d	29,941.9 ^d
Aleutian Islands golden king crab ^b (AIG)	Aleutian Islands (AI) East of 174° W																						
	AI West of 174° W																						
	AI East of 171° W	none	794.0	none	415.2	none	637.0	none	688.0	none	771.0			none	840.2	none	701.3	none	630.0	none	847.8	none	786.5
	AI West of 171° W	none	2,893.0	none	2,102.7	none	2,216.6	none	2,805.6	none	2,381.7			none	4,613.0	none	4,119.0	none	3,568.9	none	5,837.5	none	5,000.8
	AI East of 172° W																						
	AI West of 172° W																						
Western Aleutian Islands red king crab ^b (WAI)	AI West of 179° W																						
	AI 171° W to 179° W																						
	Petrel Bank (179° W to 179° E)																						
	AI West of 174° W																						
	AI West of 171° W	450 - 680	89.3	none	316.6	none	583.5	none	431.5	none	375.6			771.1	501.7	498.8	710.9	227 - 680	550.6	227 - 680	323.2	227 - 907	394.1
	AI West of 172° W																						
AI East of 172° W																							
Norton Sound red king crab ^c (NSR)	Norton Sound	154.2 ^d	148.7 ^d	154.2 ^d	152.3 ^d	154.2 ^d	33.6 ^d	154.2 ^d	0 ^d	90.7 ^d	87.5 ^d			90.7 ^d	111.8 ^d	90.7 ^d	107.4 ^d	181.4 ^d	148.4 ^d	190.5 ^d	217.5 ^d	204.1 ^d	193.7 ^d

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

^bPrior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set.

none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

Greyed out sections indicate fisheries that did not exist for that year.

^{dd}There was a calendar year fishery in January of 1990. The fishery opened again in the fall for the

FMP BSAI crab quotas in metric tons from 1960-present

Fishery	Area	1984/85		1983/84		1982/83		1981/82		1980/81		1979/80		1978/79		1977/78		1976/77		1975/76	
		total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest
Bristol Bay red king crab (BBR)	Bristol Bay	1,134 - 2,722 ^d	1,852.3 ^d	Fishery Closed ^d		5,536 - 9,072 ^d	1,356.3 ^d	4,536 - 45,359 ^d	15,137.7 ^d	1,752 - 54,431 ^d	58,943.7 ^d	none ^d	48,910.0 ^d	none ^d	39,743.0 ^d	none ^d	31,736.9 ^d	none ^d	28,993.5 ^d	none ^d	23,281.2 ^d
Saint Matthew blue king crab (SMB)	Saint Matthew	907 - 1,814 ^d	1,707.6 ^d	3,628.7 ^d	4,288.4 ^d	none ^d	4,011.9 ^d	none ^d	2,099.1 ^d	none ^d	CF ^d	none ^d	95.6 ^d	none ^d	900.0 ^d	none ^d	545.2 ^d				
Pribilof Island golden king crab ^c (PIG)	Pribilof Islands (PI)	none ^d	0 ^d	none	388.5	none	31.7	none	CF												
Pribilof Island red and blue king crab (PIK)	PI red and blue king crab combined																				
	PI red king crab only																				
	PI blue king crab only	227 - 454	139.1	1,814.4	994.9	2,268 - 3,629	1,998.2	2,268 - 3,629	4,119.0	2,268 - 3,629	4,976.1	none	2,719.4	none	2,901.0	none	2,928.7	none	2,998.7	none	1,103.9
Eastern Bering Sea Tanner crab (EBT)	Bering Sea (BS) East of 166° W																				
	BS West of 166° W																				
	BS West of 168° W																				
	BS East of 168° W																				
	BS 163° W to 173° W																				
	BS	3,220.5 ^d	548.0 ^d	2,540.1 ^d	2,392.2 ^d	5,443 - 7,257 ^d	4,993.5 ^d	2,700 - 16,329 ^d	13,440.2 ^d			12,700 - 16,329	16,608.0	none	19,299.1	none	30,132.6	none	23,339.7	none	10,141.5
Bering Sea snow crab (BSS)	BS	22,226.1 ^d	12,162.2 ^d	7,166.8 ^d	11,851.7 ^d	7,257 - 9,979 ^d	13,315.4 ^d	7,917 - 41,277 ^d	23,927.0 ^d			none	17,949.9	none	14,599.8	none	778.4				
Aleutian Islands golden king crab ^b (AIG)	Aleutian Islands (AI) East of 174° W																				
	AI West of 174° W																				
	AI East of 171° W	none	690.0																		
	AI West of 171° W	none	1,878.4																		
	AI East of 172° W			none	821.4	none	537.5	none	52.5												
	AI West of 172° W			none	3,686.8	none	3,631.6	none	541.6												
Western Aleutian Islands red king crab ^b (WAI)	AI West of 179° W																				
	AI 171° W to 179° W																				
	Petrel Bank (179° W to 179° E)																				
	AI West of 174° W																				
	AI West of 171° W	680 - 1,361	588.0																		
	AI West of 172° W			227 - 1,361	898.8	227 - 1,361	771.9	227 - 1,361	747.9	227 - 1,361	643.9	227 - 1,361	211.9	227 - 1,361	366.1	113 - 1,134	410.7	Fishery Closed		6,803.9 ^b	186.7
AI East of 172° W			Fishery Closed		907 - 1,361	195.6	3,175 - 7,711 ^b	2,338.4	3,175 - 7,711 ^b	8,642.6	7,711 - 11,340 ^b	6,808.8	2,268 - 5,897 ^b	3,095.7	3,628 - 6,577 ^b	1,671.2	6,577.1 ^b	4,625.9	6,577.1 ^b	7,215.1	
Norton Sound red king crab ^c (NSR)	Norton Sound	181.4 ^d	175.7 ^d	136.1 ^d	166.9 ^d	226.8 ^d	103.8 ^d	1,134.0 ^d	625.5 ^d	453.6 ^d	538.2 ^d	1,360.8 ^d	1329.8 ^d	1,360.8 ^d	948.9 ^d	none ^d	234.9 ^d				

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

^bPrior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set.

none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

Greyed out sections indicate fisheries that did not exist for that year.

FMP BSAI crab quotas in metric tons from 1960-present

Fishery	Area	1974/75		1974		1973/74		1972/73		1971/72		1970/71		1969/70		1968/69		1967/68		1966/67		1965/66		1964/65	
		total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest	total GHL	harvest
Bristol Bay red king crab (BBR)	Bristol Bay	none ^d	19,171.7 ^d			none ^d	12,207.8 ^d	none ^d	9,863.3 ^d	none ^d	5,876.6 ^d	none ^d	3,882.4 ^d	none ^d	4,718.9 ^d	none ^d	3,940.2 ^d	none ^d	1,407.2 ^d	none ^d	452.4 ^d				
Saint Matthew blue king crab (SMB)	Saint Matthew																								
Pribilof Island golden king crab ^c (PIG)	Pribilof Islands (PI)																								
Pribilof Island red and blue king crab (PIK)	PI red and blue king crab combined																								
	PI red king crab only																								
	PI blue king crab only	none	3,223.8			none	579.0																		
Eastern Bering Sea Tanner crab (EBT)	Bering Sea (BS) East of 166° W																								
	BS West of 166° W																								
	BS West of 168° W																								
	BS East of 168° W																								
	BS 163° W to 173° W																								
	BS	none*	3,188.0	none*	2,288.0	none ^d	105.1 ^d	none ^d	48.9 ^d	none ^d	75.3 ^d	none ^d	460.3 ^d	none ^d	457.6 ^d	none ^d	8.1 ^d								
Bering Sea snow crab (BSS)	BS																								
Aleutian Islands golden king crab ^b (AIG)	Aleutian Islands (AI) East of 174° W																								
	AI West of 174° W																								
	AI East of 171° W																								
	AI West of 171° W																								
	AI East of 172° W																								
	AI West of 172° W																								
Western Aleutian Islands red king crab ^b (WAI)	AI West of 179° W																								
	AI 171° W to 179° W																								
	Petrel Bank (179° W to 179° E)																								
	AI West of 174° W																								
	AI West of 171° W																								
AI West of 172° W	9,071.9 ^b	1,258.7			9,071.9 ^b	4,418.7	none	8,493.1	none	7,019.8	none	7,283.3	none	8,171.9	none	7,302.8	none	6,409.7	none	2,668.5	none	5,858.2	none	9,613.0	
AI East of 172° W	5,216.3 ^b	6,346.3			4,535.9 ^b	5,770.9	none	4,740.2	none	4,260.0	none	4,378.1	none	4,059.7	none	5,125.6	none	10,300.6	none	14,901.4	none	8,707.2	none	6,241.9	
Norton Sound red king crab ^c (NSR)	Norton Sound																								

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

^bPrior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set.

none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

Greyed out sections indicate fisheries that did not exist for that year.

FMP BSAI crab quotas in metric tons from 1960-present

Fishery	Area	1963/64		1962/63		1961/62		1960/61	
		total GH	harvest	total GH	harvest	total GH	harvest	total GH	harvest
Bristol Bay red king crab (BBR)	Bristol Bay								
Saint Matthew blue king crab (SMB)	Saint Matthew								
Pribilof Island golden king crab ^c (PIG)	Pribilof Islands (PI)								
Pribilof Island red and blue king crab (PIK)	PI red and blue king crab combined								
	PI red king crab only								
	PI blue king crab only								
Eastern Bering Sea Tanner crab (EBT)	Bering Sea (BS) East of 166° W								
	BS West of 166° W								
	BS West of 168° W								
	BS East of 168° W								
	BS 163° W to 173° W								
	BS								
Bering Sea snow crab (BSS)	BS								
Aleutian Islands golden king crab ^b (AIG)	Aleutian Islands (AI) East of 174° W								
	AI West of 174° W								
	AI East of 171° W								
	AI West of 171° W								
	AI East of 172° W								
	AI West of 172° W								
Western Aleutian Islands red king crab ^b (WAI)	AI West of 179° W								
	AI 171° W to 179° W								
	Petrel Bank (179° W to 179° E)								
	AI West of 174° W								
	AI West of 171° W								
	AI West of 172° W	none	8,121.1	none	3,631.5	none	2,773.3	none	940.8
AI East of 172° W	none	1,765.8	none	696.7	none	241.8	none	NA	
Norton Sound red king crab ^c (NSR)	Norton Sound								

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

^bPrior to the 1980/81 season the GH for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set.

none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

Greyed out sections indicate fisheries that did not exist for that year.