

Double Nine-Patch Quilt

Approx Size:
76" x 76"



CLICK HERE

to sign up for the
FREE

Leisure Arts E-newsletters at
www.leisurearts.com
to receive free projects,
book reviews, handy
tips, and more
Inspiration!

Originally published in Leaflet 1808, *Sew Quick Two-Color Quilts*

©2009 by Leisure Arts, Inc.

**LEISURE
ARTS**
the art of everyday living

DOUBLE NINE-PATCH QUILT

BLOCK SIZE: $11\frac{1}{4}" \times 11\frac{1}{4}"$

QUILT SIZE: 76" x 76"

Although the maker of our antique quilt dealt with many bias edges in order to match the direction of the checks in her quilt top, our instructions eliminate these bias edges and substitute a small red print for the checked fabric.

YARDAGE REQUIREMENTS

Yardage is based on 43"/44" w fabric.

 $4\frac{3}{4}$ yds of red print

 4 yds of navy print

$4\frac{3}{4}$ yds for backing

1 yd for binding

90" x 108" batting


CUTTING OUT THE PIECES

All measurements include a $\frac{1}{4}"$ seam allowance.


1. From red print:

- Cut 16 **strips** $1\frac{3}{4}"$ w.
- Cut 8 strips $4\frac{1}{4}"$ w. From these strips, cut 64 **squares** $4\frac{1}{4}" \times 4\frac{1}{4}"$.
- Cut 4 lengthwise **outer borders** $3\frac{1}{2}" \times 80"$.
- From remaining fabric width, cut 9 **setting squares** $11\frac{3}{4}" \times 11\frac{3}{4}"$.
- Cut 3 squares $17\frac{1}{4}" \times 17\frac{1}{4}"$. Cut squares twice diagonally to make 12 **side triangles**.

square (cut 3)




side triangle (cut 12)




- Cut 2 squares $8\frac{7}{8}" \times 8\frac{7}{8}"$. Cut squares once diagonally to make 4 **corner triangles**.

square (cut 2)



corner triangle (cut 4)




2. From navy print:


- Cut 20 **strips** $1\frac{3}{4}"$ w
- Cut 4 lengthwise **inner borders** $3" \times 80"$.

ASSEMBLING THE QUILT TOP

1. Sew 3 **strips** together to make **Strip Set A**. Make 8 **Strip Set A**'s. Cut across **Strip Set A**'s at $1\frac{3}{4}"$ intervals to make 160 **Unit 1**'s.




2. Sew 3 **strips** together to make **Strip Set B**. Make 4 **Strip Set B**'s. Cut across **Strip Set B**'s at $1\frac{3}{4}"$ intervals to make 80 **Unit 2**'s.




3. Sew 2 **Unit 1**'s and 1 **Unit 2** together to make **Unit 3**. Make 80 **Unit 3**'s.


Unit 3 (make 80)




4. Sew 2 **Unit 3's** and 1 **square** together to make **Unit 4**. Make 32 **Unit 4's**.



5. Sew 2 **squares** and 1 **Unit 3** together to make **Unit 5**. Make 16 **Unit 5's**.




6. Sew 2 **Unit 4's** and 1 **Unit 5** together to make **Block**. Make 16 **Blocks**.



7. Referring to **Assembly Diagram**, page 4, sew **corner triangles**, **side triangles**, **Blocks**, and **setting squares** together into diagonal rows. Sew rows together to make center section of quilt top.
8. Sew 1 **inner border** and 1 **outer border** together to make **Border Unit**. Make 4 **Border Units**.

Border Unit (make 4)




9. Referring to **Quilt Top Diagram**, page 5, follow **Adding Mitered Borders**, page 6, to sew **Border Units** to center section to complete **Quilt Top**.


COMPLETING THE QUILT

1. Mark, layer, and quilt using **Quilting Diagram** as a suggestion. Our quilt is hand quilted.
2. Bind quilt as desired.


Quilting Diagram



Assembly Diagram



Quilt Top Diagram




GENERALS

ADDING MITERED BORDERS


1. Mark the center of each edge of quilt top.
2. Mark center of 1 long edge of top border. Measure across center of quilt top (**Fig. 1**). Matching center marks and raw edges, pin border to center of quilt top edge. Beginning at center of border, measure $\frac{1}{2}$ the width of the quilt top in both directions and mark. Match marks on border with corners of quilt top and pin. Easing in any fullness, pin border to quilt top between center and corners. Sew border to quilt top, beginning and ending seams **exactly** $\frac{1}{4}$ " from each corner of quilt top and backstitching at beginning and end of stitching (**Fig. 1**).

Fig. 1



3. Repeat Step 2 to sew bottom, then side borders, to center section of quilt top. To temporarily move first 2 borders out of the way, fold and pin ends as shown in **Fig. 2**.

Fig. 2



4. Fold 1 corner of quilt top diagonally with right sides together and matching edges. Use ruler to mark stitching line as shown in **Fig. 3**. Pin borders together along drawn line. Sew on drawn line, backstitching at beginning and end of stitching (**Fig. 4**).

Fig. 3





Fig. 4



5. Turn mitered corner right side up. Check to make sure corner will lie flat with no gaps or puckers.
6. Trim seam allowance to $\frac{1}{4}$ "; press to 1 side.
7. Repeat Steps 4 - 6 to miter each remaining corner.

©2009 by Leisure Arts, Inc., 5701 Ranch Drive, Little Rock, AR 72223. All rights reserved. This digital publication is protected under federal copyright laws. Reproduction or distribution of this digital publication or any other Leisure Arts publication, including publications which are out of print, is prohibited unless specifically authorized. This includes, but is not limited to, any form of reproduction or distribution on or through the Internet, including posting, scanning, or e-mail transmission.

We have made every effort to ensure that these instructions are accurate and complete. We cannot, however, be responsible for human error, typographical mistakes, or variations in individual work.