

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2023
2.0	05/01/2024	800080002768	Date of first issue: 05/01/2023

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : ENLIST DUO™ Herbicide
Other means of identification : No data available

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE CANADA COMPANY
SUITE 240, 115 QUARRY PARK RD. SE
CALGARY AB, T2C 5G9
CANADA

Customer Information : 800-667-3852
Number
E-mail address : solutions@corteva.com

Emergency telephone : Corteva Canada Solutions: 1-800-667-3852
number

Recommended use of the chemical and restrictions on use

Recommended use : End use herbicide product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitisation : Sub-category 1B

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version
2.0

Revision Date:
05/01/2024

SDS Number:
800080002768

Date of last issue: 05/01/2023
Date of first issue: 05/01/2023

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
2,4-D choline salt	2,4-D choline salt	1048373-72-3	24.4
Glyphosate DMA Salt	Glyphosate DMA Salt	34494-04-7	22.1
Propylene glycol	Propylene glycol	57-55-6	$\geq 3 - < 10$ *
LAURYLDIMETHYLAMINE OXIDE	LAURYLDIMETHYLAMINE OXIDE	1643-20-5	$\geq 1 - < 3$ *
Balance	Balance	Not Assigned	> 40

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.
Suitable emergency safety shower facility should be available in work area.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
Suitable emergency eye wash facility should be available in work area.
- If swallowed : Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version 2.0	Revision Date: 05/01/2024	SDS Number: 800080002768	Date of last issue: 05/01/2023 Date of first issue: 05/01/2023
----------------	------------------------------	-----------------------------	---

Notes to physician	: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment. Skin contact may aggravate preexisting dermatitis.
--------------------	--

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon oxides
Specific extinguishing methods	: Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
Environmental precautions	: If the product contaminates rivers and lakes or drains inform respective authorities. Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Prevent from entering into soil, ditches, sewers, underwater. See Section 12, Ecological Information.
Methods and materials for containment and cleaning up	: Clean up remaining materials from spill with suitable absorbant. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version
2.0

Revision Date:
05/01/2024

SDS Number:
800080002768

Date of last issue: 05/01/2023
Date of first issue: 05/01/2023

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
See Section 13, Disposal Considerations, for additional information.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Do not breathe vapours/dust.
Do not smoke.
Handle in accordance with good industrial hygiene and safety practice.
Avoid exposure - obtain special instructions before use.
Smoking, eating and drinking should be prohibited in the application area.
Do not get on skin or clothing.
Avoid inhalation of vapour or mist.
Do not swallow.
Avoid contact with skin and eyes.
Avoid contact with eyes.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Conditions for safe storage : Store in a closed container.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep in properly labelled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2,4-D choline salt	1048373-72-3	TWA	10 mg/m3	Dow IHG
Propylene glycol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m3	CA ON OEL
		TWA (aerosol)	10 mg/m3	CA ON OEL

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version 2.0	Revision Date: 05/01/2024	SDS Number: 800080002768	Date of last issue: 05/01/2023 Date of first issue: 05/01/2023
----------------	------------------------------	-----------------------------	---

Engineering measures : Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

Hand protection
Remarks

: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Use chemical goggles.

Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Colour	: Brown
Odour	: Amine.
Odour Threshold	: No data available
pH	: 5.6 - 6.17 Method: pH Electrode
Melting point/range	: Not applicable
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: > 100 °C

Method: Pensky-Martens Closed Cup ASTM D 93, closed cup

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2023
2.0	05/01/2024	800080002768	Date of first issue: 05/01/2023

Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.17 g/cm ³ (20.0 °C) Method: Digital density meter
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available.
Auto-ignition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	32.7 mPa,s (20.0 °C) 14.9 mPa,s (40.0 °C) 26.3 cP (25 °C)
Explosive properties	:	No
Oxidizing properties	:	yes
		Reference substance: Potassium permanganate

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	No decomposition if stored and applied as directed. Stable under normal conditions.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned. None known.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition products	:	Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	LD ₅₀ (Rat, female): > 2,500 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	:	LC ₅₀ (Rat, male and female): > 5.10 mg/l Test atmosphere: dust/mist Method: OECD Test Guideline 403

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2023
2.0	05/01/2024	800080002768	Date of first issue: 05/01/2023

Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402

Components:

2,4-D choline salt:

Acute oral toxicity : LD50 (Rat): 639 mg/kg
Remarks: For similar active ingredient(s).

Acute inhalation toxicity : Remarks: At room temperature, exposures to vapors are minimal due to physical properties; higher temperatures may generate vapor levels sufficient to cause irritation and other effects.
Prolonged excessive exposure to dust may cause adverse effects.
Dust may cause irritation to upper respiratory tract (nose and throat).

LC50 (Rat): > 1.79 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: For similar active ingredient(s).
Maximum attainable concentration.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Remarks: For similar active ingredient(s).

Glyphosate DMA Salt:

Acute oral toxicity : LD50 (Rat): > 4,000 mg/kg
Remarks: For similar active ingredient(s).

Acute inhalation toxicity : Remarks: Prolonged excessive exposure to dust may cause adverse effects.

LC50 (Rat): > 1.9 mg/l
Test atmosphere: dust/mist
Remarks: For similar active ingredient(s).

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: For similar active ingredient(s).

Propylene glycol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): 317.042 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Mist may cause irritation of upper respiratory tract (nose and throat).

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2023
2.0	05/01/2024	800080002768	Date of first issue: 05/01/2023

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

LAURYL DIMETHYLAMINE OXIDE:

Acute oral toxicity : LD50 (Mouse): 2,700 mg/kg
Remarks: There may be a feeling of bloating or distension in the abdomen, nausea, vomiting and diarrhea.

Skin corrosion/irritation

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Components:

2,4-D choline salt:

Result : No skin irritation

Propylene glycol:

Species : Rabbit
Result : No skin irritation

LAURYL DIMETHYLAMINE OXIDE:

Result : Skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Components:

2,4-D choline salt:

Result : Corrosive

Propylene glycol:

Species : Rabbit
Result : No eye irritation

LAURYL DIMETHYLAMINE OXIDE:

Result : Eye irritation

Respiratory or skin sensitisation

Product:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Assessment : The product is a skin sensitiser, sub-category 1B.
Method : OECD Test Guideline 429

Components:

2,4-D choline salt:

Assessment : Does not cause skin sensitisation.
Remarks : Did not cause allergic skin reactions when tested in guinea pigs.
Did not demonstrate the potential for contact allergy in mice.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version 2.0	Revision Date: 05/01/2024	SDS Number: 800080002768	Date of last issue: 05/01/2023 Date of first issue: 05/01/2023
----------------	------------------------------	-----------------------------	---

Remarks : For respiratory sensitization:
No relevant data found.

Propylene glycol:

Species : human
Assessment : Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

2,4-D choline salt:

Germ cell mutagenicity - Assessment : For similar active ingredient(s)., 2,4-Dichlorophenoxyacetic acid., In vitro genetic toxicity studies were predominantly negative.

Glyphosate DMA Salt:

Germ cell mutagenicity - Assessment : For similar active ingredient(s)., Glyphosate., In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Propylene glycol:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Carcinogenicity

Product:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Components:

2,4-D choline salt:

Carcinogenicity - Assessment : For similar active ingredient(s)., There is no evidence of carcinogenicity in laboratory animal toxicity studies. While some epidemiological studies report a positive association between 2,4-D exposure and cancer, a weight of evidence analysis of the epidemiology data across studies reveals no indication that 2,4-D causes cancer in humans.

Glyphosate DMA Salt:

Carcinogenicity - Assessment : For similar active ingredient(s)., Glyphosate., Did not cause cancer in laboratory animals., Weight of evidence evaluation of epidemiology studies supports no association between glyphosate exposure and cancer.

Propylene glycol:

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Reproductive toxicity

Components:

2,4-D choline salt:

Reproductive toxicity - Assessment : For similar active ingredient(s)., 2,4-Dichlorophenoxyacetic acid., In laboratory animals, excessive doses toxic to the parent animals caused decreased weight and survival of offspring.
For similar active ingredient(s)., 2,4-Dichlorophenoxyacetic acid., Has been toxic to the fetus in laboratory animals at doses toxic to the mother.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2023
2.0	05/01/2024	800080002768	Date of first issue: 05/01/2023

Glyphosate DMA Salt:

Reproductive toxicity - Assessment : For similar active ingredient(s), Glyphosate., In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals. For similar active ingredient(s), Glyphosate., Has been toxic to the fetus in laboratory animals at doses toxic to the mother., Did not cause birth defects in laboratory animals.

Propylene glycol:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction., In animal studies, did not interfere with fertility. Did not cause birth defects or any other fetal effects in laboratory animals.

STOT - single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:

2,4-D choline salt:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Glyphosate DMA Salt:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Propylene glycol:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

LAURYL DIMETHYLAMINE OXIDE:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Repeated dose toxicity

Components:

2,4-D choline salt:

Remarks : For similar active ingredient(s).
2,4-Dichlorophenoxyacetic acid.
In animals, effects have been reported on the following organs:
Liver.
Kidney.
Muscles.
Observations in animals include:
Gastrointestinal irritation.
Vomiting.

Glyphosate DMA Salt:

Remarks : For similar active ingredient(s).
Glyphosate.
Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Propylene glycol:

Remarks : In rare cases, repeated excessive exposure to propylene glycol may cause central nervous system effects.

LAURYL DIMETHYLAMINE OXIDE:

Remarks : No relevant data found.

Aspiration toxicity

Product:

Based on physical properties, not likely to be an aspiration hazard.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2023
2.0	05/01/2024	800080002768	Date of first issue: 05/01/2023

Components:

2,4-D choline salt:

Based on physical properties, not likely to be an aspiration hazard.

Glyphosate DMA Salt:

Based on physical properties, not likely to be an aspiration hazard.

Propylene glycol:

Based on physical properties, not likely to be an aspiration hazard.

LAURYL DIMETHYLAMINE OXIDE:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

- | | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 59.2 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 62.02 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (microalgae)): 13.18 mg/l
End point: Growth rate inhibition
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201 |
| Toxicity to soil dwelling organisms | : | LC50 (Eisenia fetida (earthworms)): > 2,000 mg/kg
Exposure time: 14 d |
| Toxicity to terrestrial organisms | : | oral LD50 (Colinus virginianus (Bobwhite quail)): 1688 mg/kg bodyweight.
End point: mortality

contact LD50 (Apis mellifera (bees)): > 200 µg/bee
Exposure time: 48 h
End point: mortality
Method: Other guidelines

oral LD50 (Apis mellifera (bees)): > 206 µg/bee
Exposure time: 48 h
End point: mortality
Method: Other guidelines |

Ecotoxicology Assessment

- | | | |
|------------------------|---|------------------------|
| Acute aquatic toxicity | : | Toxic to aquatic life. |
|------------------------|---|------------------------|

Components:

2,4-D choline salt:

- | | | |
|------------------|---|---|
| Toxicity to fish | : | Remarks: For similar active ingredient(s).
Material is highly toxic to aquatic organisms on an acute basis |
|------------------|---|---|

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version 2.0	Revision Date: 05/01/2024	SDS Number: 800080002768	Date of last issue: 05/01/2023 Date of first issue: 05/01/2023
----------------	------------------------------	-----------------------------	---

- (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).
- LC50 (*Poecilia reticulata* (guppy)): 8.4 - 70.7 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: For similar active ingredient(s).
- Toxicity to daphnia and other aquatic invertebrates : LC50 (*stonefly Pteronarcys californica*): 1.6 - 15 mg/l
Exposure time: 96 h
Test Type: static test
- Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 24.2 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: For similar material(s):
- EC50 (*Lemna gibba*): 0.58 mg/l
Exposure time: 14 d
Remarks: For similar material(s):
- Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 63.4 mg/l
End point: growth
Exposure time: 32 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 79 mg/l
End point: number of offspring
Exposure time: 21 d
Remarks: Information refers to the main component.
- Toxicity to terrestrial organisms : Remarks: For similar active ingredient(s)., Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2000 mg/kg)., Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).
- dietary LC50 (*Colinus virginianus* (Bobwhite quail)): > 5620 mg/kg diet.
Remarks: For similar active ingredient(s).
- oral LD50 (*Anas platyrhynchos* (Mallard duck)): > 500 mg/kg bodyweight.
Remarks: For similar active ingredient(s).
- oral LD50 (*Apis mellifera* (bees)): 94 micrograms/bee
Remarks: For similar active ingredient(s).
- Ecotoxicology Assessment**
Acute aquatic toxicity : Very toxic to aquatic life.
- Glyphosate DMA Salt:**
Toxicity to fish : Remarks: For similar active ingredient(s).
Glyphosate.
Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested).
- LC50 (*Oncorhynchus mykiss* (rainbow trout)): 38 mg/l

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version 2.0	Revision Date: 05/01/2024	SDS Number: 800080002768	Date of last issue: 05/01/2023 Date of first issue: 05/01/2023
----------------	------------------------------	-----------------------------	---

- Exposure time: 96 h
Remarks: For similar material(s):
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): 40 mg/l
Exposure time: 48 h
Remarks: For similar active ingredient(s).
- Toxicity to algae/aquatic plants : ErC50 (Lemna gibba): 12 mg/l
End point: Growth rate inhibition
Exposure time: 14 d
Remarks: For similar material(s):
- ErC50 (Pseudokirchneriella subcapitata (green algae)): 19 mg/l
End point: Growth rate inhibition
Exposure time: 72 h
Remarks: For similar material(s):
- ErC50 (Skeletonema costatum (marine diatom)): 18 mg/l
Exposure time: 72 h
Remarks: For similar material(s):
- Toxicity to terrestrial organisms : Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg)., Material is slightly toxic to birds on a dietary basis (LC50 between 1001 and 5000 ppm).
- Ecotoxicology Assessment**
Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.
- Propylene glycol:**
Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 19,000 mg/l
End point: Growth rate inhibition
Exposure time: 96 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l
End point: number of offspring
Exposure time: 7 d
Test Type: semi-static test
- Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Persistence and degradability

Components:

2,4-D choline salt:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version 2.0	Revision Date: 05/01/2024	SDS Number: 800080002768	Date of last issue: 05/01/2023 Date of first issue: 05/01/2023
----------------	------------------------------	-----------------------------	---

Biodegradability	:	Remarks: For similar active ingredient(s). Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%).
Glyphosate DMA Salt: Biodegradability	:	Result: Not readily biodegradable. Remarks: For similar active ingredient(s). Glyphosate. Biodegradation may occur under aerobic conditions (in the presence of oxygen). Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.
Propylene glycol: Biodegradability	:	aerobic Result: Readily biodegradable. Biodegradation: 81 % Exposure time: 28 d Method: OECD Test Guideline 301F or Equivalent Remarks: 10-day Window: Pass Biodegradation: 96 % Exposure time: 64 d Method: OECD Test Guideline 306 or Equivalent Remarks: 10-day Window: Not applicable
Biochemical Oxygen Demand (BOD)	:	69.000 % Incubation time: 5 d 70.000 % Incubation time: 10 d 86.000 % Incubation time: 20 d
Chemical Oxygen Demand (COD)	:	1.53 kg/kg
ThOD	:	1.68 kg/kg
Photodegradation	:	Rate constant: 1.28E-11 cm ³ /s Method: Estimated.

LAURYLDIMETHYLAMINE OXIDE:

Biodegradability	:	Remarks: Material is expected to be readily biodegradable.
------------------	---	--

Bioaccumulative potential

Components:

2,4-D choline salt:

Partition coefficient: n-octanol/water	:	Remarks: For similar active ingredient(s). Bioconcentration potential is low (BCF < 100 or Log Pow < 3).
--	---	---

Glyphosate DMA Salt:

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): < 1 Remarks: Bioaccumulation is unlikely.
-----------------	---	--

Partition coefficient: n-octanol/water	:	Remarks: For similar active ingredient(s). Glyphosate.
--	---	---

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version 2.0	Revision Date: 05/01/2024	SDS Number: 800080002768	Date of last issue: 05/01/2023 Date of first issue: 05/01/2023
----------------	------------------------------	-----------------------------	---

Bioconcentration potential is low ($BCF < 100$ or $\log Pow < 3$).
Potential for mobility in soil is slight (Koc between 2000 and 5000).

Remarks: For similar active ingredient(s).
Glyphosate.

Bioconcentration potential is low ($BCF < 100$ or $\log Pow < 3$).

Propylene glycol:

Bioaccumulation : Bioconcentration factor (BCF): 0.09
Method: Estimated.

Partition coefficient: n-octanol/water : $\log Pow$: -1.07
Method: Measured
Remarks: Bioconcentration potential is low ($BCF < 100$ or $\log Pow < 3$).

LAURYL DIMETHYLAMINE OXIDE:

Partition coefficient: n-octanol/water :

Remarks: Relevant data not available.

Balance:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Mobility in soil

Components:

2,4-D choline salt:

Distribution among environmental compartments : Koc : 20 - 136
Method: Measured
Remarks: For similar active ingredient(s).
Potential for mobility in soil is high (Koc between 50 and 150).

Glyphosate DMA Salt:

Distribution among environmental compartments : Remarks: For similar active ingredient(s).
Glyphosate.
Expected to be relatively immobile in soil ($Koc > 5000$).

Propylene glycol:

Distribution among environmental compartments : Koc : < 1
Method: Estimated.
Remarks: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.
Potential for mobility in soil is very high (Koc between 0 and 50).

LAURYL DIMETHYLAMINE OXIDE:

Distribution among environmental compartments : Remarks: No relevant data found.

Balance:

Distribution among environmental compartments : Remarks: No relevant data found.

Other adverse effects

Product:

Results of PBT and vPvB assessment : This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version 2.0	Revision Date: 05/01/2024	SDS Number: 800080002768	Date of last issue: 05/01/2023 Date of first issue: 05/01/2023
----------------	------------------------------	-----------------------------	---

Components:

2,4-D choline salt:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Glyphosate DMA Salt:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Propylene glycol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

LAURYL DIMETHYLAMINE OXIDE:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2023
2.0	05/01/2024	800080002768	Date of first issue: 05/01/2023

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

Not regulated as a dangerous good

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

For Canadian Ground transportation TDG Exemption: 1.45.1 Marine Pollutants (Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, do not apply if they are in transport solely on land by road vehicle or railway vehicle).

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

DSL : This product contains components that are not listed on the Canadian DSL nor NDSL.

Pest Control Products Act (PCPA) Registration Number : 30958

Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control products label:

PCPA Label Hazard Communications:

Read the label and booklet before using. Keep out of reach of children.

CAUTION EYE IRRITANT

POTENTIAL SKIN SENSITIZER

This product is toxic to:

Small mammals

Birds

Aquatic organisms

Non-target terrestrial plants

SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ENLIST DUO™ Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2023
2.0	05/01/2024	800080002768	Date of first issue: 05/01/2023

Full text of other abbreviations

CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
Dow IHG	:	Dow Industrial Hygiene Guideline
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
Dow IHG / TWA	:	Time Weighted Average (TWA):

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

DSL - Domestic substances List. WHMIS - Workplace Hazardous Materials Information System.

Revision Date	:	05/01/2024
Date format	:	mm/dd/yyyy

Product code: GF-2726

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / 6N