

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : ACAPELA FUNGICIDE
Other means of identification : No data available

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE CANADA COMPANY
SUITE 240, 115 QUARRY PARK RD. SE
CALGARY AB, T2C 5G9
CANADA

Customer Information Number : 800-667-3852

E-mail address : solutions@corteva.com

Emergency telephone number : Corteva Canada Solutions
1-800-667-3852

Recommended use of the chemical and restrictions on use

Recommended use : End use fungicide product

Restrictions on use : Do not use product for anything outside of the above specified uses.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Picoxystrobin	Picoxystrobin	117428-22-5	22.52
Propanediol	Propanediol	57-55-6	>= 3 - < 10 *
Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	>= 1 - < 3 *
Balance	Balance	Not Assigned	> 60

* Actual concentration or concentration range is withheld as a trade secret

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
- If inhaled : Move to fresh air.
Artificial respiration and/or oxygen may be necessary.
Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off all contaminated clothing immediately.
Rinse skin immediately with plenty of water for 15-20 minutes.
Call a poison control center or doctor for treatment advice.
- In case of eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for treatment advice.
- If swallowed : Call a poison control center or doctor for treatment advice.
Have person sip a glass of water if able to swallow.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Do not give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No cases of human intoxication are known and the symptoms of experimental intoxication are not known.
- Notes to physician : Treat symptomatically.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
Combustion products may include and are not limited to:
Nitrogen oxides (NO_x)
Carbon oxides
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.
Use personal protective equipment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, underwater.
See Section 12, Ecological Information.
- Methods and materials for containment and cleaning up : Clean up remaining materials from spill with suitable absorbant.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
See Section 13, Disposal Considerations, for additional information.
-

SECTION 7. HANDLING AND STORAGE

- Local/Total ventilation : Use with local exhaust ventilation.
- Advice on safe handling : Avoid formation of aerosol.
Provide sufficient air exchange and/or exhaust in work rooms.
Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Do not breathe vapours or spray mist.
Avoid contact with skin and eyes.
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Conditions for safe storage : Store in a closed container.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep in properly labelled containers.
Store in accordance with the particular national regulations.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

Materials to avoid : Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propanediol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m ³	CA ON OEL
		TWA (aerosol)	10 mg/m ³	CA ON OEL

Engineering measures : Ensure adequate ventilation, especially in confined areas. Use sufficient ventilation to keep employee exposure below recommended limits.

Personal protective equipment

Respiratory protection : Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Wear protective eyewear to prevent contact with this substance.

Skin and body protection : Applicators and other handlers must wear:
Long sleeved shirt and long pants
Shoes plus socks
Applicators and other handlers of the diluted material must wear: shirt, pants, socks and shoes.
PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
Long sleeved shirt and long pants
Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.

Hygiene measures : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2022
2.0	11/16/2023	800080000801	Date of first issue: 09/29/2022

Remove personal protective equipment immediately after handling this product.
Wash the outside of gloves before removing.
As soon as possible, wash thoroughly and change into clean clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	off-white
Odour	:	not significant
Odour Threshold	:	not determined
pH	:	6.1 - 8.4
Melting point/range	:	Not applicable
Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	The product is not flammable.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1.11 g/cm ³ (21 °C)
Solubility(ies)	:	
Water solubility	:	Miscible
Auto-ignition temperature	:	460 °C
Viscosity	:	
Viscosity, dynamic	:	80 mPa,s (25 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

SECTION 10. STABILITY AND REACTIVITY

- Reactivity : Not classified as a reactivity hazard.
- Chemical stability : No decomposition if stored and applied as directed.
Stable under normal conditions.
- Possibility of hazardous reactions : Stable under recommended storage conditions.
- Conditions to avoid : ≤ -5 °C
Protect from frost.
Exposure to elevated temperatures can cause product to decompose.
- Incompatible materials : Strong acids
Strong bases
- Hazardous decomposition products : Decomposition products depend upon temperature, air supply and the presence of other materials.
Decomposition products can include and are not limited to:
Nitrogen oxides (NOx)
Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

- Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: Directive 67/548/EEC, Annex V, B.1.
- Acute inhalation toxicity : LC50 (Rat): > 5.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Breathing difficulties

- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Components:

Picoxystrobin:

- Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
- Acute inhalation toxicity : LC50 (Rat, male): > 2.12 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: The particle size (MMAD) of unmilled picoxystrobin technical material is ~228 μm , with less than 3.3% of material <4 μm , indicating unmilled picoxystrobin is not respirable and that the study results with milled technical material are not relevant to picoxystrobin in the supply chain.
Material milled to a particle size of 3.4 - 4.1 μm MMAD
- Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Propanediol:

- Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg
- Acute inhalation toxicity : LC50 (Rabbit): 317.042 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred at this concentration.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Mist may cause irritation of upper respiratory tract (nose and throat).

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Acute oral toxicity : LD50 (Rat): > 4,500 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit
Method : Directive 67/548/EEC, Annex V, B.4.
Result : No skin irritation

Components:

Picoxystrobin:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Propanediol:

Species : Rabbit
Result : No skin irritation

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit
Result : No eye irritation

Components:

Picoxystrobin:

Species : Rabbit
Result : Mild eye irritation
Method : OECD Test Guideline 405

Propanediol:

Species : Rabbit
Result : No eye irritation

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species : Rabbit
Result : Eye irritation

Respiratory or skin sensitisation

Product:

Species : Guinea pig
Method : Directive 67/548/EEC, Annex V, B.6.
Result : Does not cause skin sensitisation.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

Components:

Picoxystrobin:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Propanediol:

Species : human
Assessment : Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

Picoxystrobin:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Propanediol:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Carcinogenicity

Components:

Picoxystrobin:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Propanediol:

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Reproductive toxicity

Components:

Picoxystrobin:

Reproductive toxicity - Assessment : No toxicity to reproduction
Animal testing did not show any effects on foetal development.

Propanediol:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction., In animal studies, did not interfere with fertility.
Did not cause birth defects or any other fetal effects in laboratory animals.

STOT - single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:

Picoxystrobin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Propanediol:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

STOT - repeated exposure

Components:

Picoxystrobin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Propanediol:

Remarks : In rare cases, repeated excessive exposure to propylene glycol may cause central nervous system effects.

Aspiration toxicity

Product:

Based on physical properties, not likely to be an aspiration hazard.

Components:

Picoxystrobin:

Based on physical properties, not likely to be an aspiration hazard.

Propanediol:

Based on physical properties, not likely to be an aspiration hazard.

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.24 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Material is highly toxic to fish on an acute basis (LC50 between 0.1 and 1.0 mg/L).

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.086 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EbC50 (Pseudokirchneriella subcapitata (green algae)): 0.18 mg/l
Exposure time: 72 h

ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to terrestrial organisms : oral LD50 (Apis mellifera (bees)): > 0.2 mg/kg
Method: OEPP/EPPO Test Guideline 170
GLP: yes

contact LD50 (Apis mellifera (bees)): > 0.2 mg/kg
Method: OEPP/EPPO Test Guideline 170
GLP: yes

Components:

Picoxystrobin:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.065 mg/l
End point: mortality

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

Exposure time: 96 h
Test Type: Static
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.075 mg/l
End point: mortality
Exposure time: 96 h
Test Type: Static
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.024 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: Static
Method: OECD Test Guideline 202

EC50 (eastern oyster (Crassostrea virginica)): 0.0057 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: US EPA Test Guideline OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 0.0063 mg/l
End point: Growth rate
Exposure time: 96 h
Test Type: Static

EyC50 (Lemna minor (duckweed)): 0.023 mg/l
Exposure time: 7 d
Test Type: Static

NOEC (Lemna minor (duckweed)): 0.049 mg/l
Exposure time: 7 d
Test Type: Static

EbC50 (Pseudokirchneriella subcapitata (green algae)): 0.26 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.01 mg/l
Exposure time: 28 d
Test Type: flow-through
Method: OECD Test Guideline 204
GLP: yes

NOEC (Cyprinodon variegatus (sheepshead minnow)): 0.021 mg/l
Exposure time: 33 d
Test Type: flow-through

NOEC (Pimephales promelas (fathead minnow)): 0.040 mg/l
Exposure time: 32 d
Test Type: flow-through

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2022
2.0	11/16/2023	800080000801	Date of first issue: 09/29/2022

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (<i>Daphnia magna</i> (Water flea)): 0.008 mg/l Exposure time: 21 d Method: OECD Test Guideline 202 GLP: yes
		NOEC (<i>Americamysis bahia</i> (mysid shrimp)): 0.0036 mg/l Exposure time: 28 d Test Type: flow-through test Method: OECD Test Guideline 202 GLP: yes
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to soil dwelling organisms	:	LC50 (<i>Eisenia fetida</i> (earthworms)): 6.7 mg/kg Method: OECD Test Guideline 207 GLP: yes
Toxicity to terrestrial organisms	:	LD50 (<i>Colinus virginianus</i> (Bobwhite quail)): > 2,250 mg/kg Method: US EPA Test Guideline OPP 71-1
		dietary LC50 (<i>Colinus virginianus</i> (Bobwhite quail)): > 5,200 mg/kg Exposure time: 5 d Method: OECD Test Guideline 205 GLP: yes
		dietary LC50 (<i>Anas platyrhynchos</i> (Mallard duck)): > 5,200 mg/kg Exposure time: 5 d Method: OECD Test Guideline 205 GLP: yes
		contact LD50 (<i>Apis mellifera</i> (bees)): > 200 µg/bee Exposure time: 48 h Method: OEPP/EPPO Test Guideline 170
		oral LD50 (<i>Apis mellifera</i> (bees)): > 200 µg/bee Exposure time: 48 h Method: OEPP/EPPO Test Guideline 170
Propanediol:		
Toxicity to fish	:	LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): 40,613 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (<i>Ceriodaphnia dubia</i> (water flea)): 18,340 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): 19,000 mg/l End point: Growth rate inhibition Exposure time: 96 h Method: OECD Test Guideline 201

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l
End point: number of offspring
Exposure time: 7 d
Test Type: semi-static test

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Persistence and degradability

Components:

Picoxystrobin:

Biodegradability : Result: Not readily biodegradable.

Propanediol:

Biodegradability : aerobic
Result: Readily biodegradable.
Biodegradation: 81 %
Exposure time: 28 d
Method: OECD Test Guideline 301F or Equivalent
Remarks: 10-day Window: Pass

Biodegradation: 96 %
Exposure time: 64 d
Method: OECD Test Guideline 306 or Equivalent
Remarks: 10-day Window: Not applicable

Biochemical Oxygen Demand (BOD) : 69.000 %
Incubation time: 5 d

70.000 %
Incubation time: 10 d

86.000 %
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 1.53 kg/kg
ThOD : 1.68 kg/kg

Photodegradation : Rate constant: 1.28E-11 cm³/s
Method: Estimated.

Bioaccumulative potential

Components:

Picoxystrobin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 290
Exposure time: 28 d
Temperature: 22 °C
Concentration: 0.05 mg/l

Partition coefficient: n-octanol/water : log Pow: 3.68 (20 °C)

Propanediol:

Bioaccumulation : Bioconcentration factor (BCF): 0.09
Method: Estimated.

Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Measured

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Partition coefficient: n-octanol/water : Remarks: No data available for this product.

Balance:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Mobility in soil

Components:

Picoxystrobin:

Distribution among environmental compartments : Koc: 898
Remarks: Under actual use conditions the product has a low potential of mobility in soil.

Propanediol:

Distribution among environmental compartments : Koc: < 1
Method: Estimated.
Remarks: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.
Potential for mobility in soil is very high (Koc between 0 and 50).

Balance:

Distribution among environmental compartments : Remarks: No relevant data found.

Other adverse effects

Product:

Results of PBT and vPvB assessment : This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Picoxystrobin:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Propanediol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Picoxystrobin)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Picoxystrobin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Picoxystrobin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes(Picoxystrobin)
Remarks : Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number : UN 3082

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version 2.0 Revision Date: 11/16/2023 SDS Number: 800080000801 Date of last issue: 09/29/2022
Date of first issue: 09/29/2022

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Picoxystrobin)
Class : 9
Packing group : III
Labels : 9
ERG Code : 171
Marine pollutant : yes(Picoxystrobin)

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

For Canadian Ground transportation TDG Exemption: 1.45.1 Marine Pollutants (Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, do not apply if they are in transport solely on land by road vehicle or railway vehicle).

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

DSL : This product contains components that are not listed on the Canadian DSL nor NDSL.

Pest Control Products Act (PCPA) Registration Number : 30470

Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control products label:

PCPA Label Hazard Communications:
Read the label and booklet before using.

This product is toxic to:
Earthworms
Certain beneficial insects
Aquatic organisms
Non-target terrestrial plants

SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ACAPELA FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2022
2.0	11/16/2023	800080000801	Date of first issue: 09/29/2022

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

Revision Date : 11/16/2023
Date format : mm/dd/yyyy

Product code: GF-4169

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / 6N