

**Section 1: IDENTIFICATION**

**Product Name:** Masterlock®

**Synonyms:** Spray drift control agent.

**Product Use:** Adjuvant – See product label for full directions for use.

**Restrictions on Use:** Not available.

**Manufacturer/Supplier:** WINFIELD SOLUTIONS, LLC  
P. O. Box 64589  
St. Paul, MN 55164-0589

**Phone Number:** Non-Emergency Business Inquiries: 1-855-494-6343 (Mon – Fri  
8am – 5pm (Central Standard Time))

**Emergency Phone:** MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-  
7452 (24 hrs)

**Date of Preparation of SDS:** March 29, 2022

**Section 2: HAZARD(S) IDENTIFICATION****GHS INFORMATION**

**Classification:** Not hazardous according to OSHA criteria (29 CFR 1910.1200).  
Not hazardous according to WHMIS 2015 criteria.

**LABEL ELEMENTS**

**Hazard** None.

**Pictogram(s):**

**Signal Word:** None.

**Hazard** Not applicable.

**Statements:**

**Precautionary Statements**

**Prevention:** Not applicable.

**Response:** Not applicable.

**Storage:** Not applicable.

**Disposal:** Not applicable.

**Hazards Not Otherwise Classified:** Not applicable.

**Ingredients with Unknown Toxicity:** None.

This material is not considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

This material is not considered hazardous by the Hazardous Products Regulations.

**Section 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Hazardous Ingredient(s)	Common name / Synonyms	CAS No.	% wt./wt.
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts	Not available.	84989-14-0	< 1.5
1-Propanol, 2-methyl-	Isobutyl alcohol	78-83-1	< 0.5

**Section 4: FIRST-AID MEASURES**

- Inhalation:** If inhaled: Call a poison center or doctor if you feel unwell.  
**Acute and delayed symptoms and effects:** May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
- Eye Contact:** If in eyes: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center or doctor if you feel unwell.  
**Acute and delayed symptoms and effects:** May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision. Animal tests showed the product to be a non-irritant.
- Skin Contact:** If on skin: Wash with plenty of water. Call a poison center or doctor if you feel unwell.  
**Acute and delayed symptoms and effects:** May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching. Animal tests showed the product to be a non-irritant.
- Ingestion:** If swallowed: Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.  
**Acute and delayed symptoms and effects:** May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.
- General Advice:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
- Note to Physicians:** Symptoms may not appear immediately.

**Section 5: FIRE-FIGHTING MEASURES**

**FLAMMABILITY AND EXPLOSION INFORMATION**

Not flammable or combustible by OSHA/WHMIS criteria.

- Sensitivity to Mechanical Impact:** This material is not sensitive to mechanical impact.  
**Sensitivity to Static Discharge:** This material is not sensitive to static discharge.

**MEANS OF EXTINCTION**

- Suitable Extinguishing Media:** Small Fire: Dry chemical, CO2, water spray or regular foam.  
Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.

<b>Unsuitable Extinguishing Media:</b>	Not available.
<b>Products of Combustion:</b>	Oxides of carbon.
<b>Protection of Firefighters:</b>	Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

**Section 6: ACCIDENTAL RELEASE MEASURES**

<b>Emergency Procedures:</b>	Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.
<b>Personal Precautions:</b>	Do not touch or walk through spilled material. Use personal protection recommended in Section 8.
<b>Environmental Precautions:</b>	Keep out of drains, sewers, ditches, and waterways.
<b>Methods for Containment:</b>	Stop leak if without risk. Do not flush to sewer or allow to enter waterways.
<b>Methods for Clean-Up:</b>	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
<b>Other Information:</b>	See Section 13 for disposal considerations.

**Section 7: HANDLING AND STORAGE****Handling:**

Do not swallow. Wash hand thoroughly after handling. See Section 8 for information on Personal Protective Equipment.

**Storage:**

Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

**Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION****Exposure Guidelines  
Component**

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts [CAS No. 84989-14-0]

**ACGIH:** No TLV established.

**OSHA:** No PEL established.

Isobutyl alcohol [CAS No. 78-83-1]

**ACGIH:** 50 ppm (TWA); (1973)

**OSHA:** 100 ppm (TWA), 300 mg/m<sup>3</sup> (TWA);  
50 ppm (TWA) [Vacated];

**PEL:** Permissible Exposure Limit

**TLV:** Threshold Limit Value

**TWA:** Time-Weighted Average

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapour, gas, etc.) below recommended exposure limits.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**



**Eye/Face Protection:** Wear safety glasses. Use equipment for eye protection that meets the standards referenced by CSA Standard CAN/CSA-Z94.3:20 and OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.

**Hand Protection:** Wear protective gloves. Consult manufacturer specifications for further information.

**Skin and Body Protection:** Wear protective clothing.

**Respiratory Protection:** If engineering controls and ventilation are not sufficient to control exposure to below the allowable limits then an appropriate NIOSH/MSHA approved air-purifying respirator that meets the requirements of CSA Standard CAN/CSA-Z94.4-18, or self-contained breathing apparatus must be used. Supplied air breathing apparatus must be used when oxygen concentrations are low or if airborne concentrations exceed the limits of the air-purifying respirators.

**General Hygiene Considerations:** Handle according to established industrial hygiene and safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Clear yellow to brown liquid.
<b>Colour:</b>	Clear yellow to brown.
<b>Odour:</b>	Plastic or slight citrus odour.
<b>Odour Threshold:</b>	Not available.
<b>Physical State:</b>	Liquid.
<b>pH:</b>	5.7
<b>Melting Point / Freezing Point:</b>	0 °C (32 °F)
<b>Initial Boiling Point:</b>	Not available.
<b>Boiling Range:</b>	Not available.
<b>Flash Point:</b>	> 93 °C (200 °F)
<b>Evaporation Rate:</b>	Not available.

## SAFETY DATA SHEET

Date of Preparation: March 29, 2022

<b>Flammability (solid, gas):</b>	Not applicable.
<b>Lower Flammability Limit:</b>	Not available.
<b>Upper Flammability Limit:</b>	Not available.
<b>Vapor Pressure:</b>	Not available.
<b>Vapor Density:</b>	Not available.
<b>Relative Density:</b>	0.884 to 0.900 (Water = 1) at 15 °C (59 °F)
<b>Solubilities:</b>	Insoluble in water.
<b>Partition Coefficient: n- Octanol/Water:</b>	Not available.
<b>Auto-ignition Temperature:</b>	Not available.
<b>Decomposition Temperature:</b>	Not available.
<b>Viscosity:</b>	Not available.
<b>Percent Volatile, wt. %:</b>	Not available.
<b>VOC content, wt. %:</b>	Not available.
<b>Density:</b>	7.37 to 7.51 lb/gal
<b>Coefficient of Water/Oil Distribution:</b>	Not available.

**Section 10: STABILITY AND REACTIVITY**

<b>Reactivity:</b>	Contact with incompatible materials. Exposure to heat.
<b>Chemical Stability:</b>	Stable under normal storage conditions.
<b>Possibility of Hazardous Reactions:</b>	None known.
<b>Conditions to Avoid:</b>	Contact with incompatible materials. Exposure to heat.
<b>Incompatible Materials:</b>	Strong bases. Strong oxidizers. Strong reducers.
<b>Hazardous Decomposition Products:</b>	Not available.

**Section 11: TOXICOLOGICAL INFORMATION****EFFECTS OF ACUTE EXPOSURE****Product Toxicity**

<b>Oral:</b>	> 5000 mg/kg
<b>Dermal:</b>	> 5050 mg/kg
<b>Inhalation:</b>	> 2.09 mg/L. There was no mortality during the study and the product is not anticipated to be toxic by inhalation.

## SAFETY DATA SHEET

Date of Preparation: March 29, 2022

**Component Toxicity**

<b>Component</b>	<b>CAS No.</b>	<b>LD<sub>50</sub> oral</b>	<b>LD<sub>50</sub> dermal</b>	<b>LC<sub>50</sub></b>
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts	84989-14-0	Not available.	Not available.	Not available.
Isobutyl alcohol	78-83-1	2460 mg/kg (rat)	3400 mg/kg (rabbit)	8000 ppm (rat); 4H

**Likely Routes of Exposure:** Eye contact. Skin contact. Inhalation. Ingestion. Skin absorption.**Target Organs:** Skin. Eyes. Gastrointestinal tract. Respiratory system. Lungs. Liver. Central nervous system.**Symptoms (including delayed and immediate effects)****Inhalation:** May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.**Eye:** May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision. Animal tests showed the product to be a non-irritant.**Skin:** May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching. Animal tests showed the product to be a non-irritant.**Ingestion:** May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.**Skin Sensitization:** Not available.**Respiratory Sensitization:** Not available.**Medical Conditions Aggravated By Exposure:** Not available.**EFFECTS OF CHRONIC EXPOSURE (from short and long-term exposure)****Target Organs:** Skin. Eyes. Gastrointestinal tract. Respiratory system. Lungs. Liver. Central nervous system.**Chronic Effects:** Prolonged or repeated contact may dry skin and cause irritation.**Carcinogenicity:** This product does not contain any carcinogens or potential carcinogens above reportable thresholds as listed by ACGIH, IARC, OSHA, or NTP.**Mutagenicity:** Not available.**Reproductive Effects:** Not available.**Developmental Effects****Teratogenicity:** Not available.**Embryotoxicity:** Not available.**Toxicologically Synergistic Materials:** Not available.

**Section 12: ECOLOGICAL INFORMATION**

<b>Ecotoxicity:</b>	Rainbow trout: EC50 = 321.43 mg/L, 96 hr; NOEC = 125 mg/L.  <i>Daphnia magna</i> : EC50 > 100 mg/L, 24 hr; EC50 = 62.5 mg/L, 48 hr; NOEC = 50 mg/L, 24 hr; NOEC = 25 mg/L, 48 hr.
<b>Persistence / Degradability:</b>	Not available.
<b>Bioaccumulation / Accumulation:</b>	Not available.
<b>Mobility in Environment:</b>	Not available.
<b>Other Adverse Effects:</b>	Not available.

**Section 13: DISPOSAL CONSIDERATIONS**

<b>Disposal Instructions:</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.
-------------------------------	---

**Section 14: TRANSPORT INFORMATION****U.S. Department of Transportation (DOT)**

<b>Proper Shipping Name:</b>	Not regulated.
<b>Class:</b>	Not applicable.
<b>UN Number:</b>	Not applicable.
<b>Packing Group:</b>	Not applicable.
<b>Placard(s):</b>	Not applicable.

**Canada Transportation of Dangerous Goods (TDG)**

<b>Proper Shipping Name:</b>	Not regulated.
<b>Class:</b>	Not applicable.
<b>UN Number:</b>	Not applicable.
<b>Packing Group:</b>	Not applicable.
<b>Placard(s):</b>	Not applicable.

**Section 15: REGULATORY INFORMATION****Chemical Inventories****US (TSCA)**

The components of this product are in compliance with the chemical notification requirements of TSCA.

**Federal Regulations****United States**

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**SARA Title III**

<b>Component</b>	<b>Section 302 (EHS) TPQ (lbs.)</b>	<b>Section 304 EHS RQ (lbs.)</b>	<b>CERCLA RQ (lbs.)</b>	<b>Section 313</b>	<b>RCRA CODE</b>	<b>CAA 112(r) TQ (lbs.)</b>
Isobutyl alcohol	Not listed.	Not listed.	5000	Not listed.	U140	Not listed.

**State Regulations****Massachusetts**

US Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

<b>Component</b>	<b>CAS No.</b>	<b>RTK List</b>
Isobutyl alcohol	78-83-1	Listed.

**New Jersey**

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

<b>Component</b>	<b>CAS No.</b>	<b>RTK List</b>
Isobutyl alcohol	78-83-1	SHHS

**Note:** SHHS = Special Health Hazard Substance

**Pennsylvania**

US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

<b>Component</b>	<b>CAS No.</b>	<b>RTK List</b>
Isobutyl alcohol	78-83-1	E

**Note:** E = Environmental Hazard

**Section 16: OTHER INFORMATION****Disclaimer:**

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.

**Date of Preparation of SDS:** March 29, 2022

**Version:** 1.0

**GHS SDS Prepared by:** Aegis Regulatory Inc.  
**Phone:** 1 (519) 488-0351  
**www.aegisreg.com**