

**Safety Data Sheet**

NFPA HAZARD RATING				U.S. TRANSPORT SUMMARY	
0	Least				
1	Slight	2	Health		
2	Moderate	0	Flammability		
3	High	0	Reactivity		
4	Severe				

Not regulated as a hazardous material for ground transport.  
(See Section 14 for additional information)

SECTION 1: IDENTIFICATION		
<b>Product Name:</b> Protank™ Liquid Cleaner <b>EPA Registration #:</b> Exempt <b>Common Name:</b> Agricultural chemical tank cleaner <b>Chemical:</b> Agricultural chemical tank cleaner <b>Description:</b> Agricultural chemical tank cleaner. <b>Recommended Uses:</b> See product label for complete list of recommended uses. <b>Restrictions for Use:</b> See product label for information regarding restrictions on the use of this product.		
<b>Manufactured For:</b> WINFIELD SOLUTIONS, LLC P. O. Box 64589 St. Paul, MN 55164-0589	<b>Initial Supplier:</b> Winfield United Canada, ULC 101-302 Wellman Lane Saskatoon, Saskatchewan S7T-0J1, CAN 1-306-249-5112	<b>MEDICAL EMERGENCY TELEPHONE NUMBER:</b> 1-877-424-7452 (24hrs) <b>Non-Emergency Business Inquiries:</b> 1-855-494-6343 Mon – Fri 8am – 5pm (Central Standard Time)
FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300 (24 hours)		

SECTION 2: HAZARDS IDENTIFICATION			
<b>EMERGENCY OVERVIEW:</b> Clear to slightly hazy, yellow liquid with a fatty odor. Causes severe eye irritation and possible irreversible damage. Causes skin irritation. May cause irritation of the respiratory tract.			
<b>POTENTIAL HEALTH EFFECTS:</b> <b>Eyes:</b> Causes serious eye irritation with the potential for irreversible damage to the eyes. <b>Skin:</b> Causes moderate skin irritation. <b>Inhalation:</b> May be harmful if inhaled. <b>Ingestion:</b> Harmful if swallowed. <b>Preexisting Conditions:</b> Pre-existing respiratory conditions may be aggravated by exposure to mists. <b>Chronic Health Effects:</b> None known.			
<b>Carcinogenicity</b>	NTP: Not listed	IARC: Not listed	OSHA: Not listed
<b>OSHA HCS 2012 CLASSIFICATION:</b> Eye Irritant Category 1; Acute Dermal Toxicity Category 4; Acute Oral Toxicity Category 4; Specific Target Organ Toxicity – Single Exposure – Category 3			
<b>SIGNAL WORD:</b> DANGER			
<b>HAZARD STATEMENTS:</b> Causes serious eye damage. Harmful in contact with skin. Harmful if swallowed. May cause respiratory irritation.			

# Protank™ Liquid Cleaner

Percent of product with unknown toxicity: 0%

## PRECAUTIONARY STATEMENTS:

**Prevention:** Wash hands thoroughly after handling. Wear eye and face protection, protective gloves and protective clothing. Avoid breathing mist or spray. Use only outdoors in a well-ventilated area. Do not eat, drink or smoke when using this product.

*Continued on next page*

**Response:** **If in eyes:** Immediately call a poison control center (1-877-424-7452) or doctor for treatment advice. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. **If on skin:** Wash with plenty of water. Immediately call a poison control center (1-877-424-7452) or doctor for treatment advice. Wash with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. **If inhaled:** Call a poison control center (1-877-424-7452) or doctor for treatment advice if you feel unwell. Remove person to fresh air and keep comfortable for breathing. **If Swallowed:** Immediately call a poison control center (1-877-424-7452) or doctor for treatment advice. Rinse mouth. Do NOT induce vomiting.

**Storage:** Store in a well-ventilated and locked place. Keep container tightly closed.

**Disposal:** Dispose of contents/container in accordance with Federal, state and local regulations.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	% (wt)	CAS Reg. #
Proprietary mixture	>98.0%	N/A
Isopropanol	<1.0%	67-63-0
2-Butoxyethanol	<1.0%	111-76-2

\*Ingredients not specifically listed are non-hazardous and/or considered to be confidential business information under 29 CFR 1910.1200(i).  
See Section 8 for exposure limits.

## SECTION 4: FIRST AID MEASURES

**Inhalation:** Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention or call a poison control center for treatment advice.

**Ingestion:** Seek medical attention or call a poison control center immediately. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Eyes:** Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention immediately.

**Skin:** Remove contaminated clothing and wash before re-using them. Wash exposed skin with soap and water. Seek medical attention immediately.

## SECTION 5: FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:** Use water spray, alcohol foam, dry chemical, or carbon dioxide (CO<sub>2</sub>). Water may be ineffective in firefighting. Use spray/fog for cooling containers and firefighters.

**Unsuitable Extinguishing Media:** Water jet.

**Special Fire Fighting Procedures:** Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.

**Hazardous Combustion Products:** Thermal breakdown of this product during fire or very high heat conditions may produce carbon oxides and traces of incompletely burned carbon compounds, nitrogen oxides, ammonia, sodium oxides, sulfur compounds, and peroxides.

**Unusual Fire and Explosion Hazards:** Heat may build pressure and rupture closed containers, spreading fire and increasing the risk of injury. Vapors may travel to an ignition source and flash back.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

# Protank™ Liquid Cleaner

**Environmental Precautions:** Keep spilled product from entering nearby sewers or waterways.

**Methods for Containment:** Contain spilled liquid by diking area with sand or earth.

**Methods for Clean-up:** Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop or sweep up material and place in a container for disposal. Do not place spilled material back in original container.

**Other Information:** No other information available.

## SECTION 7: HANDLING AND STORAGE

**Handling:** Ensure adequate ventilation. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

**Storage:** Store in a locked, cool, dry area away from children, feed and food products in an area away from incompatible substances. Protect packaging from physical damage. Protect from exposure to fire.

**Minimum Storage Temperature:** 55°F

**Other Precautions:** Consult Federal, state and local laws and regulations pertaining to storage.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Component:	OSHA PEL	ACGIH TLV	NIOSH REL
Isopropanol (CAS# 67-63-0)	400ppm, 980 mg/m3 (TWA)	200 ppm (TWA) 400 ppm (STEL)	400ppm, 980 mg/m3 (TWA)
2-Butoxyethanol (CAS# 111-76-2)	50 ppm, 240 mg/m3 (TWA)	20 ppm (TWA)	5 ppm, 24 mg/m3 (TWA)

**Respiratory Protection:** Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear an OSHA/NIOSH-approved respirator for organic vapors.

**Engineering Controls:** **Local Exhaust:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.

**Protective Gloves:** Wear chemically protective gloves to prevent repeated exposure to the skin.

**Eye Protection:** To avoid contact with eyes, wear chemical goggles or face shield and safety glasses. Contact lenses are not eye protective devices. An emergency eyewash or water supply should be readily accessible to the work area.

**Other Protective Clothing or Equipment:** Wear long-sleeve shirt, long pants and chemical resistant shoes plus socks to prevent prolonged or repeated skin contact.

**Work/Hygienic Practices:** Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Liquid	<b>Specific Gravity (H<sub>2</sub>O=1):</b>	1.0-1.1
<b>Vapor Pressure (mm Hg):</b>	Not determined	<b>Density (lbs/gallon):</b>	9.10 lbs/gal (typical)
<b>Vapor Density (Air=1):</b>	Not determined	<b>Melting Point/Freezing Point:</b>	Not determined
<b>Solubility in Water (wt %):</b>	Miscible	<b>Boiling Point/Range:</b>	Not determined
<b>Viscosity:</b>	50 – 300 cps	<b>pH (neat):</b>	10.50 – 12.50
<b>Appearance and odor:</b>	Clear to slightly hay yellow liquid with a fatty odor	<b>Flash Point:</b>	>199°F/93°C

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** None known.

**Chemical Stability:** Product is stable at ambient temperature and pressure, under normal storage and handling. May form peroxides under high heat conditions.

**Possibility of Hazardous Reactions:** Do not use with alkali-sensitive metals, such as aluminum, because flammable hydrogen gas may be released.

**Conditions to Avoid:** Contact with incompatible materials.

**Incompatible Materials:** Strong oxidizing agents, halogens, bleach, acids and nitrosating agents.  
**Hazardous Decomposition Products:** Thermal breakdown of this product during fire or very high heat conditions may produce carbon oxides and traces of incompletely burned carbon compounds, nitrogen oxides, ammonia, sodium oxides, sulfur compounds, and peroxides.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**ACUTE TOXICITY**

**Eye Effects:** Causes severe eye irritation and may cause burns and other irreversible damage.  
**Skin Effects:** LD50 is not determined. May cause moderate irritation to skin including burns. May be harmful if absorbed through the skin.  
**Acute Inhalation Effects:** LC50 is not determined but product is not expected to be an inhalation hazard. Inhaling concentrated vapors may be harmful and may cause respiratory tract irritation. Overexposure by inhalation may cause headache, nausea, weakness, lightheadedness, and symptoms of central nervous system depression.  
**Acute Oral Effects:** LD50 is not determined. Swallowing may cause burning pain in the mouth, throat, and abdomen and coughing and constriction of the throat, followed by nausea, vomiting and diarrhea.  
**Specific Target Organ Toxicity:** None known.

**CHRONIC TOXICITY**

**Chronic Effects:** Not anticipated to have chronic health effects due to exposure.  
**Carcinogenicity:** None of the components of this product are known or suspected of having carcinogenic effects.  
**Mutagenicity:** None of the components of this product are known or suspected of having mutagenic effects.  
**Teratogenicity:** None of the components of this product are known or suspected of having teratogenic effects.  
**Reproductive Toxicity:** None of the components of this product are known or suspected of having effects on the reproductive system.

**POTENTIAL HEALTH EFFECTS:**

**Eyes:** Causes serious eye irritation with the potential for irreversible damage to the eyes.  
**Skin:** Causes moderate skin irritation.  
**Inhalation:** May be harmful if inhaled.  
**Ingestion:** Harmful if swallowed.

**SECTION 12: ECOLOGICAL INFORMATION**

**ENVIRONMENTAL SUMMARY:** Not determined

**ECOTOXICITY DATA:**

**Fish Acute and Prolonged Toxicity:** Not determined  
**Aquatic Invertebrate Acute Toxicity:** Not determined  
**Aquatic Plant Toxicity:** Not determined  
**Bird Acute and Prolonged Toxicity:** Not determined  
**Honeybee Toxicity:** Not determined

**ENVIRONMENTAL EFFECTS:**

**Soil Absorption/Mobility:** Not determined  
**Persistence and degradability:** Not determined  
**Bioaccumulative Potential:** Not determined  
**Other adverse effects:** None known

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Disposal method:** Do not contaminate water, food, or feed by disposal.  
**Waste:** Dispose of in accordance with applicable Federal, state and local laws and regulations.  
**Container:** Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations.

SECTION 14: TRANSPORT INFORMATION	
DOT: (Ground)	Not regulated by the U.S. Department of Transportation as a hazardous material.
IMDG: (Sea)	Not determined
IATA: (Air)	Not determined
TDG: (Canada)	Not determined

SECTION 15: REGULATORY INFORMATION
<b>SARA Title III Information (Superfund Amendments and Reauthorization Act)</b>  Section 311/312 – Hazard Categories- Acute Health Hazard Section 313 – Reportable Ingredients – None Section 302/304 Emergency Planning – None  <b>TRACE ELEMENTS:</b> Trace elements (if any) are present in <1% concentration (<0.1% for potential carcinogens, reproductive toxins, respiratory mutagens, and sensitizers). None of the trace ingredients contribute a significant additional hazard at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), US State equivalents, and Canadian Hazardous Material Identification System Standard (CPR 4).

SECTION 16: OTHER
<b>Disclaimer:</b> The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.  Revision Date: August 14, 2018                      Supersedes document dated: April 14, 2014 Sections Revised: 2,3,15,16