

**VIBRANCE MAXX RFC**

Version 1.1      Revision Date: 07/14/2022      SDS Number: S00036952848      This version replaces all previous versions.

**SECTION 1. IDENTIFICATION**

Product name : VIBRANCE MAXX RFC

Design code : A20927A

Product Registration number : 32272

Other means of identification : No data available

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Canada Inc.  
Address : 140 Research Lane, Research Park  
Guelph ON N1G 4Z3  
Canada  
Telephone : 1-87-SYNGENTA (1-877-964-3682)  
Telefax : 1-519-823-0504

E-mail address :  
Emergency telephone number : 1-800-327-8633 (FAST MED)

**Recommended use of the chemical and restrictions on use**

Recommended use : Fungicide

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
propane-1,2-diol	propane-1,2-diol	57-55-6	$\geq 10 - < 30$ *
sedaxane	sedaxane	874967-67-6	4.6901
metalaxyl-M (ISO)	metalaxyl-M (ISO)	70630-17-0	3.52
fludioxonil (ISO)	fludioxonil (ISO)	131341-86-1	2.35
triethylamine	triethylamine	121-44-8	$\geq 0 - < 0.1$ *

\* Actual concentration or concentration range is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

## VIBRANCE MAXX RFC

Version 1.1      Revision Date: 07/14/2022      SDS Number: S00036952848      This version replaces all previous versions.

General advice	:	Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
If inhaled	:	Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately.
In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	:	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	:	Nonspecific No symptoms known or expected.
Notes to physician	:	There is no specific antidote available. Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire-fighting	:	As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Further information	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for firefighters	:	Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so.

## VIBRANCE MAXX RFC

Version 1.1      Revision Date: 07/14/2022      SDS Number: S00036952848      This version replaces all previous versions.

Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m3	CA ON OEL
		TWA (aerosol)	10 mg/m3	CA ON OEL
sedaxane	874967-67-6	TWA	5 mg/m3	Syngenta
metalaxyl-M (ISO)	70630-17-0	TWA	5 mg/m3	Syngenta
fludioxonil (ISO)	131341-86-1	TWA	5 mg/m3	Syngenta
		TWA (Inhalable particulate matter)	1 mg/m3	ACGIH
triethylamine	121-44-8	TWA	1 ppm 4.1 mg/m3	CA AB OEL
		STEL	3 ppm 12 mg/m3	CA AB OEL
		TWA	0.5 ppm	CA BC OEL
		STEL	1 ppm	CA BC OEL
		TWAEV	0.5 ppm	CA QC OEL
		STEV	1 ppm	CA QC OEL
		TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED

**VIBRANCE MAXX RFC**

Version 1.1	Revision Date: 07/14/2022	SDS Number: S00036952848	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.  
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : blue

**VIBRANCE MAXX RFC**

Version 1.1	Revision Date: 07/14/2022	SDS Number: S00036952848	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Odour	:	No data available
Odour Threshold	:	No data available
pH	:	2 - 6 Concentration: 100 % w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.05 - 1.09 g/cm <sup>3</sup> (20 °C)
Solubility(ies) Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	445 °C
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	No dangerous reaction known under conditions of normal use.

**VIBRANCE MAXX RFC**

Version 1.1	Revision Date: 07/14/2022	SDS Number: S00036952848	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

tions

Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity	:	LD50 (Rat, female): 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 2.55 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**Components:****sedaxane:**

Acute oral toxicity	:	LD50 (Rat, female): 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.244 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg

**metalaxyl-M (ISO):**

Acute oral toxicity	:	LD50 (Rat, female): 375 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 2.29 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest attainable concentration
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**fludioxonil (ISO):**

**VIBRANCE MAXX RFC**

Version 1.1	Revision Date: 07/14/2022	SDS Number: S00036952848	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Acute oral toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 2.6 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**triethylamine:**

Acute oral toxicity	: LD50 (Rat): 730 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 7.22 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rat): 580 mg/kg

**Skin corrosion/irritation****Product:**

Species	: Rabbit
Result	: No skin irritation

**Components:****sedaxane:**

Species	: Rabbit
Result	: No skin irritation

**metalaxyl-M (ISO):**

Species	: Rabbit
Result	: No skin irritation

**fludioxonil (ISO):**

Species	: Rabbit
Result	: No skin irritation

**triethylamine:**

Species	: Rabbit
Result	: Corrosive after 3 minutes or less of exposure

**Serious eye damage/eye irritation****Product:**

Species	: Rabbit
Result	: No eye irritation

**VIBRANCE MAXX RFC**

Version 1.1      Revision Date: 07/14/2022      SDS Number: S00036952848      This version replaces all previous versions.

**Components:****sedaxane:**

Species : Rabbit  
Result : No eye irritation

**metalaxyl-M (ISO):**

Species : Rabbit  
Result : Risk of serious damage to eyes.

**fludioxonil (ISO):**

Species : Rabbit  
Result : No eye irritation

**triethylamine:**

Result : Risk of serious damage to eyes.

**Respiratory or skin sensitisation****Product:**

Test Type : mouse lymphoma cells  
Species : Mouse  
Result : Did not cause sensitisation on laboratory animals.

**Components:****sedaxane:**

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Result : Not a skin sensitizer.

**metalaxyl-M (ISO):**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

**fludioxonil (ISO):**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

**Germ cell mutagenicity****Components:****sedaxane:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**metalaxyl-M (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.



**VIBRANCE MAXX RFC**

Version 1.1	Revision Date: 07/14/2022	SDS Number: S00036952848	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

**fludioxonil (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**triethylamine:**

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

**Carcinogenicity****Components:****sedaxane:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen, At extremely high doses, numerically higher incidences of uterine, thyroid and liver tumors (male and/or female rats) and liver tumors (male mice) were within the range of normal background variation and thus considered unrelated to treatment. Some Regulatory Authorities have taken a more conservative position that these high-dose findings are treatment-related in rats and mice. The dose levels where these findings occur are not relevant to human exposure levels.

**metalaxyl-M (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**fludioxonil (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**Reproductive toxicity****Components:****sedaxane:**

Reproductive toxicity - Assessment : No toxicity to reproduction

**metalaxyl-M (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

**fludioxonil (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

**triethylamine:**

Reproductive toxicity - Assessment : No toxicity to reproduction

**STOT - single exposure****Components:****triethylamine:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract

**VIBRANCE MAXX RFC**

Version 1.1	Revision Date: 07/14/2022	SDS Number: S00036952848	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

irritation.

**STOT - repeated exposure****Components:****sedaxane:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**metalaxyl-M (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**fludioxonil (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 15.3 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40.4 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 31.2 mg/l  
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 3.05 mg/l  
End point: Growth rate  
Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 12.8 mg/l  
End point: Growth rate  
Exposure time: 96 h

**Components:****sedaxane:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 0.62 mg/l  
Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.98 mg/l  
Exposure time: 96 h

## VIBRANCE MAXX RFC

Version 1.1      Revision Date: 07/14/2022      SDS Number: S00036952848      This version replaces all previous versions.

- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 6.10 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 3 mg/l  
Exposure time: 96 h
- NOEC (*Raphidocelis subcapitata* (freshwater green alga)): 1 mg/l  
End point: Growth rate  
Exposure time: 96 h
- ErC50 (*Lemna gibba* (gibbous duckweed)): 6.5 mg/l  
Exposure time: 7 d
- NOEC (*Lemna gibba* (gibbous duckweed)): 0.59 mg/l  
End point: Growth rate  
Exposure time: 7 d
- Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.165 mg/l  
Exposure time: 33 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.82 mg/l  
Exposure time: 21 d
- metalaxyl-M (ISO):**
- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l  
Exposure time: 96 h
- LC50 (*Cyprinus carpio* (Carp)): > 100 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 271 mg/l  
Exposure time: 96 h
- NOEC (*Raphidocelis subcapitata* (freshwater green alga)): 19.7 mg/l  
End point: Growth rate  
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (*Oncorhynchus mykiss* (rainbow trout)): 50 mg/l  
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 25 mg/l  
Exposure time: 21 d
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

**fludioxonil (ISO):**

## VIBRANCE MAXX RFC

Version 1.1      Revision Date: 07/14/2022      SDS Number: S00036952848      This version replaces all previous versions.

<p>Toxicity to fish</p>	<p>: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l Exposure time: 96 h</p> <p>LC50 (Pimephales promelas (fathead minnow)): 0.7 mg/l Exposure time: 96 h</p>
<p>Toxicity to daphnia and other aquatic invertebrates</p>	<p>: EC50 (Daphnia magna (Water flea)): 0.4 mg/l Exposure time: 48 h</p> <p>EC50 (Americamysis): 0.27 mg/l Exposure time: 96 h</p>
<p>Toxicity to algae/aquatic plants</p>	<p>: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.259 mg/l Exposure time: 96 h</p> <p>EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.077 mg/l End point: Growth rate Exposure time: 96 h</p> <p>ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l Exposure time: 96 h</p> <p>NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l End point: Growth rate Exposure time: 96 h</p>
<p>Toxicity to fish (Chronic toxicity)</p>	<p>: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l Exposure time: 28 d</p> <p>NOEC (Pimephales promelas (fathead minnow)): 0.018 mg/l Exposure time: 116 d</p>
<p>Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)</p>	<p>: NOEC (Daphnia magna (Water flea)): 0.035 mg/l Exposure time: 21 d</p> <p>NOEC (Americamysis): 0.018 mg/l Exposure time: 28 d</p>
<p>Toxicity to microorganisms</p>	<p>: EC50 (activated sludge): &gt; 1,000 mg/l Exposure time: 3 h</p>
<p><b>triethylamine:</b></p>	
<p>Toxicity to fish</p>	<p>: LC50 (Oncorhynchus mykiss (rainbow trout)): 36 mg/l Exposure time: 96 h</p>
<p>Toxicity to algae/aquatic plants</p>	<p>: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 9.8 mg/l Exposure time: 72 h</p>

**VIBRANCE MAXX RFC**

Version 1.1      Revision Date: 07/14/2022      SDS Number: S00036952848      This version replaces all previous versions.

**Persistence and degradability****Components:****sedaxane:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: > 1 y  
Remarks: Persistent in water.

**metalaxyl-M (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 22.4 - 47.5 d  
Remarks: Product is not persistent.

**fludioxonil (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 450 - 700 d  
Remarks: Persistent in water.

**triethylamine:**

Biodegradability : Result: Readily biodegradable.

**Bioaccumulative potential****Components:****sedaxane:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.3 (25 °C)

**metalaxyl-M (ISO):**

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 1.71 (25 °C)

**fludioxonil (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.12 (25 °C)

**Mobility in soil****Components:****sedaxane:**

Distribution among environmental compartments : Remarks: Low to medium mobility in soil.

**VIBRANCE MAXX RFC**

Version 1.1	Revision Date: 07/14/2022	SDS Number: S00036952848	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Stability in soil : Dissipation time: 83 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**metalaxyl-M (ISO):**

Distribution among environmental compartments : Remarks: Metalaxyl has a range from low to very high mobility in soil depending on soil type.

Stability in soil : Dissipation time: < 50 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**fludioxonil (ISO):**

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 14 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**Other adverse effects****Components:****sedaxane:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**metalaxyl-M (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**fludioxonil (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**triethylamine:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Refer to the product label for specific disposal/recycling information  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.

**VIBRANCE MAXX RFC**

Version 1.1	Revision Date: 07/14/2022	SDS Number: S00036952848	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Contaminated packaging : If recycling is not practicable, dispose of in compliance with local regulations.  
Refer to the product label for specific disposal/recycling information.  
Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUDIOXONIL AND SEDAXANE)
Class	: 9
Packing group	: III
Labels	: 9

**IATA-DGR**

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (FLUDIOXONIL AND SEDAXANE)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

**IMDG-Code**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUDIOXONIL AND SEDAXANE)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****TDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUDIOXONIL AND SEDAXANE)

**VIBRANCE MAXX RFC**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.1	07/14/2022	S00036952848	

Class	:	9
Packing group	:	III
Labels	:	9
ERG Code	:	171
Marine pollutant	:	yes(FLUDIOXONIL, SEDAXANE)
Remarks	:	Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle. 1.45.1. SOR/2008-34

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION**

Warning, contains the allergens 1,2-benzisothiazolin-3-one, 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one

Warning, contains the allergen soy

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

<b>NPRI Components</b>	:	tetrabenzo-5,10,15,20-diazaporphyrinephthalocyanine xylene ethanediol triethylamine ethyl acetate
------------------------	---	---

**The components of this product are reported in the following inventories:**

DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. sedaxane  metalaxyl-M (ISO)  fludioxonil (ISO)
-----	---	---

**Canadian lists**

No substances are subject to a Significant New Activity Notification.

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
-------	---	---



## VIBRANCE MAXX RFC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.1	07/14/2022	S00036952848	

CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWA	:	Time-weighted average exposure value
CA QC OEL / STEL	:	Short-term exposure value

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	07/14/2022
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

**VIBRANCE MAXX RFC**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.1	07/14/2022	S00036952848	

---

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN