

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

SECTION 1. IDENTIFICATION

Product name : RIDOMIL GOLD 1G

Design code : A9603A

Product Registration number : 26612

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.

Address : 140 Research Lane, Research Park
Guelph ON N1G 4Z3
Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)

Telefax : 1-519-823-0504

E-mail address :

Emergency telephone number : 1-800-327-8633 (FAST MED)

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the Hazardous Products Regulations**

Acute toxicity (Inhalation) : Category 2

Reproductive toxicity : Category 1B

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

Specific target organ toxicity - repeated exposure (Inhalation) : Category 1 (Lungs)

GHS label elements

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : H330 Fatal if inhaled.
H335 May cause respiratory irritation.
H360 May damage fertility or the unborn child.
H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.
- Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.
- Response:**
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
- Storage:**
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
- Disposal:**
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
fuller's earth	fuller's earth	8031-18-3	$\geq 80 - \leq 100$ *
dioxosilane	dioxosilane	14808-60-7	$\geq 5 - < 10$ *

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

N-methyl-2-pyrrolidone	N-methyl-2-pyrrolidone	872-50-4	$\geq 1 - < 5$ *
metalaxyl-M (ISO)	metalaxyl-M (ISO)	70630-17-0	1

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.
Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous prod-

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

ucts of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
Avoid dust formation.

Environmental precautions : Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).
Do not create a powder cloud by using a brush or compressed air.
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dioxosilane	14808-60-7	TWA (Respirable particulates)	0.025 mg/m ³	CA AB OEL

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

		TWA (Respirable fraction)	0.1 mg/m ³	CA ON OEL
		TWAEV (respirable dust)	0.1 mg/m ³	CA QC OEL
		TWA (Respirable)	0.025 mg/m ³ (Silica)	CA BC OEL
		TWA (Respirable particulate matter)	0.025 mg/m ³ (Silica)	ACGIH
N-methyl-2-pyrrolidone	872-50-4	TWA	400 mg/m ³	CA ON OEL
metalaxyl-M (ISO)	70630-17-0	TWA	5 mg/m ³	Syngenta

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N-methyl-2-pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
 Suitable respiratory equipment:
 Respirator with a half face mask
 The filter class for the respirator must be suitable for the maximum expected contaminant concentration

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Dust impervious protective suit

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : reddish brown

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

Flash point	:	95 °C	
			Method: Pensky-Martens closed cup, Non-equilibrium method
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Density	:	0.56 g/cm ³	
Bulk density	:	35.5 g/cm ³	
Solubility(ies)			
Water solubility	:	No data available	
Solubility in other solvents	:	No data available	
Partition coefficient: n-octanol/water	:	No data available	
Auto-ignition temperature	:	260 °C	
Decomposition temperature	:	No data available	
Viscosity			
Viscosity, kinematic	:	No data available	
Explosive properties	:	Not explosive	
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.	
Particle size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 0.483 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Components:

N-methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg

metalaxyl-M (ISO):

Acute oral toxicity : LD50 (Rat, female): 375 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.29 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

Species : Rabbit
Result : No skin irritation

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

Components:**N-methyl-2-pyrrolidone:**

Species : Rabbit
Result : Irritating to skin.

metalaxyl-M (ISO):

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation

Components:**N-methyl-2-pyrrolidone:**

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

metalaxyl-M (ISO):

Species : Rabbit
Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation**Product:**

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

Components:**metalaxyl-M (ISO):**

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity**Components:****N-methyl-2-pyrrolidone:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

metalaxyl-M (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

Carcinogenicity**Components:****N-methyl-2-pyrrolidone:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

metalaxyl-M (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity**Components:****N-methyl-2-pyrrolidone:**

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

metalaxyl-M (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure**Components:****fuller's earth:**

Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

N-methyl-2-pyrrolidone:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure**Components:****dioxosilane:**

Exposure routes : Inhalation
Target Organs : Lungs
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

metalaxyl-M (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

N-methyl-2-pyrrolidone:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 24 h
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l
Exposure time: 72 h
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 12.5 mg/l
Exposure time: 21 d

metalaxyl-M (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
- LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 271 mg/l
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 19.7 mg/l
End point: Growth rate
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l
Exposure time: 21 d
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

Persistence and degradability**Components:****N-methyl-2-pyrrolidone:**

Biodegradability : Result: Readily biodegradable.

metalaxyl-M (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 22.4 - 47.5 d
Remarks: Product is not persistent.

Bioaccumulative potential**Components:****N-methyl-2-pyrrolidone:**

Partition coefficient: n-octanol/water : log Pow: -0.46 (25 °C)

metalaxyl-M (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 1.71 (25 °C)

Mobility in soil**Components:****metalaxyl-M (ISO):**

Distribution among environmental compartments : Remarks: Metalaxyl has a range from low to very high mobility in soil depending on soil type.

Stability in soil : Dissipation time: < 50 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects**Components:****N-methyl-2-pyrrolidone:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

metalaxyl-M (ISO):

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- Waste from residues : Refer to the product label for specific disposal/recycling information
- Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Refer to the product label for specific disposal/recycling information
- Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.
-

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**TDG**

Not regulated as a dangerous good

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

RIDOMIL GOLD 1G

Version 1.1 Revision Date: 12/23/2022 SDS Number: S22997346 This version replaces all previous versions.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Warning

poison

Skull and crossbones

Eye irritant

NPRI Components : N-methyl-2-pyrrolidone

The components of this product are reported in the following inventories:

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

metalaxyl-M (ISO)

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
 CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
 CA BC OEL : Canada. British Columbia OEL
 CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
 CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
 ACGIH / TWA : 8-hour, time-weighted average
 CA AB OEL / TWA : 8-hour Occupational exposure limit
 CA BC OEL / TWA : 8-hour time weighted average
 CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
 CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

RIDOMIL GOLD 1G

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.1	12/23/2022	S22997346	

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 12/23/2022
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN