

**FORTENZA** 

Version Revision Date: SDS Number: This version replaces all previous versions. 1.1 06/08/2022 S00000106393

#### **SECTION 1. IDENTIFICATION**

Product name : FORTENZA

Design code : A17960B

Product Registration number : 30899

Other means of identification : No data available

## Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.

Address : 140 Research Lane, Research Park

Guelph ON N1G 4Z3

Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)

Telefax : 1-519-823-0504

E-mail address

Emergency telephone num: 1-800-327-8633 (FAST MED)

ber

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

## **SECTION 2. HAZARDS IDENTIFICATION**

### GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

## **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

## Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
cyantraniliprole	cyantraniliprole	736994-63-1	47.8851
propane-1,2,3-triol	propane-1,2,3- triol	56-81-5	>= 1 - < 5 *
residues (petroleum), catalytic reformer frac- tionator, sulfonated, polymers with formal- dehyde, sodium salts	residues (petro- leum), catalytic reformer frac- tionator, sul- fonated, poly- mers with for- maldehyde, sodium salts	68425-94-5	>= 1 - < 5 *



# **FORTENZA**

Version Revision Date: SDS Number: This version replaces all previous versions. 1.1 06/08/2022 S00000106393

#### **SECTION 4. FIRST AID MEASURES**

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial respira-

tion.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms

Notes to physician

and effects, both acute and

delayed

Nonspecific

No symptoms known or expected.

There is no specific antidote available.

Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Unsuitable extinguishing

media

Water spray

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during fire-

fighting

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses

Cool closed containers exposed to fire with water spray.

Special protective equipment :

for firefighters

Wear full protective clothing and self-contained breathing ap-

paratus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

<sup>\*</sup> Actual concentration or concentration range is withheld as a trade secret



**FORTENZA** 

Version Revision Date: SDS Number: This version replaces all previous versions. 3.1 06/08/2022 S00000106393

Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
cyantraniliprole	736994-63-1	TWA	5 mg/m3	Syngenta
propane-1,2,3-triol	56-81-5	TWA (Mist)	10 mg/m3	CA AB OEL
		TWA (Mist)	10 mg/m3	CA BC OEL
		TWA (Respirable mist)	3 mg/m3	CA BC OEL
		TWAEV (Mist)	10 mg/m3	CA QC OEL

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the



**FORTENZA** 

Version Revision Date: 06/08/2022

SDS Number: S00000106393 This version replaces all previous versions.

actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene ad-

vice

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required. Eye protection : No special protective equipment required. Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek appro-

priate professional advice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

Appearance : suspension

Colour : white to beige

Odour : chalky

Odour Threshold : No data available

pH : 3.7

Concentration: 100 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Pensky-Martens closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available



**FORTENZA** 

Version 1.1

**Revision Date:** 06/08/2022

SDS Number: S00000106393 This version replaces all previous versions.

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure No data available

Relative vapour density No data available

Density 1.253 g/cm3

Solubility(ies)

Solubility in other solvents No data available

Partition coefficient: n-

No data available

octanol/water

450 °C Auto-ignition temperature

Decomposition temperature No data available

Viscosity

Viscosity, dynamic 141 - 318 mPa.s ( 20 °C)

97 - 227 mPa.s (40 °C)

No data available Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Surface tension 30.6 mN/m, 20 °C

Particle size No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity None reasonably foreseeable. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

No decomposition if used as directed.

Conditions to avoid

Incompatible materials None known.

Hazardous decomposition

No hazardous decomposition products are known.

No dangerous reaction known under conditions of normal use.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact



**FORTENZA** 

Version Revision Date: SDS Number: This version replaces all previous versions. 1.1 06/08/2022 S00000106393

**Acute toxicity** 

**Product:** 

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.16 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

**Components:** 

cyantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Skin corrosion/irritation

**Product:** 

Species : Rabbit

Result : No skin irritation

Components:

cyantraniliprole:

Species : Rabbit

Result : No skin irritation

residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Method : in vitro skin corrosion test

Result : Irritating to skin.

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation



**FORTENZA** 

Version Revision Date: SDS Number: This version replaces all previous versions. 1.1 06/08/2022 S00000106393

**Components:** 

cyantraniliprole:

Species : Rabbit

Result : No eye irritation

residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Result : Risk of serious damage to eyes.

Method : in vitro eye irritation test

Respiratory or skin sensitisation

**Product:** 

Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

**Components:** 

cyantraniliprole:

Test Type : mouse lymphoma cells

Species : Mouse

Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

**Components:** 

cyantraniliprole:

Germ cell mutagenicity -

: Animal testing did not show any mutagenic effects.

Assessment

Carcinogenicity

Components:

cyantraniliprole:

Carcinogenicity - Assess-

No evidence of carcinogenicity in animal studies.

ment

Reproductive toxicity

**Components:** 

cyantraniliprole:

Reproductive toxicity - As-

: No toxicity to reproduction

sessment

STOT - repeated exposure

**Components:** 

cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.



**FORTENZA** 

Version Revision Date: 1.1 06/08/2022

SDS Number: S00000106393

This version replaces all previous versions.

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Product:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0092 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 97

mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): 4.3

mg/l

End point: Growth rate Exposure time: 96 h

Remarks: Based on data from similar materials

EC10 (Raphidocelis subcapitata (freshwater green alga)): 26

mg/l

End point: Growth rate Exposure time: 96 h

Remarks: Based on data from similar materials

**Components:** 

cyantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12.6 mg/l

Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 12

mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0204 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

13 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 3.2

ng/l

End point: Growth rate Exposure time: 72 h

M-Factor (Acute aquatic tox- : 10



**FORTENZA** 

Version **Revision Date:** SDS Number: This version replaces all previous versions. S00000106393 06/08/2022 1.1

icity)

Toxicity to fish (Chronic tox-

NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9

mg/l

10

Exposure time: 28 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 10.7 mg/l

Exposure time: 28 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

NOEC (Daphnia magna (Water flea)): 0.00656 mg/l

Exposure time: 21 d

Persistence and degradability

**Components:** 

cyantraniliprole:

Biodegradability Result: Not readily biodegradable.

residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Biodegradability Result: Not readily biodegradable.

Bioaccumulative potential

**Components:** 

cyantraniliprole:

Bioaccumulation Bioconcentration factor (BCF): < 1

Remarks: Does not bioaccumulate.

Mobility in soil

**Components:** 

cyantraniliprole:

Distribution among environ-

mental compartments

Stability in soil

Remarks: immobile

Remarks: No data available

Other adverse effects

Components:

cyantraniliprole: Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).



**FORTENZA** 

Version **Revision Date:** This version replaces all previous versions. SDS Number: 1.1 06/08/2022 S00000106393

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Refer to the product label for specific disposal/recycling infor-

mation

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incinera-

If recycling is not practicable, dispose of in compliance with

local regulations.

Refer to the product label for specific disposal/recycling infor-Contaminated packaging

mation

Empty remaining contents. Triple rinse containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**UNRTDG** 

UN 3082 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

(CYANTRANILIPROLE)

Class 9 Packing group Ш Labels 9

**IATA-DGR** 

UN/ID No. UN 3082

Environmentally hazardous substance, liquid, n.o.s. Proper shipping name

(CYANTRANILIPROLE)

Class 9 Packing group Ш

Labels Miscellaneous

Packing instruction (cargo 964

aircraft)

Packing instruction (passen-

ger aircraft)

964

Environmentally hazardous yes

**IMDG-Code** 

UN number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

(CYANTRANILIPROLE)

Class 9 Packing group Ш Labels 9 **EmS Code** F-A, S-F

10/12



**FORTENZA** 

Version Revision Date: SDS Number: This version replaces all previous versions. 1.1 06/08/2022 S00000106393

Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

**TDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(CYANTRANILIPROLE)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(CYANTRANILIPROLE)

Remarks : Class 9 Exemption from Part 3, Documentation, and Part 4,

Dangerous Goods Safety Marks, if transported solely on land

by road vehicle or railway vehicle.

1.45.1. SOR/2008-34

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

Warning, contains the allergen 1,2-benzisothiazolin-3-one and 2-bromo-2-nitropropane-1,3-diol There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Caution

Eye irritant

### The components of this product are reported in the following inventories:

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

cyantraniliprole

### **Canadian lists**

No substances are subject to a Significant New Activity Notification.

### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table



**FORTENZA** 

Version Revision Date: SDS Number: This version replaces all previous versions. 1.1 06/08/2022 S00000106393

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

CA AB OEL / TWA : 8-hour Occupational exposure limit CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 06/08/2022 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN