

SCALA® SC FUNGICIDE

Version 2.0 / CDN Revision Date: 02/23/2024 102000036910 Print Date: 08/14/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name SCALA® SC FUNGICIDE

Product code (UVP) 86269643

SDS Number 102000036910

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

This material is not hazardous under the criteria of Part 2 of the Hazardous Products Regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



SCALA® SC FUNGICIDE

 Version 2.0 / CDN
 Revision Date: 02/23/2024

 102000036910
 Print Date: 08/14/2024

Hazardous Component Name CAS-No. Concentration % by weight

Pyrimethanil 53112-28-0 37.4 Lignin, alkali, reaction products with formaldehyde and 68512-35-6 4.0

sodium bisulfite

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet



SCALA® SC FUNGICIDE

Version 2.0 / CDN Revision Date: 02/23/2024 102000036910 Print Date: 08/14/2024

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO2),

Nitrogen oxides (NOx)

Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point > 100 °C

Material heated to 100 °C – no flash point in the liquid state.

Auto-ignition temperature

455 °C / 851 °F

Lower explosion limit
Upper explosion limit

No data available

No data available

Explosivity

Not explosive

Regulation (EC) No. 440/2008, Annex, A.14

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning upSoak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling



SCALA® SC FUNGICIDE

 Version 2.0 / CDN
 Revision Date: 02/23/2024

 102000036910
 Print Date: 08/14/2024

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away

from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Pyrimethanil	53112-28-0	5.6 mg/m3		OES BCS*
_		(TWA)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.



SCALA® SC FUNGICIDE

Version 2.0 / CDN Revision Date: 02/23/2024 102000036910 Print Date: 08/14/2024

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form suspension Colour beige

Odour almost odourless **Odour Threshold** No data available

рΗ 6.0 - 8.0 (100 %) (23 °C)

Melting point/range No data available

Boiling Point

No data available

> 100 °C Flash point

Material heated to 100 °C – no flash point in the liquid state.

Flammability No data available

455 °C **Auto-ignition temperature**

Thermal decomposition No data available

Minimum ignition energy Not applicable Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limit No data available Lower explosion limit No data available Vapour pressure No data available **Evaporation rate** No data available Relative vapour density No data available Relative density No data available

ca. 1.07 g/cm³ (20 °C) Density

Water solubility dispersible

Partition coefficient: n-

octanol/water

Pyrimethanil: log Pow: 2.84

50 - 150 mPa.s (20 °C) Viscosity, dynamic

Velocity gradient 100 /s

Viscosity, kinematic No data available Oxidizing properties No data available

Explosivity Not explosive

Regulation (EC) No. 440/2008, Annex, A.14



SCALA® SC FUNGICIDE

Version 2.0 / CDN Revision Date: 02/23/2024 102000036910 Print Date: 08/14/2024

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

freezing

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Inhalation, Skin contact, Eye contact, Ingestion

Immediate Effects

Eye Not expected to produce significant adverse effects when

recommended use instructions are followed.

Skin Causes skin irritation.

Ingestion Not expected to produce significant adverse effects when

recommended use instructions are followed.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) > 1.26 mg/l

Exposure time: 4 h

Highest attainable concentration.

No deaths

Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 4,000 mg/kg

Test conducted with a similar formulation.

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)



SCALA® SC FUNGICIDE

Version 2.0 / CDN 102000036910

Revision Date: 02/23/2024 Print Date: 08/14/2024

Test conducted with a similar formulation.

Serious eye damage/eye

No eye irritation (Rabbit)

irritation

Test conducted with a similar formulation.

Respiratory or skin sensitisation

Skin: Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Buehler test
Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity - single exposure

Pyrimethanil: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Pyrimethanil did not cause any significant specific adverse effects or target organ toxicity in subchronic toxicity studies.

Assessment mutagenicity

Pyrimethanil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Pyrimethanil was not carcinogenic in lifetime feeding studies in mice. Pyrimethanil caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

ACGIH

None.

NTP

None.

IARC

None.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Pyrimethanil did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Pyrimethanil did not cause developmental toxicity in rats and rabbits.

Aspiration hazard



SCALA® SC FUNGICIDE

Version 2.0 / CDN Revision Date: 02/23/2024 102000036910 Print Date: 08/14/2024

Based on available data, the classification criteria are not met.

Further information

The toxicological data refer to a similar formulation. No further toxicological information is available.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 53 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 10.4 mg/l

Exposure time: 48 h

Test conducted with a similar formulation.

IC50 (Raphidocelis subcapitata (freshwater green alga)) 16 mg/l Toxicity to aquatic plants

Growth rate; Exposure time: 72 h

Test conducted with a similar formulation.

Biodegradability Pyrimethanil:

Not rapidly biodegradable

Koc Pyrimethanil: Koc: 301

Bioaccumulation Pyrimethanil:

Does not bioaccumulate.

Pyrimethanil: Moderately mobile in soils Mobility in soil

Results of PBT and vPvB assessment

PBT and vPvB assessment Pyrimethanil: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods



SCALA® SC FUNGICIDE

Version 2.0 / CDN Revision Date: 02/23/2024 102000036910 Print Date: 08/14/2024

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRIMETHANIL)

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRIMETHANIL SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRIMETHANIL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.



10/11

SCALA® SC FUNGICIDE

Version 2.0 / CDN Revision Date: 02/23/2024 102000036910 Print Date: 08/14/2024

SECTION 15: REGULATORY INFORMATION

PMRA Information:

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Signal word: Caution!

Hazard statements: Skin irritant.

Harmful if inhaled.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation



SCALA® SC FUNGICIDE

Version 2.0 / CDN 102000036910

Revision Date: 02/23/2024 Print Date: 08/14/2024

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)
Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

* = chronic health hazard

Reason for Revision: The following sections have been revised: Section 11: Toxicological Information. Section 14: Transport Information. Section 15: Regulatory information. Section 16: Other Information. Reviewed and updated for general editorial purposes.

Revision Date: 02/23/2024

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.