

PROLINE® 480 SC FOLIAR FUNGICIDE

Version 3.1 / CDN Revision Date: 02/15/2021 102000014342 Print Date: 08/14/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name PROLINE® 480 SC FOLIAR FUNGICIDE

Product code (UVP) 05984180, 86226618

SDS Number 102000014342

PCP Registration No. 28359

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

This material is not hazardous under the criteria of Part 2 of the Hazardous Products Regulation.

Precautionary statements

Protect from sunlight.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



PROLINE® 480 SC FOLIAR FUNGICIDE

Version 3.1 / CDN Revision Date: 02/15/2021 102000014342 Print Date: 08/14/2024

Hazardous Component Name CAS-No. Concentration % by weight

Prothioconazole 178928-70-6 41.0

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet



PROLINE® 480 SC FOLIAR FUNGICIDE

Version 3.1 / CDN Revision Date: 02/15/2021 102000014342 Print Date: 08/14/2024

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulphur dioxide (SO2)

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

for tiretignters apparatus and full protective clothing.

Further informationAvoid contact with spilled product or contaminated surfaces. Evacuate personnel to safe areas. Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point > 96 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNo data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations. Contaminated soil may have to be removed and

disposed.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before



PROLINE® 480 SC FOLIAR FUNGICIDE

Version 3.1 / CDN Revision Date: 02/15/2021 102000014342 Print Date: 08/14/2024

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m3		OES BCS*
		(SK-ABS)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties



PROLINE® 480 SC FOLIAR FUNGICIDE

Version 3.1 / CDN Revision Date: 02/15/2021 102000014342 Print Date: 08/14/2024

Form suspension

Colour white to light beige Odour slight, characteristic **Odour Threshold** No data available

Hq ca. 6.8 - 7.2 (100 %) (20 °C)

Melting point/range No data available **Boiling Point** No data available

Flash point > 96 °C

Flammability No data available No data available **Auto-ignition temperature**

Minimum ignition energy No data available Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limit No data available No data available Lower explosion limit Vapour pressure No data available **Evaporation rate** No data available Relative vapour density No data available **Relative density** No data available **Density** 1.18 g/cm3 (20 °C)

Water solubility dispersible

Partition coefficient: n-

octanol/water

Prothioconazole: log Pow: 3.82 (20 °C) (pH 7)

Viscosity, dynamic 800 - 1,200 cps (25 °C)

Viscosity, kinematic No data available Oxidizing properties No data available **Explosivity** No data available

Other information Further safety related physical-chemical data are not known.



PROLINE® 480 SC FOLIAR FUNGICIDE

Version 3.1 / CDN Revision Date: 02/15/2021 102000014342 Print Date: 08/14/2024

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

freezing

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Ingestion, Inhalation, Skin contact

Immediate Effects

Eye May cause mild irritation to eyes.

Skin Harmful if absorbed through skin. May cause mild irritation to the

skin.

IngestionHarmful if swallowed.InhalationHarmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 2,000 - < 5,000 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) > 1.6 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol. Highest attainable concentration.

No deaths

ino death

Acute dermal toxicity LD50 (male/female combined Rat) > 5,000 mg/kg

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye

irritation

Minimally irritating. (Rabbit)

Respiratory or skin Skin: Non-sensitizing. (Guinea pig)

sensitisation OECD Test Guideline 406, Magnusson & Kligman test

Assessment STOT Specific target organ toxicity - single exposure

Prothioconazole: Based on available data, the classification criteria are not met.



PROLINE® 480 SC FOLIAR FUNGICIDE

Version 3.1 / CDN Revision Date: 02/15/2021 102000014342 Print Date: 08/14/2024

Assessment STOT Specific target organ toxicity - repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient prothioconazole.

Toxicity to aquatic EC50 (Daphnia magna (Water flea)) 1.3 mg/l

invertebrates Exposure time: 48 h

The value mentioned relates to the active ingredient prothioconazole.



PROLINE® 480 SC FOLIAR FUNGICIDE

Version 3.1 / CDN Revision Date: 02/15/2021 102000014342 Print Date: 08/14/2024

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 2.18 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

ErC50 (Skeletonema costatum) 0.03278 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

EC10 (Skeletonema costatum) 0.01427 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

Biodegradability Prothioconazole:

Not rapidly biodegradable

Koc Prothioconazole: Koc: 1765

Bioaccumulation Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

Mobility in soil Prothioconazole: Slightly mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Prothioconazole: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Do not allow to get into surface water, drains and ground water.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste

disposal facility.

Follow container label instructions for disposal of wastes generated

during use in compliance with the product label.

Contaminated packaging Do not re-use empty containers.

Triple rinse containers.



PROLINE® 480 SC FOLIAR FUNGICIDE

Version 3.1 / CDN Revision Date: 02/15/2021 102000014342 Print Date: 08/14/2024

Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE)

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.



10/11

PROLINE® 480 SC FOLIAR FUNGICIDE

Version 3.1 / CDN Revision Date: 02/15/2021 102000014342 Print Date: 08/14/2024

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 28359

PMRA Information:

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation



PROLINE® 480 SC FOLIAR FUNGICIDE

Version 3.1 / CDN Revision Date: 02/15/2021 102000014342 Print Date: 08/14/2024

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 02/15/2021

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.