

Revision date: 2023/07/18 Page: 1/12 Version: 5.0 (30739892/SDS\_CPA\_CA/EN)

## 1. Identification

## Product identifier used on the label

# Zidua SC

## Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, herbicide

# Details of the supplier of the safety data sheet

## Company:

BASF Agricultural Solutions Canada Inc. 510, 28 Quarry Park Boulevard SE, Calgary, AB, T2C 5P9 CANADA

Telephone: +1 (403) 523-3000

# **Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

# Other means of identification

32542

Synonyms: Pyroxasulfone

## 2. Hazards Identification

## According to Hazardous Products Regulations (HPR) (SOR/2015-17)

# Classification of the product

STOT RE	2	Specific target organ toxicity — repeated
		exposure
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2023/07/18 Page: 2/12 Version: 5.0 (30739892/SDS\_CPA\_CA/EN)

## Label elements

## Pictogram:



Signal Word: Warning

Hazard Statement:

H373 May cause damage to organs (Kidney, Liver, Heart, Nervous system,

Urinary organs) through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves.

P273 Avoid release to the environment.
P260 Do not breathe dust/gas/mist/vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P314 Get medical advice/attention if you feel unwell.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P391 Collect spillage.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

# 3. Composition / Information on Ingredients

## According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Pyroxasulfone

CAS Number: 447399-55-5 Content (W/W): 41.46 %

Synonym: pyroxasulfone technical

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W): 1.0 - 5.0% Synonym: No data available.

bronopol

CAS Number: 52-51-7 Content (W/W): 0.0 - 0.05%

Synonym: 2-Bromo-2-nitro-1,3-propanediol; Bronopol

1,2-benzisothiazol-3(2H)-one

CAS Number: 2634-33-5 Content (W/W): 0.0 - 0.05% Synonym: No data available.

Revision date: 2023/07/18 Page: 3/12 Version: 5.0 (30739892/SDS\_CPA\_CA/EN)

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS Number: 55965-84-9 Content (W/W): 0.0 - 0.0015%

Synonym: 5-Chloro-2-methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-

isothiazolone

# 4. First-Aid Measures

## **Description of first aid measures**

### **General advice:**

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

#### If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary.

### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

#### If in eves:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

# Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

## Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

Revision date: 2023/07/18 Page: 4/12 Version: 5.0 (30739892/SDS\_CPA\_CA/EN)

# 5. Fire-Fighting Measures

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

# Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen bromide, hydrogen fluoride, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

# Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

### **Further information:**

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

## 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

# **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

## Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

# 7. Handling and Storage

## Precautions for safe handling

Ensure adequate ventilation. Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Revision date: 2023/07/18 Page: 5/12 Version: 5.0 (30739892/SDS\_CPA\_CA/EN)

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

## Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

# 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

No substance specific occupational exposure limits known.

## Personal protective equipment

## Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) particulate respirator.

## Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

# Eye protection:

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

# **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

## General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: liquid Odour: odourless

Odour threshold: not applicable, odour not perceivable

Colour: milky white approx. 5.5 - 7.5 (1 %(m), 23 °C)

Melting point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

(1,013 hPa)

Information applies to the solvent.

Revision date: 2023/07/18 Page: 6/12 Version: 5.0 (30739892/SDS CPA CA/EN)

Flash point: No flash point - Measurement made

up to the boiling point.

Flammability: not applicable

Lower explosion limit: As a result of our experience with this

> product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

360 °C Autoignition:

Vapour pressure: approx. 23 hPa

(20°C)

Information applies to the solvent.

Density: approx. 1.21 g/cm3

(20°C)

Vapour density: not applicable

Partitioning coefficient n-The statements are based on the octanol/water (log Pow):

properties of the individual

components.

Information on: Pvroxasulfone Partitioning coefficient n-2.39 octanol/water (log Pow): (25 °C)

210 °C, 240 kJ/kg Thermal decomposition:

(onset temperature)

Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Viscosity, dynamic: approx. 57.1 mPa.s

(20°C)

Solubility in water: dispersible Evaporation rate: not applicable

Other Information: The product has not been tested. The statement has been

derived from substances/products of a similar structure or

composition.

# 10. Stability and Reactivity

# Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

## **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

## Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Revision date: 2023/07/18 Page: 7/12 Version: 5.0 (30739892/SDS\_CPA\_CA/EN)

## **Conditions to avoid**

See SDS section 7 - Handling and storage.

## Incompatible materials

strong acids, strong bases, strong oxidizing agents

# **Hazardous decomposition products**

## Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

210 °C

(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

# 11. Toxicological information

# Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

## **Acute Toxicity/Effects**

## Acute toxicity

Assessment of acute toxicity: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

# <u>Oral</u>

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg No mortality was observed.

## **Inhalation**

Type of value: LC50 Species: rat (male/female)

Value: > 3.8 mg/l Exposure time: 4 h

No mortality was observed. Highest concentration technically achievable.

## **Dermal**

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg No mortality was observed.

## Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Revision date: 2023/07/18 Page: 8/12 Version: 5.0 (30739892/SDS\_CPA\_CA/EN)

The product has not been tested. The statement has been derived from the properties of the individual components.

# Irritation / corrosion

Assessment of irritating effects: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Not irritating to eyes and skin.

## Skin

Species: rabbit Result: non-irritant

<u>Eye</u>

Species: rabbit Result: non-irritant

## Sensitization

Assessment of sensitization: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. No sensitizing effect.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse Result: Non-sensitizing.

Method: OECD Guideline 429

Aspiration Hazard not applicable

# **Chronic Toxicity/Effects**

## Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyroxasulfone

Assessment of repeated dose toxicity: Repeated oral exposure to small quantities may affect certain organs.

o.ga.iei

## Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

# Information on: Pyroxasulfone

Assessment of carcinogenicity: When given in high doses, the substance was carcinogenic in animal studies. Based on its mechanism of action, a carcinogenic potential is not expected after exposure to low doses.

\_\_\_\_\_

## Reproductive toxicity

Revision date: 2023/07/18 Page: 9/12 Version: 5.0 (30739892/SDS\_CPA\_CA/EN)

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### Other Information

Misuse can be harmful to health.

# 12. Ecological Information

# **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

## Toxicity to fish

Information on: Pyroxasulfone

LC50 (96 h) > 2.2 mg/l, Oncorhynchus mykiss

-----

## Aquatic invertebrates

Information on: Pyroxasulfone EC50 (48 h) > 4.4 mg/l, daphnia

-----

## Aquatic plants

Information on: Pyroxasulfone

EC10 (96 h) 0.00035 mg/l, Pseudokirchneriella subcapitata EC50 (96 h) 0.00079 mg/l, Pseudokirchneriella subcapitata

-----

## Chronic toxicity to fish

Information on: Pyroxasulfone

No observed effect concentration (28 d) 2.0 mg/l, Pimephales promelas

-----

## Chronic toxicity to aquatic invertebrates

Information on: Pyroxasulfone

No observed effect concentration (21 d) 1.9 mg/l, Daphnia sp.

-----

# Persistence and degradability

Revision date: 2023/07/18 Page: 10/12 Version: 5.0 (30739892/SDS CPA CA/EN)

## Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Pyroxasulfone

Not readily biodegradable (by OECD criteria).

\_\_\_\_\_

# **Bioaccumulative potential**

## Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: Pyroxasulfone

-----

# Mobility in soil

## Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyroxasulfone

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

# **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

# 13. Disposal considerations

## Waste disposal of substance:

See product label for disposal and recycling instructions.

### Container disposal:

Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

# 14. Transport Information

### Land transport

**TDG** 

Revision date: 2023/07/18 Page: 11/12 Version: 5.0 (30739892/SDS\_CPA\_CA/EN)

Not classified as a dangerous good under transport regulations

Sea transport

**IMDG** 

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains PYROXASULFONE)

Air transport

IATA/ICAO

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains PYROXASULFONE)

# **Further information**

Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

## 15. Regulatory Information

## **Federal Regulations**

Registration status:

Crop Protection DSL, CA released / listed

## Labeling requirements under Pest Control Products Act

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

WARNING:

Contains the allergen soy.

KEEP OUT OF REACH OF CHILDREN.

READ THE LABEL AND ATTACHED BOOKLET BEFORE USING

Avoid contact with the skin, eyes and clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove contaminated clothing and wash before reuse.

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Revision date: 2023/07/18 Page: 12/12 Version: 5.0 (30739892/SDS\_CPA\_CA/EN)

Wash the outside of gloves before removing.

As soon as possible, wash thoroughly and change into clean clothing.

Apply only to agricultural crops when the potential for drift to areas of human habitation and areas of human activity such as houses, cottages, schools and recreational areas is minimal.

Take into consideration wind speed, wind direction, temperature inversions, application equipment and sprayer settings.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

## 16. Other Information

## SDS Prepared by:

BASF Agricultural Solutions Canada NA Product Regulations

SDS Prepared on: 2023/07/18

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

**END OF DATA SHEET**