

Safety Data Sheet

Basagran Liquid Herbicide

Revision date : 2023/08/08
Version: 11.0

Page: 1/13
(30643711/SDS_CPA_CA/EN)

1. Identification

Product identifier used on the label

Basagran Liquid Herbicide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, herbicide
Unsuitable for use: Uses other than recommended

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF Agricultural Solutions Canada Inc.
510, 28 Quarry Park Boulevard SE,
Calgary, AB, T2C 5P9
CANADA

Telephone: +1 (403) 523-3000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300
BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Molecular formula: C₁₀ H₁₁ N₂ O₃ S Na
PCP# 12221/31135
Synonyms: sodium bentazon

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Eye Dam./Irrit.	2B	Serious eye damage/eye irritation

Safety Data Sheet

Basagran Liquid Herbicide

Revision date: 2023/08/08

Version: 11.0

Page: 2/13

(30643711/SDS_CPA_CA/EN)

Skin Sens.	1	Skin sensitization
Repr.	2 (unborn child)	Reproductive toxicity
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	2	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:



Signal Word:
Warning

Hazard Statement:

H320	Causes eye irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P261	Avoid breathing mist or vapour or spray.
P273	Avoid release to the environment.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P308 + P313	IF exposed or concerned: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P337 + P313	If eye irritation persists: Get medical attention.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

Safety Data Sheet

Basagran Liquid Herbicide

Revision date: 2023/08/08

Version: 11.0

Page: 3/13

(30643711/SDS_CPA_CA/EN)

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

bentazon sodium

CAS Number: 50723-80-3

Content (W/W): 44.0 %

Synonym: Bentazon sodium

4. First-Aid Measures

Description of first aid measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

If inhaled:

Keep patient calm, remove to fresh air. Assist in breathing if necessary. Seek medical attention.

If on skin:

Wash affected areas thoroughly with soap and water. Remove contaminated clothing. If irritation develops, seek medical attention.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Safety Data Sheet

Basagran Liquid Herbicide

Revision date: 2023/08/08

Version: 11.0

Page: 4/13

(30643711/SDS_CPA_CA/EN)

5. Fire-Fighting Measures

Suitable extinguishing media:

foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

Ensure adequate ventilation. Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Safety Data Sheet

Basagran Liquid Herbicide

Revision date: 2023/08/08

Version: 11.0

Page: 5/13

(30643711/SDS_CPA_CA/EN)

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination.

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

No substance specific occupational exposure limits known.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Wash soiled clothing immediately.

Safety Data Sheet

Basagran Liquid Herbicide

Revision date: 2023/08/08

Version: 11.0

Page: 6/13

(30643711/SDS_CPA_CA/EN)

9. Physical and Chemical Properties

Form:	liquid
Odour:	mild, uncharacteristic, sweetish
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	yellow to red to brown
pH value:	8 - 9
Melting point:	approx. 0 °C (1,013.3 hPa) Information applies to the solvent.
Boiling point:	approx. 100 °C (1,013.3 hPa) Information applies to the solvent.
Flash point:	Non-flammable. not applicable
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:	555 °C (Directive 92/69/EEC, A.15)
SADT:	> 75 °C
Density:	1.19 g/cm ³
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.
Thermal decomposition:	160 °C, 190 kJ/kg (DSC (OECD 113)) (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.
Viscosity, dynamic:	approx. 9 mPa.s (20 °C) 5.3 mPa.s (40 °C) (OECD 114)
Solubility in water:	fully soluble
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Safety Data Sheet

Basagran Liquid Herbicide

Revision date: 2023/08/08

Version: 11.0

Page: 7/13

(30643711/SDS_CPA_CA/EN)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

160 °C, 3 K/min (DSC (OECD 113))

(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50

Species: rat (male/female)

Value: > 1,000 - < 2,000 mg/kg (OECD Guideline 401)

Inhalation

Type of value: LC50

Species: rat (male/female)

Value: > 4.8 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol was tested.

No mortality was observed.

Safety Data Sheet

Basagran Liquid Herbicide

Revision date: 2023/08/08

Version: 11.0

Page: 8/13

(30643711/SDS_CPA_CA/EN)

Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 4,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Eye contact causes irritation. Not irritating to the skin.

Skin

Species: rabbit

Result: non-irritant

Eye

Species: rabbit

Result: Irritant.

Sensitization

Assessment of sensitization: Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Skin sensitization test

Result: sensitizing

Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No substance-specific organotoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Genetic toxicity

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity: The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Safety Data Sheet

Basagran Liquid Herbicide

Revision date: 2023/08/08

Version: 11.0

Page: 9/13

(30643711/SDS_CPA_CA/EN)

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bentazon

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The substance did not cause malformations in animal studies. When given in high doses fetotoxicity was observed.

Other Information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: bentazon

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (EPA 72-1, static)

Aquatic invertebrates

Information on: bentazon

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants

Information on: bentazon

EC50 (72 h) 34.5 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 9 mg/l, Pseudokirchneriella subcapitata

EC50 (14 d) 0.595 mg/l, aquatic plant

EC10 (14 d) 0.172 mg/l, aquatic plant

No observed effect concentration 0.278 mg/l, aquatic plant

EC50 (14 d) 3.48 mg/l, aquatic plant

EC10 (14 d) 0.5 mg/l, aquatic plant

Chronic toxicity to fish

Information on: bentazon

No observed effect concentration (35 d) > 9.16 mg/l, Pimephales promelas

Chronic toxicity to aquatic invertebrates

Safety Data Sheet

Basagran Liquid Herbicide

Revision date: 2023/08/08

Version: 11.0

Page: 10/13

(30643711/SDS_CPA_CA/EN)

Information on: bentazon

No observed effect concentration (21 d) > 91.6 mg/l, Daphnia magna

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

Information on: bentazon

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Bioaccumulation potential

Information on: bentazon

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bentazon

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

Container disposal:

Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

14. Transport Information

Safety Data Sheet

Basagran Liquid Herbicide

Revision date: 2023/08/08
Version: 11.0

Page: 11/13
(30643711/SDS_CPA_CA/EN)

Land transport

TDG

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)

Sea transport

IMDG

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Marine pollutant: YES
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

According to Section 1.45.1 of Canada Transportation of Dangerous Goods Regulation, the Documentation and Dangerous Goods Safety Marks requirements do not apply to marine pollutant classified as class 9 if they are transported solely on land by road vehicle or railway vehicle.

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection DSL, CA released / exempt

Labeling requirements under Pest Control Products Act

Safety Data Sheet

Basagran Liquid Herbicide

Revision date: 2023/08/08
Version: 11.0

Page: 12/13
(30643711/SDS_CPA_CA/EN)

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:



Caution: Poison

Potential skin sensitizer.

READ THE LABEL AND ATTACHED BOOKLET BEFORE USING

KEEP OUT OF REACH OF CHILDREN.

DO NOT take internally.

Avoid inhalation of mists/vapours.

Avoid inhalation of dusts/mists/vapours.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly with soap and water after handling and before eating, drinking and using tobacco.

Wear protective clothing.

If clothing becomes contaminated, remove immediately and wash separately from household laundry before reuse.

Apply only in a way that this product will not contact workers or other persons, either directly or through drift.

DO NOT enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

Clean spray equipment thoroughly after use.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

16. Other Information

SDS Prepared by:

BASF Agricultural Solutions Canada NA Product Regulations

SDS Prepared on: 2023/08/08

Safety Data Sheet

Basagran Liquid Herbicide

Revision date: 2023/08/08

Version: 11.0

Page: 13/13

(30643711/SDS_CPA_CA/EN)

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET