

Safety Data Sheet

Issue Date: 04-Jun-2025

Revision Date: 05-Jun-2025

Version 1

1. IDENTIFICATION

Product identifier

Product Name Sylgro Absylute 14-4-6 + micros

Other means of identification

SDS # SYLVITE-001-CA

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Fertilizer

Details of the supplier of the safety data sheet

Manufacturer Address

Sylvite
3221 North Service Road, Suite 200
Burlington, Ontario
Canada L7N 3G2
www.sylvite.ca

Emergency telephone number

Initial supplier phone number Phone: 1-800-229-0602
Fax: 905-315-2083
Emergency Telephone 1-905-331-8365 (English)
8am-4pm EST

2. HAZARDS IDENTIFICATION

Appearance Pinkish-red liquid

Physical state Liquid

Odour Odourless

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 1B

Signal word

Danger

Hazard statements

Causes skin irritation
Causes serious eye irritation
May damage fertility or the unborn child

**Precautionary Statements - Prevention**

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Wear protective gloves/protective clothing/eye protection/face protection
 Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN: Wash with plenty of water and soap
 If skin irritation occurs: Get medical advice/attention
 Take off all contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Potassium hydroxide	1310-58-3	1-5	-	-
EDTA	60-00-4	0.5-1.5	-	-
Boric Acid	10043-35-3	0.1-1	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	Provide this SDS to medical personnel for treatment.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	Wash with plenty of water and soap. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Causes skin irritation. Causes serious eye irritation. May damage fertility or the unborn child.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical No information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	CEV: 2 mg/m ³	Ceiling: 2 mg/m ³
Manganese Sulfate Monohydrate 10034-96-5	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.02 mg/m ³	TWA: 0.02 mg/m ³ TWA: 0.1 mg/m ³	TWA: 0.2 mg/m ³
Boric Acid 10043-35-3		TWA: 2 mg/m ³ STEL: 6 mg/m ³	TWA: 2 mg/m ³ STEL: 6 mg/m ³	TWA: 2 mg/m ³ STEL: 6 mg/m ³
Ferrous sulfate heptahydrate 7782-63-0	TWA: 1 mg/m ³	TWA: 1 mg/m ³ STEL: 2 mg/m ³	TWA: 1 mg/m ³	TWA: 1.0 mg/m ³
Magnesium Oxide 1309-48-4	TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³ STEL: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
Sodium Molybdate 10102-40-6	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³
Zinc oxide 1314-13-2	TWA: 2 mg/m ³ STEL: 10 mg/m ³	TWA: 2 mg/m ³ STEL: 10 mg/m ³	TWA: 2 mg/m ³ STEL: 10 mg/m ³	TWA: 2 mg/m ³ STEL: 10 mg/m ³

Appropriate engineering controls

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. If necessary, refer to appropriate regulations and standards.

Skin and body protection

Wear protective gloves and protective clothing. If necessary, refer to appropriate regulations and standards.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Pinkish-red liquid
Colour	Pinkish-red
Odour	Odourless
Odour Threshold	Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	No data available	
Evaporation rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour Pressure	Not determined	
Relative vapor density	No data available	
Relative Density	Not determined	
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	No data available	
Decomposition temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic viscosity	Not determined	
Explosive properties	Not determined.	
Oxidising properties	Not determined.	
<u>Other information</u>		
Softening Point	Not determined	
Molecular weight	Not determined	
VOC content	No data available	
Liquid Density	Not determined	
Bulk density	Not determined	

10. STABILITY AND REACTIVITY

Reactivity	Not reactive under normal conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to Avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact	Avoid contact with eyes.
Skin contact	Avoid contact with skin.
Inhalation	Do not inhale.

Ingestion Do not ingest.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 8,702.40
ATEmix (inhalation-dust/mist) 5.64

Unknown acute toxicity No information available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Urea 57-13-6	= 8471 mg/kg (Rat)	-	-
Potassium Phosphate 7778-77-0	= 3200 mg/kg (Rat)	-	> 0.83 mg/L (Rat) 4 h
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-
EDTA 60-00-4	> 2000 mg/kg (Rat)	-	-
Boric Acid 10043-35-3	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.12 mg/L (Rat) 4 h
Magnesium Oxide 1309-48-4	= 3990 mg/kg (Rat) = 3870 mg/kg (Rat)	-	-
Zinc oxide 1314-13-2	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5700 mg/m ³ (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Sodium Molybdate 10102-40-6	A3	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)
 A3 - Animal Carcinogen

Reproductive toxicity May damage fertility or the unborn child.

12. ECOLOGICAL INFORMATION

Ecotoxicity The environmental impact of this product has not been fully investigated.

Persistence/Degradability No information available.

Bioaccumulation No information available.

Chemical name	Partition coefficient
Potassium hydroxide 1310-58-3	0.83
Boric Acid 10043-35-3	-1.09

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

REGULATORY INFORMATION

International Regulations

Ozone-depleting substances (ODS) Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AIIC
Potassium hydroxide	X	X	X	X	X	X	X	X
EDTA	X	X	X	X	X	X	X	X
Boric Acid	X	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards -	Flammability -	Instability -	Special hazards -
HMIS	Health hazards -	Flammability -	Physical hazards -	Personal Protection Not determined

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value
*	Skin designation

Revision Date: 05-Jun-2025

Revision Note: New format.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet