





Woodsmith<sup>®</sup> PLANS

## Shop Drawings





---






# Router Jig: Milling Machine




FRAME ASSEMBLY







(A) - BOTTOM




(D) - LEFT SIDE




(E) - BACK



(E) - RIGHT SIDE





(G) - GUIDE SUPPORT





(C) - FILLER  
(NEED 2)


SCALE 0.55 : 1






(P) - HEAD STOCK




(F) - CARRIAGE RAIL





(H) - CARRIAGE GUIDE  
ALUMINUM ( 1 X 1/8 )





(L) - VERTICAL SUPPORT




(I) - TAILSTOCK BASE



(N) - PIN BLOCK







(J) & (K) - KEYS




(O) - TAIL/DRIVE PINS









(CC) - BACK




(HH) - LEFT SIDE




(HH) - RIGHT SIDE




(II) - CARRIAGE BACK



(FF) - SPACER




(GG) - CLEAT




(JJ) - ROUTER BASE







(EE) - LIFT BLOCK




(KK) - CARRIAGE BLOCK




1/2" LIFT ROD  
SCALE 1 : 1




(DD) - GUIDE BAR  
(NEED 2)




(LL) - TRAVELER BLOCK  
(NEED 2)





(U) - INDEXING WHEEL




(W) - DRIVE DISK  
(NEED 2)




(O) - DRIVE PIN




(BB) - LOCK GEAR




(R) - 10 TOOTH DRIVE GEAR  
(NEED 2)




(X) - 10 TOOTH GEAR



(Y) - 20 TOOTH GEAR



(AA) - 40 TOOTH GEAR



(Z) - 30 TOOTH GEAR