

Strip Pieced Triangle Quilt

Size 53" x 53"



Supplies

Ball point pen or water/air soluble pen

Ruler

Scissors

Rotary cutter

Coordinating thread

Batting: 61" x 61"

1/4" quilting foot

NOTE: All seam allowances are 1/4". To achieve the correct seam allowance, use your Baby Lock 1/4" quilting foot. When stitching, line up the raw edge of your fabric with the right side edge of the 1/4" foot, and you will get an accurate seam allowance every time. Set your machine stitch length to 2.5. This will ensure your pieces are stitched securely.


FABRIC REQUIREMENTS	
<input type="checkbox"/> Prints	(28) 2 ½" x WOF strips assorted colors
<input type="checkbox"/> Background	1 ¾ yards
Backing	3 ½ yards
Binding	½ yard

CUTTING INSTRUCTIONS

Background: Cut (7) 8 ½" x WOF strips
 Subcut into (25) 8 ½" squares

Binding: Cut (6) 2 ½" x WOF strips

1. Draw a diagonal line, from corner to corner, on the wrong side of each 8 ½" background square. (Fig. 1)




(Fig. 1)

2. Sew all 2 ½" x WOF strips together into pairs. Press to one side. (Fig. 2)



(Fig. 2)

3. Sew two pairs together to form Strip Set A. Press. Stripset A will measure 8 ½" wide.





(Fig. 3)

4. Trim off selvedge edges. Measure and cut (4) 8 ½" blocks from each Strip Set A. You will need 25 Strip Set A blocks. (Fig. 4)




(Fig. 4)

5. Decide on the orientation of your block. I chose to have my Strip Set A be vertical (up and down). Make sure they all face the same direction. Also, make sure all marked background squares face the same direction. (Fig. 5)




(Fig. 5)

6. Place a marked background square, right sides together, on top of each Strip Set A block. Stitch 1/4" from both sides of the drawn line. Cut on the drawn line. (Fig. 6)




(Fig. 6)

7. Open and press seam toward background. (Fig. 7) Trim to 8" x 8" square. You will have 50 blocks (1 of these will be extra).



(Fig. 7)

8. Sew 7 blocks together to form a row. Repeat to make a total of 7 rows. (Fig. 8)



(Fig. 8)

9. Sew rows together and press seams. Your quilt top is complete. Baste, quilt and bind in your preferred method.