

**National Testing Laboratories, Ltd**

556 South Mansfield, Ypsilanti, MI, 48197-5166

(440) 449-2525, Fax: (440) 449-8585

**ANALYTICAL REPORTS****SAMPLE CODE: 406428****6/22/2020**

**Customer:** C-Force  
Amanda Hammill  
6151 Highway 90  
Navasota, Texas 77868

**Source:** Lone Wolf Spring  
**Source Type:** Spring Water  
**Brand Name:** CForce-500 ml-Natural Artesian  
**Production Code:** CF-05/11/20 13:37  
**Container Size:** 16.9 Oz.  
**PWS ID#:** TX0930067

**Date/Time Received:** 5/15/2020 09:05**Collected by:** J. Barnfield

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

**Legend:**

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

**"ND"** This contaminant was not detected at or above our lower reporting limit (LRL)

**"NA"** Not Analyzed

**"Standard"** This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

**"LRL"** This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

**"DF"** This column indicates the contaminant dilution factor.

**Report Notes:**

pH analysis has a 15 minute hold time from sampling to analysis. Analysis of pH past the 15 minute hold time should be considered an estimate. In addition, Chlorine, Chloramine and Chlorine Dioxide hold time is immediate, therefore results should be considered an estimate.

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
<b>Inorganic Analytes - Metals</b>										
1002	Aluminum	200.7	0.2	mg/L	0.05	ND	1	5/18/2020 15:24		6/5/2020
1074	Antimony	200.8	0.006	mg/L	0.003	ND	1	5/18/2020 15:24		5/28/2020
1005	Arsenic	200.8	0.010	mg/L	0.002	ND	1	5/18/2020 15:24		5/28/2020
1010	Barium	200.7	2	mg/L	0.10	ND	1	5/18/2020 15:24		6/5/2020
1075	Beryllium	200.7	0.004	mg/L	0.001	ND	1	5/18/2020 15:24		6/5/2020
1079	Boron	200.7	--	mg/L	0.10	ND	1	5/18/2020 15:24		6/5/2020
1015	Cadmium	200.7	0.005	mg/L	0.001	ND	1	5/18/2020 15:24		6/5/2020
1016	Calcium	200.7	--	mg/L	2.0	ND	1	5/18/2020 15:24		6/5/2020
1020	Chromium	200.7	0.100	mg/L	0.007	ND	1	5/18/2020 15:24		6/5/2020
1022	Copper	200.7	1.0	mg/L	0.002	ND	1	5/18/2020 15:24		6/5/2020
1028	Iron	200.7	0.3	mg/L	0.020	0.260	1	5/18/2020 15:24		6/5/2020
1030	Lead	200.8	0.015	mg/L	0.001	ND	1	5/18/2020 15:24		5/28/2020
1031	Magnesium	200.7	--	mg/L	0.10	0.12	1	5/18/2020 15:24		6/5/2020
1032	Manganese	200.7	0.05	mg/L	0.004	0.004	1	5/18/2020 15:24		6/5/2020
1035	Mercury	200.8	0.002	mg/L	0.0002	ND	1	5/18/2020 15:24		5/28/2020
1036	Nickel	200.7	--	mg/L	0.005	ND	1	5/18/2020 15:24		6/5/2020
1042	Potassium	200.7	--	mg/L	1.0	6.6	1	5/18/2020 15:24		6/5/2020
1045	Selenium	200.8	0.05	mg/L	0.002	ND	1	5/18/2020 15:24		5/28/2020
1049	Silica	200.7	--	mg/L	0.05	46.00	1	5/18/2020 15:24		6/5/2020

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

**SAMPLE CODE: 406428**

**6/22/2020**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
1050	Silver	200.7	0.10	mg/L	0.002	ND	1	5/18/2020 15:24		6/5/2020
1052	Sodium	200.7	--	mg/L	1	110	1	5/18/2020 15:24		6/5/2020
1085	Thallium	200.8	0.002	mg/L	0.001	ND	1	5/18/2020 15:24		5/28/2020
4009	Uranium	200.8	0.030	mg/L	0.001	ND	1	5/18/2020 15:24		5/28/2020
1095	Zinc	200.7	5.000	mg/L	0.004	ND	1	5/18/2020 15:24		6/5/2020
<b>Physical Factors</b>										
1927	Alkalinity (Total as CaCO3)	2320B	--	mg/L	20	120	1	5/18/2020 15:24		5/29/2020
1905	Apparent Color	2120B	15	CU	3	ND	1	5/18/2020 15:24		5/18/2020 17:40
1928	Bicarbonate (as CaCO3)	2320B	--	mg/L	20	120	1	5/18/2020 15:24		5/29/2020
1929	Carbonate (as CaCO3)	2320B	--	mg/L	20	ND	1	5/18/2020 15:24		5/29/2020
1910	Corrosivity	2330B	--	SI		-1.20	R2 1	5/18/2020 15:24		6/5/2020
2905	Foaming Agents	5540C	0.5	mg/L	0.1	ND	1	5/18/2020 15:24		5/19/2020 17:45
MBAS, calculated as Linear Alkylate Sulfonate (LAS), mol wt of 342.4 g/mole										
1915	Hardness (as CaCO3)	2340C	--	mg/L	10	ND	1	5/18/2020 15:24		6/8/2020
1021	Hydroxide (as CaCO3)	2320B	--	mg/L	20	ND	1	5/18/2020 15:24		5/29/2020
1920	Odor Threshold	2150B	3	ton	1	ND	1	5/18/2020 15:24		5/18/2020 16:10
1925	pH	150.1	6.5-8.5	pH Units		8.0	1	5/18/2020 15:24		5/18/2020 16:25
4254	pH Temperature	150.1	--	Deg, C		22	1	5/18/2020 15:24		5/18/2020 16:25
1064	Specific Cond. @ 25 deg. C	2510B	--	umhos/cm	1	550	1	5/18/2020 15:24		6/1/2020
1930	Total Dissolved Solids	2540C	500	mg/L	5	350	1	5/18/2020 15:24		5/20/2020
0100	Turbidity	2130B	1	NTU	0.1	ND	1	5/18/2020 15:24		5/18/2020 17:00
<b>Inorganic Analytes - Other</b>										
1011	Bromate	300.1	0.010	mg/L	0.005	0.009	1	5/18/2020 15:24		5/28/2020
1004	Bromide	300.1	--	mg/L	0.010	0.180	2	5/18/2020 15:24		5/28/2020
1006	Chloramine as Cl2	4500Cl-G	4.0	mg/L	0.05	ND	1	5/18/2020 15:24		5/18/2020 19:59
1017	Chloride	300.0	250	mg/L	10.0	54.0	10	5/18/2020 15:24		5/19/2020 13:12
1012	Chlorine as Cl2	4500Cl-G	4.0	mg/L	0.05	ND	1	5/18/2020 15:24		5/18/2020 19:56
1008	Chlorine Dioxide as ClO2	4500ClO2D	0.8	mg/L	0.1	ND	1	5/18/2020 15:24		5/18/2020 20:02
1009	Chlorite	300.1	1.0	mg/L	0.005	ND	1	5/18/2020 15:24		5/28/2020
1025	Fluoride	300.0	4.0	mg/L	0.10	0.15	1	5/18/2020 15:24		5/19/2020 12:31
1040	Nitrate as N	300.0	10	mg/L	0.05	ND	1	5/18/2020 15:24		5/19/2020 12:31
1041	Nitrite as N	300.0	1	mg/L	0.05	ND	1	5/18/2020 15:24		5/19/2020 12:31
1044	Ortho Phosphate	300.0	--	mg/L	2.0	ND	1	5/18/2020 15:24		5/19/2020 12:31
1055	Sulfate	300.0	250	mg/L	5.0	50.0	1	5/18/2020 15:24		5/19/2020 12:31
<b>Organic Analytes - Trihalomethanes</b>										
2943	Bromodichloromethane	524.2 THMs	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2942	Bromoform	524.2 THMs	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2941	Chloroform	524.2 THMs	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

**SAMPLE CODE: 406428**

**6/22/2020**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
2944	Dibromochloromethane	524.2 THMs	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2950	Total THMs	524.2 THMs	0.080	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
<b>Organic Analytes - Haloacetic Acids</b>										
2454	Dibromoacetic Acid	552.2 HAAs	--	ug/L	1.0	ND	1	5/18/2020 15:24	5/28/2020	6/1/2020
2451	Dichloroacetic Acid	552.2 HAAs	--	ug/L	1.0	ND	1	5/18/2020 15:24	5/28/2020	6/1/2020
2453	Monobromoacetic Acid	552.2 HAAs	--	ug/L	1.0	ND	1	5/18/2020 15:24	5/28/2020	6/1/2020
2450	Monochloroacetic Acid	552.2 HAAs	--	ug/L	1.0	ND	1	5/18/2020 15:24	5/28/2020	6/1/2020
2452	Trichloroacetic Acid	552.2 HAAs	--	ug/L	1.0	ND	1	5/18/2020 15:24	5/28/2020	6/1/2020
2456	Total HAAs	552.2 HAAs	60	ug/L	1.0	ND	1	5/18/2020 15:24	5/28/2020	6/1/2020
<b>Organic Analytes - Volatiles</b>										
2986	1,1,1,2-Tetrachloroethane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2981	1,1,1-Trichloroethane	524.2	0.2	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2988	1,1,2,2-Tetrachloroethane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2985	1,1,2-Trichloroethane	524.2	0.005	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2978	1,1-Dichloroethane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2977	1,1-Dichloroethene	524.2	0.007	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2410	1,1-Dichloropropene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2420	1,2,3-Trichlorobenzene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2414	1,2,3-Trichloropropane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2378	1,2,4-Trichlorobenzene	524.2	0.07	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2418	1,2,4-Trimethylbenzene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2968	1,2-Dichlorobenzene	524.2	0.6	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2980	1,2-Dichloroethane	524.2	0.005	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2983	1,2-Dichloropropane	524.2	0.005	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2424	1,3,5-Trimethylbenzene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2967	1,3-Dichlorobenzene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2412	1,3-Dichloropropane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2969	1,4-Dichlorobenzene	524.2	0.075	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2416	2,2-Dichloropropane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2965	2-Chlorotoluene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2966	4-Chlorotoluene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2030	4-Isopropyltoluene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2990	Benzene	524.2	0.005	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2993	Bromobenzene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2430	Bromochloromethane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2214	Bromomethane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2982	Carbon Tetrachloride	524.2	0.005	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2989	Chlorobenzene	524.2	0.1	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2216	Chloroethane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2210	Chloromethane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020

*This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.*

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

**SAMPLE CODE: 406428**

**6/22/2020**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
2380	cis-1,2-Dichloroethene	524.2	0.07	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2228	cis-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2408	Dibromomethane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2212	Dichlorodifluoromethane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2964	Dichloromethane	524.2	0.005	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2992	Ethylbenzene	524.2	0.7	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2246	Hexachlorobutadiene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2994	Isopropylbenzene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2251	Methyl Tert Butyl Ether	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2247	Methyl-Ethyl Ketone	524.2	--	mg/L	0.005	ND	R2 1	5/18/2020 15:24		5/27/2020
2248	Napthalene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2422	n-Butylbenzene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2997	o-Xylene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2963	p and m-Xylenes	524.2	--	mg/L	0.0010	ND	1	5/18/2020 15:24		5/27/2020
Due to the limitation of EPA Method 524.2, p and m isomers of Xylene are reported as aggregate.										
2998	Propylbenzene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2428	sec-Butylbenzene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2996	Styrene	524.2	0.1	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2426	tert-Butylbenzene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2987	Tetrachloroethene	524.2	0.005	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2991	Toluene	524.2	1	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2979	trans-1,2-Dichloroethene	524.2	0.1	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2224	trans-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2984	Trichloroethene	524.2	0.005	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2218	Trichlorofluoromethane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2904	Trichlorotrifluoroethane	524.2	--	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2976	Vinyl Chloride	524.2	0.002	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
2955	Xylenes (Total)	524.2	10	mg/L	0.0005	ND	1	5/18/2020 15:24		5/27/2020
<b>Organic Analytes - Others</b>										
2414	1,2,3-Trichloropropane	504.1	0.00003	mg/L	0.00001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2931	1,2-Dibromo-3-chloropropane	504.1	0.0002	mg/L	0.00001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2946	1,2-Dibromoethane	504.1	0.00005	mg/L	0.00001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2105	2,4-D	515.4	70	ug/L	0.1	ND	1	5/18/2020 15:24	5/22/2020	5/26/2020
2066	3-Hydroxycarbofuran	531.2	--	ug/L	1.0	ND	1	5/18/2020 15:24		5/22/2020
2051	Alachlor	525.2	2	ug/L	0.2	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2047	Aldicarb	531.2	7	ug/L	1.0	ND	1	5/18/2020 15:24		5/22/2020
2044	Aldicarb sulfone	531.2	7	ug/L	1.0	ND	1	5/18/2020 15:24		5/22/2020
2043	Aldicarb sulfoxide	531.2	7	ug/L	1.0	ND	1	5/18/2020 15:24		5/22/2020
2356	Aldrin	505	--	mg/L	0.00007	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2050	Atrazine	525.2	3	ug/L	0.1	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2625	Bentazon	515.4	--	ug/L	1	ND	1	5/18/2020 15:24	5/22/2020	5/26/2020

*This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.*

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

SAMPLE CODE: 406428

6/22/2020

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
2306	Benzo(A)pyrene	525.2	0.2	ug/L	0.1	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2076	Butachlor	525.2	--	ug/L	0.2	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2021	Carbaryl	531.2	--	ug/L	1.0	ND	1	5/18/2020 15:24		5/22/2020
2046	Carbofuran	531.2	40	ug/L	1.0	ND	1	5/18/2020 15:24		5/22/2020
2959	Chlordane	505	0.002	mg/L	0.0001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2031	Dalapon	515.4	200	ug/L	1	ND	1	5/18/2020 15:24	5/22/2020	5/26/2020
2035	Di(2-ethylhexyl) adipate	525.2	400	ug/L	0.2	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2039	Di(2-ethylhexyl) phthalate	525.2	6	ug/L	0.6	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2440	Dicamba	515.4	--	ug/L	1	ND	1	5/18/2020 15:24	5/22/2020	5/26/2020
2933	Dichloran	505	--	mg/L	0.001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2070	Dieldrin	505	--	mg/L	0.00002	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2041	Dinoseb	515.4	7	ug/L	0.2	ND	1	5/18/2020 15:24	5/22/2020	5/26/2020
2032	Diquat	549.2	20	ug/L	0.4	ND	1	5/18/2020 15:24	5/21/2020	6/3/2020
2033	Endothall	548.1	100	ug/L	9	ND	1	5/18/2020 15:24	5/21/2020	5/28/2020
2005	Endrin	505	0.002	mg/L	0.00001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2034	Glyphosate	547	700	ug/L	6	ND	1	5/18/2020 15:24		5/19/2020
2065	Heptachlor	505	0.0004	mg/L	0.00001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2067	Heptachlor Epoxide	505	0.0002	mg/L	0.00001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2274	Hexachlorobenzene	505	0.001	mg/L	0.0001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2042	Hexachlorocyclopentadiene	505	0.05	mg/L	0.0001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2010	Lindane	505	0.0002	mg/L	0.00002	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2022	Methomyl	531.2	--	ug/L	1.0	ND	1	5/18/2020 15:24		5/22/2020
2015	Methoxychlor	525.2	40	ug/L	0.2	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2045	Metolachlor	525.2	--	ug/L	0.2	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2595	Metribuzin	525.2	--	ug/L	0.2	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2626	Molinate	525.2	--	ug/L	0.2	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2036	Oxamyl	531.2	200	ug/L	1.0	ND	1	5/18/2020 15:24		5/22/2020
2934	Pentachloronitrobenzene	505	--	mg/L	0.0001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2326	Pentachlorophenol	515.4	1	ug/L	0.04	ND	1	5/18/2020 15:24	5/22/2020	5/26/2020
2040	Picloram	515.4	500	ug/L	0.1	ND	1	5/18/2020 15:24	5/22/2020	5/26/2020
2077	Propachlor	525.2	--	ug/L	0.2	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2110	Silvex 2,4,5-TP	515.4	50	ug/L	0.2	ND	1	5/18/2020 15:24	5/22/2020	5/26/2020
2037	Simazine	525.2	4	ug/L	0.1	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2627	Thiobencarb	525.2	--	ug/L	0.2	ND	1	5/18/2020 15:24	5/20/2020	6/1/2020
2383	Total PCBs	505	0.0005	mg/L	0.0005	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2910	Total Phenols	420.4	--	mg/L	0.001	ND	R2 1	5/18/2020 15:24		6/9/2020
2020	Toxaphene	505	0.003	mg/L	0.001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020
2055	Trifluralin	505	--	mg/L	0.001	ND	1	5/18/2020 15:24	5/20/2020	5/20/2020

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

SAMPLE CODE: 406428

6/22/2020

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
----------	-------------	--------	----------	-------	-----	----------------	----	-------------------	--------------	--------------------

Qualifiers:

R2: The laboratory is not accredited for this analyte. The resulting value should be used for informational purposes only.

Analyst	Tests
AC	200.7,2330B
DMJ	200.8
PC	2320B,2120B,5540C,2340C,2150B,150.1,2510B,2130B
CF	2540C
SG	300.1,300.0
DHG	4500CI-G,4500CI02D,420.4
SB	524.2 THMs,524.2,531.2,549.2,547
JPT	552.2 HAAs,504.1,515.4,505
JF	525.2,548.1



Christine MacMillan, Technical Director