© **ERP** Reproduction and adaptation permitted solary for use with Observatory

THE PROBLEM

Affordable

Built respectfully for life on the go • Eco-friendly • Safe • Equipped

A safe eco-friendly car

Finally, a small eco-friendly car that's safe and affordable.

Prorala introduces the new *Eco*
Excellent safety ratings during front-end collision tests.

Small cars to undergo new safety tests

TORONTO - The popularity of small eco-friendly cars has prompted Transport Canada to mandate the firm Techno Logique to conduct tests that will guide the safety evaluation of new small car models on the market. The firm will run tests on a miniature, ultralight prototype of an ecofriendly vehicle that it plans to build. The Department of Transport hopes to use the results of this experiment to improve the tests performed on small vehicles.

MEMORANDUM

TO: Research team

FROM: Louis Lesage, Director of Human Resources, Techno Logique

Maryse Lemieux, Vice-President, Government Affairs, Techno Logique

DATE: June 18, 2009

RE: Research project mandated by the Department of Transportation

The purpose of this memo is to remind you of the constraints to observe in completing the mandate issued by the Department of Transportation.

MANDATE OBJECTIVE

The Department has requested us to build a miniature prototype of an eco-friendly vehicle and to analyze the vehicle's material constraints during front-end collision tests. This prototype must undergo three front-end collision tests. The resulting observations for improving the vehicle and the validity of the tests will help the Department to review safety evaluations of new small car models on the market.

GUIDELINES

When building the prototype of the eco-friendly car, you must respect the attached specifications. Use a polystyrene foam cup in lieu of a passenger to evaluate the prototype's safety.

THE PROBLEM (continued)

SPECIFICATIONS OF THE ECO-FRIENDLY CAR

Overall function

• The vehicle to be built must be eco-friendly, light, resistant and safe enough to shield a polystyrene foam cup, which is standing in for a passenger. The cup must be intact following the collision tests.

Material constraints

- The maximum length of the vehicle, including trim, must be 25 cm.
- The maximum width of the vehicle, including trim, must be 20 cm.
- The vehicle must be as light as possible and must not exceed a weight of 750 g.
- The vehicle must be able to support a 2-kg load.
- The vehicle must have a polystyrene foam cup on board.
- The vehicle must have a restraint system for holding the cup in place.
- The vehicle must have a system for absorbing impacts during a collision.
- The vehicle must be built with at least three different materials, including wood and metal.

Human constraints

- The vehicle must roll as straight as possible so that it doesn't fall off the test ramp.
- The vehicle must be as fast as possible.
- The vehicle must be able to withstand collisions.
- The polystyrene foam cup must remain intact after the collision tests.
- The vehicle must be easy to repair.

Aesthetic constraint

• The vehicle must have a polished appearance.

Safety constraint

• The vehicle's edges must not be sharp or have any splinters.

Financial constraint

• The use of affordable materials should be prioritized.

Environmental constraint

• The use of recycled materials should be prioritized.

Observatory/Guide

CREATING THE CONTEXT

I ask myself questions

- 1. What is a mechanical constraint?
- **2.** Define the different types of constraints materials can be subjected to in the table below.

Constraint	Definition

- 3. What are the consequences of exposing materials to constraints of increasing intensity?
- 4. What is a mechanical property?

5. Define the mechanical properties of materials in the table below.

Mechanical property	Definition
-	_

6. Name the two principal types of wood used in most industries and specify whether they come from deciduous or coniferous trees. List three species of trees for each type of wood and give examples of how each species is used.

Type of wood	Variety	Species	Uses
			-
			-
			·
			-
			-
			-
			-

7. Name five types of modified wood available on the market. Describe their manufacturing process and give examples of their applications.

Type of nodified wood	Manufacturing process	Applications
_		
_		
_	_	
	_	

8.	What i	is a	metal?	Give a	a few	examples	of	metals.
----	--------	------	--------	--------	-------	----------	----	---------

9. Name the two types of metal alloys sold on the market, and their principal constituent, in the table below. Then give two examples of alloys for each type, and list their properties and applications.

Type of alloy and description	Example of alloy	Properties	Applications

I must

10.	In your opinion, what is the goal of the problem to solve?

I think

11. In your opinion, which constraints will the following car parts be subjected to during a front-end collision? Check the most appropriate constraints for each part.

Compart			Constraints		
Car part	Tension	Compression	Torsion	Bending	Shearing
Base					
Passenger area					
Bumpers					
Axle					
Wheels					

Name: _	Group:	

12.	In your opinion, what is the most appropriate design solution for the car? Draw its design plan. Use symbols to show the constraints that its various parts will be subjected to during a front-end collision. Specify the movement of these parts

Reflection	Yes	No
Do I understand the following concepts?		
constraints (tension, compression, torsion)		
mechanical properties		
 types and properties of materials (ferrous alloys, nonferrous metals 		_
and alloys, wood and modified wood)		

lame:	Group:

PLANNING THE PROBLEM SOLVING

I plan

Draw the technical diagrams of the prototype of an eco-friendly vehicle. Remember to identify the following information on the diagrams:

- the names of the parts
- the materials to be used
- the linking components to be used
- the types of guides
- any other useful information for building the vehicle

1. Draw the side view of the technical diagram.			
	' لـ		

PLANNING THE PROBLEM SOLVING (continued)

2. Draw the front view of your technical diagram.

PLANNING THE PROBLEM SOLVING (continued)

3. Use the table below to list the materials you need to make the various parts of your car. Justify your choices by specifying their desired properties for guaranteeing the safety of passengers.

Car part	Material	Justification
	_	
		
	-	
		
		
·	<u> </u>	

PLANNING THE PROBLEM SOLVING (continued)

4. List the linking components needed to make the vehicle. Specify the number of each component you intend to use.

	Component	Quantit
_ist the equipmen	t needed to build your car.	
	<u> </u>	
What safety rules	should you follow when building y	vour car prototype?
vviide daloty raico	onould you lonow which building y	your our prototype.
·		

Reflection Yes No

Have I envisaged other possibilities for building my eco-friendly car?

Teacher's approval

INITIATING THE PROBLEM SOLVING

I design

1. Create a table for writing down the results from the front-end collisions tests.

- 2. Build your car prototype according to your technical diagrams. If you modify your plan of action, indicate these changes on the technical diagrams as well as on the lists of materials and equipment. Be sure to record all modifications.
- 3. What safety rules did you follow when making your car prototype?

Reflection Yes No

Did I record and justify all the modifications I made to my plan of action?

THE FINAL TEST

5. What are your prototype's strengths?

I verify

After writing down the results obtained by your car prototype during the front-end collisions tests, answer the following questions:

- Did the prototype meet the overall function of an eco-friendly vehicle? Explain your answer.
- 2. Did the prototype respect all the constraints in the specifications? If not, explain your answer.
- **3.** Did you make any modifications to your plan of action? Explain your answer.

- **4.** Did you encounter any difficulties when building your prototype? If yes, what where they?

- 6. What are your prototype's weaknesses?

THE FINAL TEST (continued)

7.	Were the materials subjected to any constraints? Which ones?				
8.	What improvements would you make to the construction of your prototype?				
9.	What improvements would you make to the collisions tests?				

MY EVALUATION

Use the evaluation grid on the next page to do a self-evaluation. Write A, B, C, D or E in the appropriate space.

	SSC1 Seeks answers or solutions to scientific or technological problems				
Criteria*	Observable indicators	Ме	Teacher	Comments	
1	Creating the context				
	Definition of the goal and production of a design plan				
			□ With		
			help		
2	Planning the problem solving				
	Suitability of elements in the plan				
	of action: materials, equipment and technical diagrams				
	ana teominear diagrams		□ With		
			help		
3	Initiating the problem solving				
	Respect for the technical				
	diagrams and safety rules during vehicle construction		□ With		
	daring veriloic constituction		help		
4	The final test				
	Verification of vehicle operation and conducting of collision tests		□ With help		

* Evaluation criteria

- 1 Appropriate representation of the situation
- 2 Development of a suitable plan of action for the situation
- 3 Appropriate implementation of the plan of action
- 4 Development of relevant conclusions, explanations or solutions

EVALUATION GRID

$SSC1_{-1}$ Seeks answers or solutions to scientific or technological problems

Evaluation criteria

- 1 Appropriate representation of the situation
 2 Development of a suitable plan of action for the situation
 3 Appropriate implementation of the plan of action
 4 Development of relevant conclusions, explanations or solutions

INFORMATION DOCUMENT

Protocol for conducting the collision tests

- 1. Place the cup in the vehicle.
- **2.** Secure the cup with the chosen restraint system.
- **3.** Place the vehicle at the top of the test ramp.
- **4.** Start the stopwatch as you let go of the vehicle.
- **5.** Stop the stopwatch when the vehicle reaches the bottom of the ramp.
- **6.** Observe the cup and the vehicle.
- **7.** Repeat steps 1–6 with a 1-kg load in the space created for this purpose.
- 8. Repeat steps 1-6 with a 2-kg load.