

## **Immunization Clinic for Incoming MHS Seniors**

## Wednesday, February 6, 2019 Mooresville High School (during school)

**Cost:** If you have Medicaid, there is no out-of-pocket cost to you. If you do not have insurance, there is no cost for the vaccine; however, there is an administration fee of \$10 per vaccine. We accept Anthem, Aetna, Cigna, and United Health Care.

2019-	2020 School Yea	r School Im	munizations for	12 <sup>th</sup> Grade	
Required	3 Hep B 5 DTap	2 MMR 1 Tdap	2 Varicella 4 Polio	2 MCV4 2 Hep A	
Recommended	Annual Influenza 2 MenB (Meningoco		HPV		

**Vaccines offered**: DTap, Polio, Tdap, MMR, Meningococcal, Hepatitis A, Hepatitis B, Varicella, HPV, and Meningococcal Group B.

Who should get the HPV vaccine? All girls and boys who are age 9 to 26 years old should get the recommended series of HPV vaccine. The vaccine is given in a 3-shot series.

Why is it important to have them vaccinated? HPV is a very common virus; nearly 80 million people—about one in four—are currently infected in the United States. About 14 million people, including teens, become infected with HPV each year. HPV infection can cause cervical, vaginal and vulvar cancers in women; penile cancer in men; and anal cancer, cancer in the back of the throat (oropharynx), and genital warts in both men and women.

Why is the vaccine recommended at such a young age? HPV vaccine produces a higher immune response in preteens than it does in older teens and young women.

**Serogroup B Meningococcal Vaccine** (age 16 to 23 years old) should be vaccinated with a serogroup B meningococcal vaccine (Bexsero®) preferably at age 16 to 18 years old. It is a two-dose series. Meningococcal disease can spread from person to person through close contact (coughing or kissing) or lengthy contact, especially among people living in the same household. Even when it is treated, meningococcal disease kills 10 to 15 infected people out of 100. And of those who survive, about 10 to 20 out of every 100 will suffer disabilities such as hearing loss, brain damage, amputations, nervous system problems, or severe scars from skin grafts.

Contact information: If you plan to have your child vaccinated, please call so we can ensure we bring enough vaccines. If you have questions or want to know what vaccines your child may need, or if they qualify, please call (317) 528-6374 or email Alyson. Hartzell@franciscanalliance.org or Marinita. Mikits@franciscanalliance.org.

Please send the attached vaccination consent form to the MHS Office as soon as possible.

Franciscan HEALTH IMMUNIZATION SERVICES 4527 E. 82nd Street Indianapolis, IN 46250 3		Grade:	-	TAX ID: 61163027 Group NPI: 122532798
Name:		Age:	Race:	NPI: 177059535 Gender: M or
	Parents Name:			
	Member ID:			
Insurance Company phone Number:	Policy Holder:	Birthdate:	Employer:	
Secondary Insurance Company:	Member ID:		Group ID:	
nsurance Company phone Number:	Policy Holder:	Birthdate:	Employe	er:
YOUR	se circle any optional Vaccinations you would HPV, Flu Shot, Bexsero (Meningococo R CHILD NEEDS THE FOLLOWING VACCINATIO SCHOOL STAFF, PLEASE CIRCLE NEEDE Dtap, Hep A, Hep B, MMR, Varicella, Menin IMPORTANT NOTICE	al Group B) DNS TO STAY IN SCHOOL ED VACCINE: Igitis MCV4, Tdap	L:	
If you cannot afford any o	your insurance company does not cover vace or all the vaccinations please call our office to s help us determine your eligibility for requested	see if you qualify for assis	stance, 317-528-	6374
<ol> <li>Are you currently ill with a same of the same of the</li></ol>	ing a pregnancy in the next 4 weeks? fever, vomiting or diarrhea? lasma/immune globulin or had a vaccine in the las came dizzy or had a serious reaction after an immu re disorder for which you require medication, a bra frome or any other nervous system disorder?	unization?	YES YES YES YES YES	NO NO NO NO
6. Are you allergic to any med	dications, foods or vaccines and their components' , toxoids, sorbitol, neomycin, phenol, yeast, thimerosa		YES	NO
WRITTEN MD APPROVAL IS REQUIRED FOR PERSONS WITH MULTIPLE SCLEROSIS, CHEROSIS WITH MULTIPLE SCLEROSIS, CHEROSIS WITH MS.  I HAVE READ OR HAVE BEEN OFFERED AND UNDERSTAND ALL THE RISKS AND BENEF  I AGREE TO STAY IN THE AREA FOR 15 MINEXPERIENCE ANY SIDE EFFECTS IT WILL EWHEAL, TENDERNESS OR BLISTERING ATMYALIA. SEVERE REACTIONS INCLUDE AN I UNDERSTAND THE VACCINE IS BEING PRINDIVIDUAL GIVING THE VACCINE(S). I, FOAND ALL CLAIMS ARISING OUT OF, IN CONTINUOUS OF THE VACCINES REACTIONS OF THE VACCINES REACTIONS.  ASSIGNMENT OF BENEFITS: I HEREBY AUTOTHERWISE PAYABLE TO ME. I HEREBY THE SERVICES TO ME AND WHO ACCEPT SUCHINSURANCE. IF ANY AMOUNTS FOR WHICH HEALTHCARE PROVIDERS TO COLLECT THE UNDERSTAND THAT THERE MAY BE A DETOMY CHILD. AS SUCH, I AGREE THAT IT IS TO PROVIDE AN UPDATED CONSENT IF MY	ABILITY AND CONSENT TO RECEIVE IMMUNIZATION(S): R CHILDREN UNDER THE AGE OF 8 YEARS FOR POLIO, RA HILDREN UNDER 9 YEARS OR ADULTS OVER 59 YEARS. HE COPY OF THE CURRENT VACCINE INFORMATION SHEET PI ITS INVOLOVED. NUTES AFTER RECEIVING MY VACCINATION TO ENSURE TO BE MY RESPONSIBILITY TO GOLLOW UP WITH MY PHYSICA SITE. GENERAL REACTIONS MAY INCLUDE FEVER, FATIGI APHYLAXIS, ENCEPHALITIS, GUILLAIN-BARRE AND FEBRIL OVIDED BY FRANCISCAN WORKINGWELL. I EXPRESSLY RI REMYSELF, MY HEIRS, EXECUTORS AND ASSIGNS HEREBY NECTION WITH OR IN ANY WAY RELATED TO MY RECEIPT RIZE FRANCISCAN WORKINGWELL TO GIVE THE ABOVED NO REQUIRE MULTIPLE DOSES AND/OR UP TO 2 WEEKS TO RE THORIZE ANY INSURANCE WITH WHOM I HAVE A POLICYTO RANSFER AND ASSIGN THE BENEFITS OF ANY POLICIES OF A ASSIGNMENT. I UNDERSTAND THAT I WIL BE FULLY RES IT I AM RESPONSIBLE BECOME DELINQUENT, I AGREE TO B HE AMOUNTS, INCLUDING REASONABLE ATTORNEY FEES. LAY, WHICH COULD BE MORE THAN 6 MONTHS, BETWEEN S MY SOLE RESPONSIBILITY TO MAINTAIN A COPY OF THIS Y ANSWERS CHANGE, OR MY CHILDS HEALTH CHANGES. F YOU HAVE NOT ANSWERED OR FILLED OUT ALL	EPATITIS A, B OR COMBO VACCI PRIOR TO MY VACCINATION. I HAT THAT NO IMMEDIATE REACTIONS AN AT MY EXPENSE. LOCAL REA LUE, DIARRHEA, NAUSEA, VOMIT LE CONVULSIONS. ELEASE FROM ANY LIABILITY TH Y AGREE TO RELEASE THE SITE OF THIS VACCINE(S) IN THEIR F AMED VACCINE TO ME OR THE ECEIVE FULL PROTECTION. O PAY DIRECTLY TO THE HEALT. F INSURANCE TO THOSE HEALT PONSIBLE FOR PAYMENT OF AN ELE RESPONSIBLE FOR ANY EXPENSIBLE FOR ANY EXPENSIBLE FOR SOURCE THE TIME I SIGN THIS CONSENTS CONSENT, TO NOTIFY THE SC	INES ALSO REQUIRE AVE HAD A CHANCE S OCCUR. I UNDERS ACTIONS MAY INCLU FING, HEADACHE, AF HE ABOVE NAMED CE PROVIDER AND ITS FACILITIES. PERSON NAMED FO THCARE PROVIDERS IN AND ALL CHARGE ENSES PAID BY FRA	E MD APPROVAL FOR  TO ASK QUESTIONS AND IT  TAND THAT IF IT  DE BURNING, SWELLING, RTHRITIS, MALAISE AND  PROGRANIZATION AND  SEMPLOYEES FROM ANY  PROVINCE I AM AUTHORIZE  SANY BENEFITS  SWHO HAVE RENDERED  ES NOT PAID BY MEDICAL  NCISCAN ALLIANCE AND  AMUNIZATIONS ARE GIVEN  CAN IMMUNIZATIONS, AND
atient Signature Ingrent or guardian if	nations is under 19) Offered/Dead LIDAA I	Drivacy Practices		Date
	patient is under 18), Offered/Read HIPAA I Iditional lines are for second and thi	•		Date

Patient Signature (parent or guardian if patient is under 18), Offered/Read HIPAA Privacy Practices

CPT	VACCINE/ VIS DATE/ROUTE &	SITE	LOT# & EXP.	CLINICIAN SIGNATURE & DATE	DATE	PAID
<b>CODE</b> 90633- P	DOSAGE SCHEDULE	Lafe an Diaba	ind riking or sit		BILLED	ng lite
PRI.77 VFC.8	HEPATITIS A (1yr&up) VIS Date: 7/20/16	Left or Right		1		
90632-A PRI.103	Dosage - IM .5 or 1CC Schedule- now and 6-12 months	Left or Right		2		
90744-P PRI.94	HEPATITIS B (birth&up) VIS Date: 7/20/16	Left or Right		1		
VFC.8	Dosage – IM .5 or 1CC	Left or Right		2		
90746-A PRI.120	Schedule- now, 1 month, 6 month	Left or Right		3		
,,,,,,	HPV9 Gardasil9 (9yrs-26yrs) VIS Date: 12/2/16	Left or Right		1		
90651 PRI.224	Dosage – IM .5 or 1CC Schedule's –	Left or Right		2		
VFC.8	(9yrs-14yrs ) -2 dose-now, 6months (15yrs&up) - 3 dose-now, 2 months,& 6months	Left or Right		3		
90620 PRI.220	Meningococcal B (16yrs&up) VIS Date: 8/9/16	Left or Right		1		
VFC.8	Dosage – IM .5CC Schedule- 1 month apart	Left or Right		2		
90734	Meningococcal (MCV4) (11yrs&up) VIS Date: 3/31/16	Left or Right		1		
PRI.284 VFC.8	Schedule- Dosage – IM .5CC 1 <sup>st</sup> dose at age 11 or 12 (6 <sup>th</sup> grade) 2 <sup>nd</sup> dose at age 16 or (senior year)	Left or Right		2		
90715 PRI.138 VFC.8	Tdap(10yrs&up) VIS Date: 2/24/15 Dosage – IM .5CC (Tetanus, Diphtheria, Pertussis)	Left or Right		1		
90710	MMR-V (LIVE) (ProQuad) (1yr-12yrs) VIS Date: 2/12/18	Left or Right		1		
noi aac   3	Schedule- Dosage –SUBQ .5CC 1 <sup>st</sup> dose at 1yr, 2 <sup>nd</sup> dose at 4-6yrs old **DO NOT GIVE AFTER AGE 13	Left or Right		2		
90707	MMR (LIVE) (1yr&up) VIS Date: 2/12/18 Dosage –SUBQ .5CC	Left or Right		1		
PRI.141 VFC.8	Schedule- 1 <sup>st</sup> dose at 1yr, 2 <sup>nd</sup> dose at 4-6yrs old (may be given earlier, if at least 28 days after the 1st dose)	Left or Right		2		
90716 PRI.237 VFC.8	VARICELLA (LIVE) (1yr&up) VIS Date: 2/12/18 Dosage –SUBQ .SCC	Left or Right		1		
	Schedule- 1 <sup>st</sup> dose at 1yr, 2 <sup>nd</sup> dose at 4-6yrs old (may be given earlier, if at least 28 days after the 1st dose)	Left or Right		2		