

Safety Data Sheet

DRAIN POWER

SECTION 1. IDENTIFICATION

Product Identifier DRAIN POWER
Other Means of Identification L2010
Recommended Use Drain Opener.
Restrictions on Use Industrial Use Only - Keep Away from Children.
Manufacturer/Supplier Identifier Chemisphere Solutions Ltd., 15 Calder Place, St. Albert, Alberta, T8N 5A6
Supplier Identifier Chemisphere Solutions Ltd., 15 Calder Place, St. Albert, Alberta, T8N 5A6
Emergency Phone No. CANUTEC, 613 966 - 6666, 24 Hours
Alberta Poison Centre, (800) 332 - 1414, 24 Hours
SDS No. 00680017

SECTION 2. HAZARD IDENTIFICATION

Classification

Corrosive to metals - Category 1; Acute toxicity (Oral) - Category 3; Acute toxicity (Inhalation) - Category 2; Skin corrosion - Category 1; Serious eye damage - Category 1

Label Elements



Signal Word:
Danger

Hazard Statement(s):

Fatal if inhaled.
Toxic if swallowed.
Causes severe skin burns and eye damage.

Precautionary Statement(s):

Prevention:
Keep only in original packaging.
Do not breathe dusts or mists.
Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
In case of inadequate ventilation wear respiratory protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Product Identifier: DRAIN POWER

Date of Preparation: May 01, 2018

Page 01 of 06

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a POISON CENTRE or doctor if you feel unwell.
Wash contaminated clothing before reuse.
Absorb spillage to prevent material damage.

Storage:
Store in a well-ventilated place. Keep container tightly closed.

Disposal:
Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers
Sulfuric acid	7664-93-9	60-100	

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Remove source of exposure or move to fresh air. If breathing has stopped, trained personnel should begin rescue breathing. Call a Poison Centre or doctor.

Skin Contact

Immediately rinse skin with lukewarm, gently flowing water for at least 30 minutes. See physician for treatment of burns.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for at least 30 minutes, while holding the eyelid(s) open. Immediately call a Poison Centre or doctor.

Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Drink large quantities of milk or water. Immediately call a Poison Centre or doctor. Shock symptoms often develop in severe cases.

Most Important Symptoms and Effects, Acute and Delayed

None known.

Immediate Medical Attention and Special Treatment

Medical Conditions Aggravated by Exposure

Asthma.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsuitable Extinguishing Media

DO NOT use water or water-based extinguishing agents. It may generate heat and cause spattering, if applied

Product Identifier: DRAIN POWER

Date of Preparation: May 01, 2018

directly to sulfuric acid.

Specific Hazards Arising from the Product

Closed containers may rupture violently when heated releasing contents.

In a fire, the following hazardous materials may be generated: irritating chemicals; toxic chemicals; sulfur oxides.

Special Protective Equipment and Precautions for Fire-fighters

Evacuate area. Approach fire from upwind to avoid hazardous vapours or gases.

Before entry, especially into confined areas, use an appropriate monitor to check for: toxic gases or vapours, sufficient oxygen.

Dike and recover contaminated water for appropriate disposal.

Use water in flooding quantities as fog or spray to extinguish fire as solid streams may be ineffective. If a fire occurs in the vicinity of the material, isolate materials not yet involved in the fire, and move containers from the fire area if this can be done without risk. If not possible, cool fire-exposed material with flooding quantities of water to absorb heat, keep containers cool and protected fire-exposed material. Cooling should continue until well after the fire is out. If not possible: Fight fire from a safe distance or a protected location.

A full-body encapsulating chemical protective suit with positive pressure SCBA may be necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Emergency responders: evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Remove or isolate incompatible materials as well as other hazardous materials. Before entry, especially into confined areas, check atmosphere with an appropriate monitor. Test for sufficient oxygen levels.

Environmental Precautions

It is good practice to prevent releases into the environment.

Methods and Materials for Containment and Cleaning Up

Ventilate the area to prevent the gas from accumulating, especially in confined spaces. Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up. Small spills or leaks: do not use absorbents. Contain spill using noncombustible material such as vermiculite, earth or sand. CAREFULLY dilute with water.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Prevent all skin contact. Do not get in eyes. Do not swallow. Only use where there is adequate ventilation. Prevent uncontrolled release of product. Immediately report leaks, spills or failures of the safety equipment (e.g. ventilation system). Prevent accidental contact with incompatible chemicals. Wear personal protective equipment to avoid direct contact with this chemical. Never add water to a corrosive. Always add corrosives slowly to COLD water. Keep containers tightly closed when not in use or empty. Do NOT eat, drink or store food in work areas. Wash hands thoroughly after handling this material.

Conditions for Safe Storage

Store in an area that is: cool, well-ventilated, out of sunlight, away from heat and ignition source, separate from incompatible materials (see Section 10: Stability and Reactivity). Avoid bulk storage indoors. Empty containers may contain hazardous residue. Store separately. Keep closed. Follow all precautions given on this safety data sheet. Do not handle swollen drums. Get expert advice.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Sulfuric acid	0.2 mg/m ³		1 mg/m ³			

Appropriate Engineering Controls

Use local exhaust ventilation and enclosure, if necessary, to control amount in the air. Provide eyewash and safety

Product Identifier: DRAIN POWER

Date of Preparation: May 01, 2018

Page 03 of 06

shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots. Chemical splash suit may be necessary in some conditions.

Suitable materials are: butyl rubber, neoprene rubber, polyethylene.

Respiratory Protection

Wear a NIOSH approved air-purifying respirator with an appropriate cartridge.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Dark.
Odour	Odourless
Odour Threshold	Not available
pH	0.1 - 0.2
Melting Point/Freezing Point	Not available (melting); 10.4 °C (50.7 °F) (freezing)
Initial Boiling Point/Range	315 - 338 °C (599 - 640 °F)
Flash Point	Not applicable
Evaporation Rate	~ 0.3
Flammability (solid, gas)	Not applicable
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	~ 0.0000 kPa (0.0001 mm Hg) at 20 °C
Vapour Density (air = 1)	~ 3.4
Relative Density (water = 1)	1
Solubility	Soluble in all proportions in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not available
Viscosity	13.6 centistokes (kinematic); Not available (dynamic)

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Is a very reactive substance.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

Contact with water. Temperatures above 340.0 °C (644.0 °F)

Incompatible Materials

Reacts violently with: organic compounds, inorganic compounds.

Corrosive to: aluminum alloys, carbon steel.

Hazardous Decomposition Products

Toxic chemicals; irritating chemicals.

Product Identifier: DRAIN POWER

Date of Preparation: May 01, 2018

Page 04 of 06

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Sulfuric acid	18 mg/m ³ (guinea pig)	2140 mg/kg (rat)	

Skin Corrosion/Irritation

Human experience and animal tests show skin corrosion. Contact can cause pain, redness, burns, and blistering. Permanent scarring can result.

Serious Eye Damage/Irritation

Human experience and animal tests show serious eye damage. May irritate or burn the eyes. Permanent damage including blindness may result.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

Repeated contact may cause inflammation of respiratory tract.

Skin Absorption

No information was located.

Ingestion

Sulfuric acid is strongly dehydrating. Causes severe irritation or burns to the mouth, throat and stomach. Systemic toxic effects may occur secondary to local tissue injury.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Causes effects similar to STOT (Specific Target Organ Toxicity) - Single Exposure, as described above. Symptoms may include dry, red, cracked skin (dermatitis).

Respiratory and/or Skin Sensitization

Not known to be a respiratory sensitizer. Not known to be a skin sensitizer.

Carcinogenicity

Not known to cause cancer.

Reproductive Toxicity

Development of Offspring

Not known to harm the unborn child.

Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

Effects on or via Lactation

Not known to cause effects on or via lactation.

Germ Cell Mutagenicity

Not known to be a mutagen.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS. This section is not required by OSHA HCS 2012.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Product Identifier: DRAIN POWER

Date of Preparation: May 01, 2018

Disposal of all wastes must be done in accordance with Municipal, Provincial and Federal Regulations.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	1830	SULFURIC ACID	8	II

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

This section is not required by OSHA HCS 2012. This section is not required by WHMIS.

SECTION 16. OTHER INFORMATION

SDS Prepared By Chemisphere Solutions Ltd

Phone No. (780) 460-4670

Date of Preparation May 01, 2018

Date of Last Revision May 01, 2018

Revision Indicators The following SDS content was changed on May 01, 2018:
SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION; Exposure Guidelines.

Key to Abbreviations IARC = International Agency for Research on Cancer
HSDB® = Hazardous Substances Data Bank
OSHA = US Occupational Safety and Health Administration

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).
HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS).