

1. IDENTIFICATION

PRODUCT NAME: UTENSIL PRESOAK (SOAK-IT)
RECOMMENDED USE: UTENSIL PRESOAK
RESTRICTIONS ON USE: DO NOT USE IN A MANNER INCONSISTENT WITH THE LABEL.
LABEL BRAND: PROLINE
SDS 101800U CODE 101100123

U S CHEMICAL 316 HART STREET WATERTOWN, WI 53094 USA
U S CHEMICAL 6150 KENNEDY RD. (UNIT 3) MISSISSAUGA, ONTARIO L5T 2J4
MEDICAL EMERGENCY: 1-866-923-4913 USA
SPILL EMERGENCY: 1-800-424-9300 USA
PRODUCT INFORMATION: 1-800-558-9566 USA (8 A.M. TO 5 P.M. CST MONDAY TO FRIDAY)
INTERNET ADDRESS: WWW.USCHEMICAL.COM

2. HAZARD(S) IDENTIFICATION

CLASSIFICATION: EYE DAMAGE(CATEGORY 1), SKIN IRRITATION (CATEGORY 2)

LABEL ELEMENTS

SIGNAL WORD: DANGER

PICTOGRAMS: CORROSION

HAZARD STATEMENTS: CAUSES SERIOUS EYE DAMAGE AND SKIN IRRITATION.

PRECAUTIONARY STATEMENTS: Wear chemical-splash safety goggles and chemical-resistant protective gloves. Avoid contact with eyes, skin and clothing. Avoid breathing dusts. Wash hands and affected areas thoroughly after handling.

FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. **IF ON SKIN:** Wash with plenty of water. If skin irritation occurs, get medical attention. Take off contaminated clothing and wash it before reuse. **IF SWALLOWED:** Rinse mouth. **Do NOT** induce vomiting without medical advice. If conscious, dilute by drinking up to a cupful of milk or water as tolerated. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing.

START FIRST AID. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

EMERGENCY TELEPHONE: 1-866-923-4913

Storage: Keep container tightly closed. Store locked up.

Disposal: Dispose of contents in accordance with all federal, state and local applicable laws and regulations.

KEEP OUT OF REACH OF CHILDREN. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

HEALTH HAZARDS NOT OTHERWISE CLASSIFIED: Not applicable.

PHYSICAL HAZARDS NOT OTHERWISE CLASSIFIED: Not applicable.



3. COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT(S)	CAS #	WEIGHT %
SODIUM CARBONATE	497-19-8	44.0
SODIUM METASILICATE	6834-92-0	4.9
ALCOHOL ETHOXYLATE	68439-46-3	3.5

STATE RIGHT TO KNOW: SEE SECTION 15 FOR STATE RTK CHEMICAL NAMES IN MIXTURE.

INGREDIENT DISCLOSURE: FOR MORE INGREDIENT INFORMATION VISIT www.uschemical.com

4. FIRST-AID MEASURES

Page 2 of 4

IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING FOR AT LEAST 15 MINUTES.
IF ON SKIN: WASH WITH PLENTY OF WATER. IF SKIN IRRITATION OCCURS, GET MEDICAL ATTENTION. TAKE OFF CONTAMINATED CLOTHING AND WASH IT BEFORE REUSE.
IF SWALLOWED: RINSE MOUTH. **Do NOT** INDUCE VOMITING WITHOUT MEDICAL ADVICE. IF CONSCIOUS, DILUTE BY DRINKING UP TO A CUPFUL OF MILK OR WATER AS TOLERATED.
IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING.
START FIRST AID. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
EMERGENCY TELEPHONE: 1-866-923-4913

MOST IMPORTANT SYMPTOMS / EFFECTS: CAUSES SERIOUS EYE DAMAGE AND SKIN IRRITATION. MAY CAUSE BLINDNESS WITHOUT IMMEDIATE FIRST AID. HARMFUL IF SWALLOWED.

MEDICAL CONDITIONS AGGRAVATED: NONE KNOWN.

NOTE TO PHYSICIAN: CALL 1-866-923-4913 FOR EXPOSURE MANAGEMENT ASSISTANCE.

5. FIRE-FIGHTING MEASURES

CHEMICAL HAZARDS: EYE CORROSIVE AND SKIN IRRITANT. NON-FLAMMABLE.
COMBUSTION PRODUCT HAZARDS: OXIDES OF CARBON AND OTHER FUMES.
METHODS: SELECT EXTINGUISHER AND METHODS BASED ON FIRE SIZE AND TYPE.
EQUIPMENT: WEAR SCBA AND FULL PROTECTIVE GEAR AS CONDITIONS WARRANT.
NFPA RATING: HEALTH-3/FLAMMABILITY-0/ INSTABILITY-0/SPECIAL HAZARD-N.AP.
SUITABLE EXTINGUISHERS: WATER, DRY CHEMICAL, CO2 OR FOAM SUITABLE FOR FIRE.
UNSUITABLE EXTINGUISHERS: NO RESTRICTIONS BASED ON CHEMICAL HAZARDS.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: EVACUATE UNPROTECTED PERSONNEL FROM AREA. WEAR PERSONAL PROTECTION. SEE SECTION 8. RUBBER BOOTS RECOMMENDED. VENTILATE AREA IF NEEDED. BE CAREFUL NOT TO SLIP. WASH THOROUGHLY AFTER CLEAN-UP.
ENVIRONMENTAL PRECAUTIONS: PREVENT SPILL FROM ENTERING DRAIN, STORM SEWER OR SURFACE WATERWAY. PREVENT WATER AND SOIL CONTAMINATION.
CLEAN-UP METHODS: CAREFULLY SWEEP UP AND SHOVEL INTO DRY LABELED CONTAINERS WITHOUT RAISING DUST. MOVE CONTAINERS OUT OF SPILL AREA. AFTER SPILL COLLECTION, FLUSH AREA WITH WATER AND FOLLOW WITH NORMAL CLEAN-UP PROCEDURES.

7. HANDLING AND STORAGE

HANDLING: FOLLOW ALL LABEL DIRECTIONS. INSTRUCT PERSONNEL ABOUT PROPER USE, HAZARDS, PRECAUTIONS, AND FIRST AID MEASURES. AVOID INHALATION, INGESTION, AND CONTACT WITH SKIN, EYES AND CLOTHING. DO NOT TASTE OR SWALLOW. REMOVE AND WASH CONTAMINATED CLOTHING AND FOOTWEAR BEFORE REUSE. PRODUCT RESIDUE MAY REMAIN IN EMPTY CONTAINERS. HANDLE CAREFULLY TO AVOID DAMAGING CONTAINER.
STORAGE: KEEP CONTAINER TIGHTLY CLOSED. STORE LOCKED UP. STORE AT AMBIENT TEMPERATURES IN A DRY AREA OUT OF DIRECT SUNLIGHT. ROTATE STOCK REGULARLY. KEEP AWAY FROM FOOD AND DRINK. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Page 3 of 4

EXPOSURE LIMITS: SODIUM CARBONATE = NONE

SODIUM METASILICATE = NONE

ALCOHOL ETHOXYLATE = NONE

ENGINEERING CONTROLS: GENERAL ROOM VENTILATION IS TYPICALLY ADEQUATE.**PERSONAL PROTECTION****EYES:** CHEMICAL-SPLASH SAFETY GOGGLES.**HANDS:** CHEMICAL-RESISTANT PROTECTIVE GLOVES (NITRILE, NEOPRENE OR RUBBER).**RESPIRATORY:** WEAR DUST MASK IF HANDLING CREATES AIR-BORNE DUST.**FEET:** RUBBER BOOTS RECOMMENDED DURING SPILL CLEAN-UP.**BODY:** PROTECTIVE EQUIPMENT NOT REQUIRED.**HYGIENE MEASURES:** HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE. WASH FACE, HANDS AND ANY EXPOSED SKIN THOROUGHLY AFTER HANDLING. PROVIDE SUITABLE FACILITIES FOR QUICK DRENCHING OR FLUSHING OF THE EYES IN CASE OF CONTACT OR SPLASH HAZARD.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: BLUE POWDER**ODOR:** NONE**pH CONCENTRATE:** N.AP.**pH @ 2500 PPM SOLUTION:** 11.3 (BASIC)**pH @ USE DILUTION:** N.AV.**PHYSICAL STATE:** GRANULAR POWDER**RELATIVE DENSITY (WATER):** N.AV.**SOLUBILITY (WATER):** MODERATE**VAPOR PRESSURE:** N.AV.**VAPOR DENSITY:** N. AV.**VISCOSITY:** N.AP.**AUTO-IGNITION TEMPERATURE:** N.AV.**DECOMPOSITION TEMPERATURE:** N.AV.**EXPLOSIVE LIMITS (LEL/UEL):** NONE**EVAPORATION RATE:** N.AV.**FLAMMABILITY (SOLID, GAS):** N.AP.**FLASH POINT:** NONE**INITIAL BOILING POINT/RANGE:** N.AV.**MELTING POINT/FREEZING POINT:** N.AV.**ODOR THRESHOLD:** N.AV.**PARTITION COEFF. (N-OCTANOL/WATER):** N.AV**OTHER:** N.AV.

10. STABILITY AND REACTIVITY

REACTIVITY: NO HAZARD.**CHEMICAL STABILITY:** STABLE.**POSSIBILITY OF HAZARDOUS REACTIONS:** NONE KNOWN. WILL NOT POLYMERIZE.**CONDITIONS TO AVOID:** TEMPERATURES ABOVE 120°F (49°C) AND HIGH HUMIDITY.**MATERIALS TO AVOID:** DIRECT MIXING WITH OTHER CHEMICALS. MIX ONLY WITH WATER.**HAZARDOUS DECOMPOSITION PRODUCTS:** NONE UNDER NORMAL CONDITIONS.

11. TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: EYES, SKIN, INGESTION, INHALATION.**INFORMATION ON ROUTES OF EXPOSURE:** NO LC50/LD50 TEST DATA ON MIXTURE.**ACUTE EFFECTS /SYMPTOMS****EYES:** CAUSES SERIOUS EYE DAMAGE. MAY CAUSE PAIN, REDNESS AND WATERING.**SKIN:** CAUSES SKIN IRRITATION. MAY CAUSE DELAYED PAIN, DRYING AND REDNESS.**INGESTION:** CAUSES IRRITATION OR BURNS TO MOUTH, THROAT AND STOMACH.**INHALATION:** CAUSES IRRITATION OR BURNS TO NOSE, THROAT + RESPIRATORY SYSTEM.**CHRONIC / OTHER EFFECTS:** NO REPORTABLE GERM CELL MUTAGENS, SKIN SENSITIZERS, RESPIRATORY SENSITIZERS, REPRODUCTIVE TOXINS OR ASPIRATION HAZARDS.**SPECIFIC TARGET ORGANS (SINGLE/REPEATED):** NONE KNOWN.**NUMERICAL MEASURES OF TOXICITY:** ATE_{mix} (ORAL-RAT) = ABOVE 2000 MG / KG**CARCINOGENS:** NO REPORTABLE ACGIH, IARC, NTP, OR OSHA CARCINOGENS.

12. ECOLOGICAL INFORMATION

Page 4 of 4

ECOLOGICAL INFORMATION: OSHA WILL NOT BE ENFORCING INFORMATION REQUIREMENTS IN SECTION 12, AS THIS AREA IS NOT UNDER ITS JURISDICTION.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: DISPOSE OF CONTENTS IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL APPLICABLE LAWS AND REGULATIONS. CONSULT STATE AND LOCAL AUTHORITIES FOR RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE. MANAGE CHEMICAL WASTES THROUGH AN APPROVED WASTE TREATMENT FACILITY. DO NOT REUSE EMPTY CONTAINER. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER BEFORE DISCARDING CONTAINER IN ACCORDANCE WITH CURRENT LOCAL COMMUNITY CODES. PLEASE RECYCLE EMPTY CONTAINER WHENEVER POSSIBLE. SEE SECTION 8 FOR EXPOSURE CONTROLS/PERSONAL PROTECTION TO MINIMIZE EXPOSURE.

14. TRANSPORT INFORMATION

DOT / IMDG / IATA / TDG: NOT REGULATED

15. REGULATORY INFORMATION

EPA CERCLA RQ: NO
EPA REGISTERED: NO
INVENTORY STATUS (DSL/NDL - CANADA): ALL COMPONENTS ARE LISTED.
INVENTORY STATUS (TSCA - USA): ALL COMPONENTS ARE LISTED.
OSHA HAZARDOUS: YES. SEE SECTION 8 TO MINIMIZE EXPOSURE.
PHOSPHORUS CONTENT: SEE LABEL
PROPOSITION 65: NO
SARA 311/312 HAZARD CATEGORIES: SEE SECTION 2 FOR GHS HAZARD CLASSES.
SARA 313 CHEMICALS: NO
STATE RIGHT TO KNOW: SODIUM CARBONATE/497-19-8, SODIUM CHLORIDE/7647-14-5, SODIUM TRIPOLYPHOSPHATE/7758-29-4, SODIUM METASILICATE/6834-92-0, ALCOHOL ETHOXYLATES/68439-46-3
USE DILUTION: SEE LABEL. NO PPE OR SDS REQUIRED AT PROPER LABEL USE DILUTIONS.
VOC: 0.00% CALCULATION METHOD USED IS BASED ON CALIFORNIA ARB STANDARD.

16. OTHER INFORMATION

PREPARATION DATE: 3-5-24 **PREPARED BY:** RC **REVISED SECTION:** 16
ABBREVIATIONS: N.AV. = NOT AVAILABLE N.AP. = NOT APPLICABLE

NOTICE TO READER

THIS DOCUMENT HAS BEEN PREPARED USING DATA FROM SOURCES CONSIDERED TECHNICALLY RELIABLE. IT DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION CONTAINED WITHIN. ACTUAL CONDITIONS OF USE AND HANDLING ARE BEYOND SELLER'S CONTROL. USER IS RESPONSIBLE FOR EVALUATING ALL AVAILABLE INFORMATION WHEN USING PRODUCT FOR ANY PARTICULAR USE AND TO COMPLY WITH ALL FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS.