Name	T Schisi				Date	10/5/15		Page	of	
	Please Pr nman <u>(17 BR)</u> ted From 나가또	/ANT	-	то С	Low Spr	·	W.O Numb	er_2/135	40	/ 1
	Exception Chain M	larker No.	w.ol	Track	Rail	Switch	Cod	00	Status	Repai
Item	From	То	Number		E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				βĀ						
2.		•								
3.		(*)								
4.										
									1.5	
5.									**	
6.							ļ			
7.							1			
8.										
9. em	COMMENTS		民社会公共党员				1			
),—										
	:e:									
 W∈ ∋s	Were Switch in the series of the single operation of the series of the s	ating mec	hanism & cor	necting re	od type s	witches inside	IO	eratated in e	each position	on ?
	son for special		ion ?						1	_
	k Inspector Sign	atur e		•	3	£;	Supervisory	Cretificat	on Hann	Au

lame	A. Robe					10-5-		Page		6
	(Please hman ted From Ho		· 	То	601	ther Vill	W.O Numb	er_ <i>2110</i>	83/	/*
	Exception Chair	Marker No.	THE RESERVE OF THE PERSON NAMED IN COLUMN		Rall	Switch	Cod		Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.	865+22 N		国的国际	· O	E		R305	324.322	W5	1//
2.		•	PART HER							
3.		Ä								
4.										
				al.						
5.									490	
6.										
7.			[2] 第12章 [2] [2] [2] [2] [2] [2] [2] [2] [2] [2]		de-					
8.										
9.										
)_						Ny Rail				
We 9 <u>-</u>	Were Switch ere all single opNO SPECIAL IN	erating mec		necting re	od type	Newitches inside		eratated in e	each position	on ?
Rea	ison for spec	ial Inspect	ion ?		 -		- · · · · · · · · · · · · · · · · · · ·	<u> </u>	À	

/atc		Print) BRIANT				iolilis-	W.O Numb	Page 2112	1 of 1	/*
ınspec	ted From Liwi			To (CAMBE	N)		₄ 6		
	Exception Chair	n Marker No.	W.Ou		Rall	Switch	Cod	des	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.	91+005		世界時間開始	·			M 309	342	Y	
2.	83+505			i_	BOTH		- W 301	321	7	
3.	83+50			1	BOTH		W.301.	332	Y	
4.	23+755			1	BOTA		W301	332	7	
	2									
5.	1.77								**	
6.										.,
7.										
8.										
9.	10						A1			
tem	COMMENTS				-					
1	ROAD WAS	SHING OU	T PROM	LINDER	GUAD	A PAU				
2	8 TIES IN A				70,7					
3	13 TIES IN				A (NEP)	00 A				
4	G TIES IN	A ROW	Pinn Dine	3/4"	MACAL	064 1.146	26 1/5.12	MILLIONET 1	100	
	DUMBEN	6 CAULA	U STATION	}	MINERL	una, was	KE NEW BI	ACCIASI C	UMS	
\neg	DURDEN	T MARKE	io Jim nok							
1	~~~									
						·				
-										
-+										
										2
	Were Switch	h in the area	of Inspecte	d Y	es <u>X</u>	^	10			
W	ere all single op	perating med	hanism & co	necting r	od type s	witches inside	area and op	eratated in	each positi	on ?
es	NO_X	_								- i
	SPECIAL IN	NSPECTIO	N Yes		NO X					
	9. 202									
Pag	ason for spec	ial Inenaci	ion 2							
1700	ason for spec	iai iiispeci								
							Supervisor		1	
Trac	ck Inspector SI	gnature				9	Supervisor	y Cretificat	tion_kan	ur Kega
				08.0		20	-	***************************************		1
									(*)	

spec	hman ted From Col	dspring	2	То	amder	v - 150 /	W.O Numb	er	3570	/
	Exception Chain	Marker No.	w.o.	Track	Rail	Switch	Cod	ies	Status	Repair
tem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				i e						
2.										
3.										
-										
			Programme Company							
5. 3.										
3.										
<u>.</u>			20 80 31 31 32 33 33 3					-		
n	COMMENTS		INTERNATIONAL STREET							
\exists										
								(9)		
We s_	Were Switch ere all single ope	in the area	a of Inspecte	d Ye		Ne	O_ area and ope	eratated in o		on ?
3	ere all single ope	erating med	hanism & cor	necting ro	od type sw	vitches inside	area and ope	eratated in o		on ?

/atc	A. Rabette (Please) hman ted From How	Print)		То	Loth	er Ville	W.O Numb	Page er 2 (16	of 855	/*
	Exception Chain	Marker No.	w.o.	Track	Rall	Switch	Cod	lee I	Status	Repai
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1,			1444				-	1	Grine	17.14
2.										
3.		*.,	distribution of							
4.										
5.	,		K 17 (17 18 18 18 18 18 18 18 18 18 18 18 18 18			Y			240	
θ.										74
7.			DESCRIPTION OF THE PROPERTY OF							
8.										
9.										
									· ·	
We	Were Switch		of Inspected			No		eratated in e	each position	on ?
	SPECIAL IN									
Trac	ison for speci k Inspector Sig	ınature	юп 7	1:			Supervisory	/ Cretificat	ion Janu	- Jen

/atc	A Robe He (Please P	rint)				41 2 00	W.O Numb	er_2((2	699	/*
spec	ted From Live	hicam	•	Го 🧐	LYOMW	ell-Bw	工	. i	•	
	Exception Chain	Marker No.	w.o	Track	Rail	Switch	Cod	les	Status	Repair
tem	From		Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				•						
2.		•								
3.		, ,								
4.										
5.	15								194	
6.										
7.			Particular and American		*/					1
8.										
9.							E			
	*						***			
 We s	Were Switch ere all single opeNO SPECIAL INS	rating med	hanism & con	ecting re			oarea and ope	eratated in	each positi	on ?
Rea	ason for specia							ν.		

lame	(Please	(Dulus)	ABETNE		Date / C	7-8-Z	273	Page	of	
late	hman 5 5	SELL						20 11	0020	. 4
	ted From	LUTHERI	mit	То	1000	SPRIN	W.O Numb	er_ 2_11	0828	
apac	ABU FIOIN	<u>UNITIOS</u>		10		- / / (-1-0	•			
_	Exception Chai	n Marker No	w.o.	Track	Rail	Switch	T 0	- u.t.	04.4	r <u>-</u>
tem	From	To	Number	No.	E/W	No.	Comp		Status	Repair
1.	N 584			2	E+W	140.	R301	Defect 344	S/Y/R	Y/N
2.	14 56 1	14 7.5	0.45				10301	345		
3.	·	T .						373		-
4.								-		
	<i>Ti</i>			2	-	~~~		-		
5.			K 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
6.			2000			~				
7.			Private Market							
8.										
9.							- 12	-		
m	COMMENTS		INTERNATION CAMPERS							
_				A 11	0-0-6		-0 3	il." 5	IDE 7/16	li
	dian Court	2 / 7				Val CAO	770 21		120 111	
-	cm 584		EAST O		MAX	0001110				
	cm 520	-> 505	WEST	11	· te	8.4	" 3/	16"	" 7/1	6"
	cm 520	→505 →496	west west	11	- 11	8.9	11 3/	16"	" 3/1	6 " 3 "
	cm 520 cm 500 cm 485	→505 →496 →477	WEST WEST	i.	· te	11	11 3/	16"	11 3/5	3"
	cm 520 cm 500 cm 485 cm 47	→ 505 → 496 → 477 57 468	WEST WEST WEST EAST	ti ti	: l: ::: :::	1 / C C C C C C C C C C C C C C C C C C	" 3/	16" 116" 3/16" 3/16"	11 3/5	6" "16" '16"
	cm 520 cm 500 cm 485 cm 47 cm 44	→505 → 496 → 477 5→468 6→435	WEST WEST WEST WEST		t () () () () () () () () () (61 (1)	" 3/	16" 3/16" 3/16" 3/16"	11 3/5	16"
	cm 520 cm 500 cm 465 cm 47	→ 505 → 496 → 477 57 468	WEST WEST WEST EAST		t () () () () () () () () () (1 / C C C C C C C C C C C C C C C C C C	11 3/	16" 116" 3/16" 3/16"	11 3/5	6" "16" '16"
	cm 520 cm 500 cm 485 cm 47 cm 44	→505 → 496 → 477 5→468 6→435	WEST WEST WEST WEST		t () () () () () () () () () (61 (1)	" 3/	16" 3/16" 3/16" 3/16"	11 3/5	16"
	cm 520 cm 500 cm 485 cm 47 cm 44	→505 → 496 → 477 5→468 6→435	WEST WEST WEST WEST		t () () () () () () () () () (61 (1)	" 3/	16" 3/16" 3/16" 3/16"	11 3/5	16"
j i	cm 520 cm 500 cm 485 cm 47 cm 44	→505 → 496 → 477 5→468 6→435	WEST WEST WEST WEST		t () () () () () () () () () (61 (1)	" 3/	16" 3/16" 3/16" 3/16"	11 3/5	16"
	cm 520 cm 500 cm 485 cm 47 cm 44	→505 → 496 → 477 5→468 6→435	WEST WEST WEST WEST		t () () () () () () () () () (61 (1)	" 3/	16" 3/16" 3/16" 3/16"	11 3/5	16"
	cm 520 cm 500 cm 485 cm 47 cm 44	→505 → 496 → 477 5→468 6→435	WEST WEST WEST WEST		t () () () () () () () () () (61 (1)	" 3/	16" 3/16" 3/16" 3/16"	11 3/5	16"
	em 520 cm 500 cm 485 cm 47 cm 440 cm 43	→ 505 → 496 → 477 5→ 468 6→ 435 2→ 412	WEST WEST EAST WEST EAST		10		11 3	16" 3/16" 3/16" 3/16"	11 3/5	16"
W	em 520 cm 500 cm 465 cm 47 cm 446 cm 43	→ 505 → 496 → 477 5→ 468 6→ 435 2→ 412 h in the area	WEST WEST EAST VEST CAST	to t	es V	** ** ** ** ** ** ** ** ** ** ** ** **	" 3/ " 3/ " 1 " 1	16" 116" 3/16" 3/16" 3/16"	" 7// " 3/3 " 57 " 5/ " 1/	16"
W	em 520 cm 500 cm 465 cm 47 cm 446 em 43	→ 505 → 496 → 477 5→ 468 (→→ 435 2→ 472 h in the area perating med	WEST WEST EAST VEST CAST	to t	es V	** ** ** ** ** ** ** ** ** ** ** ** **	" 3/ " 3/ " 1 " 1	16" 116" 3/16" 3/16" 3/16"	" 7// " 3/3 " 57 " 5/ " 1/	16"
W	em 520 cm 500 cm 465 cm 47 cm 446 cm 43	→ 505 → 496 → 477 5→ 468 (→→ 435 2→ 472 h in the area perating med	WEST WEST EAST VEST CAST	to t	es V	** ** ** ** ** ** ** ** ** ** ** ** **	" 3/ " 3/ " 1 " 1	16" 116" 3/16" 3/16" 3/16"	" 7// " 3/3 " 57 " 5/ " 1/	16"
W	em 520 cm 500 cm 465 cm 47 cm 440 cm 43 Were Switchere all single of	→ 505 → 496 → 477 5→ 468 (→→ 435 2→ 412 h in the area perating med	WEST WEST EAST CAST Of Inspecte hanlsm & con	od Younecting r	es	** ** ** ** ** ** ** ** ** ** ** ** **	" 3/ " 3/ " 1 " 1	16" 116" 3/16" 3/16" 3/16"	" 7// " 3/3 " 57 " 5/ " 1/	16"
W	em 520 cm 500 cm 465 cm 47 cm 446 em 43	→ 505 → 496 → 477 5→ 468 (→→ 435 2→ 412 h in the area perating med	WEST WEST EAST CAST Of Inspecte hanlsm & con	od Younecting r	es	** ** ** ** ** ** ** ** ** ** ** ** **	" 3/ " 3/ " 1 " 1	16" 116" 3/16" 3/16" 3/16"	" 7// " 3/3 " 57 " 5/ " 1/	16"
3	were Switcere all single of NO SPECIAL IN	→ 505 → 496 → 477 5→ 468 (→→ 435 2→ 412 h in the area perating med	WEST WEST WEST EAST Of Inspecte hanlsm & cor	od Y	es/	Nitches inside	Oarea and ope	116" 3/16" 3/16" 3/16"	each position	16"
3	em 520 cm 500 cm 465 cm 47 cm 440 cm 43 Were Switchere all single of	→ 505 → 496 → 477 5→ 468 (→→ 435 2→ 412 h in the area perating med	WEST WEST WEST EAST Of Inspecte hanlsm & cor	od Y	es/	Nitches inside	Oarea and ope	116" 3/16" 3/16" 3/16"	each position	16"
3	were Switcere all single of NO SPECIAL IN	→ 505 → 496 → 477 5→ 468 (→→ 435 2→ 412 h in the area perating med	WEST WEST WEST EAST Of Inspecte hanlsm & cor	od Y	es/	Nitches inside	Oarea and ope	116" 3/16" 3/16" 3/16"	each position	16"
8	were Switcere all single of NO SPECIAL IN	→ 505 → 496 → 477 5→ 468 (→→ 435 2→ 412 h in the area perating med	WEST WEST WEST EAST Of Inspecte hanlsm & cor	od Y	es	Nitches inside	Oarea and ope	116" 3/16" 3/16" 3/16"	each position	on?
s	were Switcere all single of NO SPECIAL IN	→ 505 → 496 → 477 5→ 468 (→→ 435 2→ 472 h in the area perating med	WEST WEST WEST EAST Of Inspecte hanlsm & cor	od Y	es	Nitches inside	Oarea and ope	116" 3/16" 3/16" 3/16"	each position	on?

Name	T 50	HISLER			Date	olelis		Page	i of /	
/atc	(Please						W.O Numb	er 2110		/*
Inspec	ted From CAH	Aiskl ,	•	то (olo.	Spr + AEL				
	Exception Chai	n Marker No.	w.o.	Track	Rall	Switch	Co	des	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.	72+00N		ing the second	2	BOTA	MT ROYAL	5 305	301	У	
2.	72+000			2	W	HT ROYAL	5 305	30)	ý	
3.	14+805			Î	W		H 305.	311	Ý	
4.	15+205			1	a		M305	311	- V	
	¥(1000	v	E	16-3	5311	329	y	
5.	Kotoopi	- 4	KEELSE	0	BOTH	i	R305	323	Y	
6.								-		
7.			ONANGER DESIGNATION		•		ļ			
8.						*********				
9.										
Item	COMMENTS		IA HARMAN MARKAN							
1	MT ROYAL DIA	Same Non	W EUN COOL	Sol	ĆD 0117	-2705 - 5 4	San	19, 53/	4. 4.	
2	HT ROYAL D	ALANA C	SELTED FAN	1015	CT DAY	TOP OF F	- 100 3/1 4 h	3/04 1	W K TELLS	
	BRAKEN O		ENTER OF	o i We	ST KAII	TOPER	RIE /4 L	C WINX 7	S D PILC	45
3		-	16	O 100	> (7	Thron	ila		
-,2	SOUTH OF	HOWA	LANGUE	COLLEGE	ETE L	MILLE DA	RIPPIANG	HAZAR	A . /3	
4	JOUIN OF	bland bloc	FINKER ()	2001	THE W.	THE AS	NORTH H	ID OF X-	1616	
T	W CAMBEN! 5	- X'-	513, 00	U C-PE	E COM	THE CAP, 1.	RIPPING	YHZARD,	PIARIE	0
)=	WITH WHITE	15,5	OUTH BULL	OF X	2/"	4				
- 2	HEEL BLOCK	C GAST F	AIL, SUR	PACE	3/4 1	011/			10 0 6	·m·a
9	V-69 A	OLK DOM	IN PANID	ROL I	SLOCK	5-3 MB	SING, UI	VAER M	DAVE	BRIDGE
					2					
	Were Switc	h in the area	of Inspecte	d Y	esX	^	VO			
W	ere all single o _l	perating med	hanism & cor	necting r	od type s	witches inside	area and on	eratated in	each positi	on ?
	NO_X	•							ouen poem	9
	SPECIAL IN	NSPECTIC	N Yes_	<u>t-</u>	NO					
Rea	ason for spec	ial Inspect	ion ?					(e		
	-,-		? 							
							Supervisor		1	P
Tra	ck Inspector Si	gnature				- 0	Supervisor	y Cretifica	tion_	un/sew
7	8 1 1			-1711		¥				7
{	School	4							(E.,	

	Exception Chain Marker N	o. W.Ou	Track	Rall	Switch	Coc	dea	Status	Repair
em	From To	Number		E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.									1
-									
-									
-			Δ.						
-		1 10 10 11						49	
-									.591
		in value, que amb as							
		015065081001641							
	COMMENTS	保護部場及警備							
We	Were Switch in the airer all single operating m			od type sv	Novitches inside		eratated in e		on ?
We	Were Switch in the ai	echanism & co	necting ro	od type sv	Novitches inside		eratated in e		on ?
	Were Switch in the airer all single operating m	ON Yes	necting ro	od type sv	Novitches inside		eratated in e		on ?

Name	A.Rabe	se Print)			Date			Page	of	
	hman					- 10 m	W.O Numbe	2/2	0633	3/1
napec	ted From C	ander		То	Lin	thican	?			
	Exception C	hain Marker No.	w.ous	Track	Rall	Switch	Cod	08	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
2.	· · ·									
3.		-					7.			
4.			Line Late Late Co.							
_										
5.									**	
6. 7.										
_			100 P. O. P. S. TONES					-		
8. 9.										
em	COMMENTS		Charles Consultation							
						Noted				
)										
) <u> </u>										
Wees_	re all single	Itch in the area	a of Inspecte	ed Ye	98_ ~		0			on ?
98	ore all single	operating med	a of Inspecte thanlsm & col	ed Ye	esod type s	witches Inside	o_ area and ope			on ?
es	ore all single	itch in the area operating med	a of Inspecte thanlsm & col	ed Ye	esod type s	witches Inside	o_ area and ope	eratated in	each position	·