

### Work Order Tracking (Tr)



Find Work Order



Find Navigation Item

List View Work Order Plans Actuals Activities Measurements Axle Configuration

Go To Applications

- My Recent Applications
- Administration
- Analytics
- Assets
- Change
- Consists (Tr)

Available Queries

- All Records
- All Bookmarks
- Eve Weekly Status
- 16000 SERIES BUSES WORK ORD...
- records
- 503 and 504 Non PM work orders
- 503 and 504 PMI

Common Actions

- New Work Order
- Clear Changes
- Change Status
- Select Owner
- Take Ownership

More Actions

- Workflow
- SLAs
- Plans
- Create
- View
- Change Asset Condition
- Warrantv Claims

Work Order: 2967578

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset:

Alias:

Location: CHAIN\_MARK Metro Chain Markers

Work Location:

Work Type: PM

Status: APPR

Wa

Status Date: 06/24/17 07:55:30 AM

Reported By: MTACRON

Phone:

Reported Date: 06/23/17 04:15:47 AM

On Behalf Of:

Consist:

#### Asset Details

#### Costs

Year:

Total Pla

Manufacturer:

Total A

Model:

Repair Lim

Serial #:

Current As

Type:

G

Status:

Accepts

Asset Condition:

Charg

Cun



Include History:  No

Inspection Completed?  Yes  No

If No Why? *See Trolley Project Task List Report*

Item	Exception Chain Marker No.		Track No.	Position N/S	Switch No.	Codes		Priority	Alias
	From	To				Comp.	Defect		
1									
2									
3									
4									
5									
6									
7									
8									

Notes: *Inspection not done in the specified time limits.*

Track Walker: *Richard Nelson*

Print *Richard Nelson*

Sign *Richard Nelson*

Date: *7-4-17*

Print \_\_\_\_\_

Sign \_\_\_\_\_

Print \_\_\_\_\_

Watchman:

Print *Aradig Ruditskiy*

Supervisor: Print \_\_\_\_\_

Sign *Aradig Ruditskiy*

Date: *7/13/17*

6/24/2017

Work Order	Description	Work Location	Status	Reported Date
2822765	YARD E Standard Joint Bolt Missing 345+50	345W	APPR	3/14/17 12:00 PM
282276	YARD E Contact Rail End Approach Mismatch YD 7 346+65	346W	APPR	10/9/15 3:02 PM
2589645	YARD E Frog Side Worn CM 346	346W	APPR	9/22/16 7:26 AM
2742130	YARD E Contact Rail End Approach Mismatch 348 YD 2	348W	APPR	1/16/17 9:02 PM
2122230	YARD E Rail Side Worn (32 deg) YD 11	349W	MONITOR	10/10/15 5:44 AM
2111268	YARD Contact Rail End Approach Top Worn YD 11 W 362+00	362W	APPR	10/2/15 8:18 AM
2812577	YARD Self Guarded Frog Side Worn 364+00	364W	APPR	3/7/17 8:02 AM
2083467	YARD W Mono Block Tie Cracked YD 15 366+80	366W	APPR	9/12/15 9:38 AM
2013754	YARD W Coverboard / Splice Plate YD 1 368+80	368W	APPR	7/21/15 11:25 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	7/21/15 3:12 PM
2044184	YARD W Rail Side Worn (S) YD 1 372+80-374+30	373W	MONITOR	8/13/15 6:03 AM
2822814	YARD W Joint Battered ???	477W	APPR	3/14/17 1:12 PM
2017701	YARD E Standard Joint Mismatched (S) YD 11 344+25	WABYARDSW101	APPR	7/24/15 9:09 AM
2017700	YARD E Standard Joint Mismatched (S) SW 101 344+50	WABYARDSW101	APPR	7/24/15 9:05 AM
2014138	YARD E Standard Joint Battered (N) SW 101	WABYARDSW101	APPR	7/21/15 5:35 PM
2014102	YARD E Contact Rail Anchor Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	7/21/15 5:12 PM
2013969	YARD E Wide Gauge Ahead of Bend ( Exceeds 57") SW 101	WABYARDSW101	APPR	7/21/15 2:23 PM
2966279	YARD E Ties Cracked (3) YD 11 344+20	WABYARDSW101	WAPPR	12/27/12 3:00 PM
2041945	YARD E Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	8/11/15 3:00 PM
2122222	YARD E Stock Rail Top Worn (S) SW 101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 5:29 AM
2122224	YARD E Rail Top Worn (S) SW 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 5:37 AM
2122221	YARD E Rail Top Worn SW 103	WABYARDSW103	MONITOR	10/10/15 5:22 AM
2122219	YARD E Stock Rail Top Worn SW 103 345 - 345+50E	WABYARDSW103	MONITOR	10/10/15 5:11 AM
2802	YARD E Closure Rail Insulated Plate Broken (N) YD 3 SW 103	WABYARDSW103	APPR	7/21/15 12:01 PM
2220249	YARD E RH Heel Block Bolt Loose (2) (N) SW 103	WABYARDSW103	APPR	12/18/15 1:52 PM
2017797	YARD E Concrete Tie Cracked (1) YD 11 SW 107	WABYARDSW107	APPR	7/24/15 12:18 PM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	8/19/15 7:58 AM
2966271	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 111	WABYARDSW113	WAPPR	7/24/15 4:00 PM
2900896	YARD Closure/Stock/Switch Point/Frog Side Worn YD 3 (29 Deg)	WABYARDSW113	APPR	5/5/17 8:52 AM
2017769	YARD E LH Stock Rail/Switch Point Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	7/24/15 11:11 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	7/24/15 11:10 AM
2017790	YARD E Concrete Tie Broken (3) YD 1 SW 127A	WABYARDSW127A	APPR	7/24/15 11:41 AM
2861618	YARD E Stock Rail / Running Rail (N) (29 Deg) YD1 SW 127A	WABYARDSW127A	MONITOR	4/8/17 2:51 PM
2404826	YARD E Switch Point/Rail Side Worn YD 1 SW 127 A	WABYARDSW127A	APPR	5/10/16 10:57 AM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B 347+90	WABYARDSW127B	APPR	7/21/15 6:08 PM
2013931	YARD E Contact Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	7/21/15 2:09 PM
2966284	YARD M Ties Cracked (9) YD 1 SW 129A CM 354	WABYARDSW129A	APPR	12/27/12 3:00 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	7/21/15 12:09 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	7/22/15 5:52 AM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	8/27/15 3:17 PM
2061562	YARD W Standard Joint Track Bolt Missing (2) YD 1 135A	WABYARDSW135A	APPR	8/27/15 3:10 PM
2014924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	7/22/15 5:49 AM
2013930	YARD W Contact Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	7/21/15 2:09 PM
2966263	YARD W Stock/closure rail/ Sw Pt Side Worn (31Deg) YD 13 Sw 139	WABYARDSW139	MONITOR	6/22/17 7:52 AM
2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	8/19/15 8:01 AM
2961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	7/21/15 2:17 PM
2963736	YARD W Curve Stock Rail Side Worn (26 deg) YD11 SW 151	WABYARDSW151	WAPPR	6/20/17 7:12 AM
2962855	YARD W Switch Point Side Worn 26 deg YD11 SW 151	WABYARDSW151	WAPPR	12/27/13 11:28 AM

6/24/2017

2014159	YARD W Closure Rail Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	7/21/15 6:10 PM
2015370	YARD W Rail Top Worn SW 161	WABYARDSW161	APPR	7/22/15 2:39 PM
2013914	YARD W Contact Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	7/21/15 2:01
2014930	YARD W Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	7/22/15 5:59 AM
2044188	YARD W Rail Top Worn (S) SW 165	WABYARDSW165B	INPRG	8/13/15 6:13 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	7/24/15 11:16 AM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	7/24/15 10:59 AM
2017772	YARD W Stock Rail&Switch Point (33 deg) YD 1 SW167A	WABYARDSW167A	APPR	7/24/15 11:15 AM
2966276	YARD W Closure Rail Side Worn (27-34 Deg) SW 167A	WABYARDSW167A	WAPPR	7/24/15 5:00 PM
2013790	YARD W Frog Side Worn SW 167A (27Deg)	WABYARDSW167A	MONITOR	7/21/15 11:53 AM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	7/21/15 5:33 PM
2121272	YARD W Frog Toe Bolt Loose (3) 167B	WABYARDSW167B	APPR	10/9/15 2:53 PM
2051516	YARD W Rail Side Worn (29 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	8/19/15 8:02 AM
2887238	YARD W Contact Rail Bracket Disconnected SW 171 A 366+85	WABYARDSW171A	APPR	4/28/17 2:29 PM
2013920	YARD W Contact Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	7/21/15 2:06 PM
2089695	YARD W Switch Point Side Worn YD 1 SW 171B	WABYARDSW171B	WAPPR	9/17/15 7:47 AM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	7/21/15 12:15 PM
2967578	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	6/23/17 4:15 AM
2949614	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	6/9/17 4:12 AM
2967613	Tri-Monthly Yard SWINSP Track 2,3,4		WSCH	6/23/17 4:16 AM
2959563	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	6/16/17 4:15 AM
2928404	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		INPRG	5/26/17 4:16 AM
2959594	Tri-Monthly Yard SWINSP Track 1		APPR	6/16/17 4:16 AM

Work Order Tracking (Tr)

BMXAA45911 - Sta

Find Work Order



Find Navigation Item

List View Work Order Plans Actuals Activities Measurements Axle Config

Go To Applications

My Recent Applications

Administration

Analytics

Assets

Change

Available Queries

All Records

All Bookmarks

Eve Weekly Status

16000 SERIES BUSES WORK ORD... records

Common Actions

New Work Order

Clear Changes

Change Status

Select Owner

More Actions

Workflow

SLAs

Plans

Create

View

Change Asset Condition

Work Order: 2978159

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset:

Alias:

Location: CHAIN\_MARK Metro Chain Markers

Work Location:

Work Type: PM

Status: APPR

Status Date: 07/05/17 04:58:59 AM

Reported By: MTACRON

Phone:

Reported Date: 06/30/17 04:18:11 AM

On Behalf Of:

Consist:

Asset Details

Year:

Manufacturer:

Model:

Serial #:

Type:

### Work Order Tracking (Tr)

Query Find Work Order Select Action

List View Work Order Plans Actuals Activities Measurements Axle Configuration Related Records

Work Order: 2987870 (YARD) METRO MOW WEEKLY TRACK INSPECTION WAL Attachments

Classification: MTA \ METRO Site: MET

Classification Description: MTA - METRO Failure Class:

Asset: Problem Code:

Alias: Priority:

Location: CHAIN\_MARK Metro Chain Markers Asset/Location Priority:

Work Location: Is Task?

Work Type: PM Parent WO:

Status: APPR Warranty Situation Present: N

Status Date: 07/10/17 09:34:39 AM Maintenance Alert?

Reported By: MTACRON Repair Order?

Phone: Has Follow-up Work?

Reported Date: 07/07/17 04:15:09 AM Quick PM?

On Behalf Of:

Consist:

#### Asset Details

#### Costs

Year:	Total Planned Cost:	0.00
-------	---------------------	------

Handwritten notes: 8569, 1697, 467, H43



Include History:  N

Inspection Completed?

Yes

No

If No Why? \_\_\_\_\_

Item	Exception Chain Marker No.		Track No.	Position N/S	Switch No.	Comp.	Codes	Defect	Priority	Alias
	From	To								
1	366480		YD 15		1714	R01		D40	3	TMWY
2										
3										
4										
5										
6										
7										
8										

Notes: @ Side Worn Rail 290

Track Walker:

Mike Atchiri

Print

Sign

*Michael Allen*

Date: 7-14-17

Print

Sign

Date:

Watchman:

Richard Nelson

Print

Sign

*Richard Nelson*

Date: 7-14-17

Track Inspection

Supervisor: Print

Arvidy Ruditskiy

Sign

*Arvidy Ruditskiy*

Date: 7-17-17

Work Order	Description	Work Location	Status	Reported Date
2822765	YARD E Standard Joint Bolt Missing 345+50	345W	APPR	3/14/17 12:00 PM
2176	YARD E Contact Rail End Approach Mismatch YD 7 346+65	346W	APPR	10/9/15 3:02 PM
2589645	YARD E Frog Side Worn CM 346	346W	APPR	9/22/16 7:26 AM
2742130	YARD E Contact Rail End Approach Mismatch 348 YD 2	348W	APPR	1/16/17 9:02 PM
2122230	YARD E Rail Side Worn (32 deg) YD 11	349W	MONITOR	10/10/15 5:44 AM
2111268	YARD Contact Rail End Approach Top Worn YD 11 W 362+00	362W	APPR	10/2/15 8:18 AM
2812577	YARD Self Guarded Frog Side Worn 364+00	364W	APPR	3/7/17 8:02 AM
2083467	YARD W Mono Block Tie Cracked YD 15 366+80	366W	APPR	9/12/15 9:38 AM
2013754	YARD W Coverboard / Splice Plate YD 1 368+80	368W	APPR	7/21/15 11:25 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	7/21/15 3:12 PM
2044184	YARD W Rail Side Worn (S) YD 1 372+80-374+30	373W	MONITOR	8/13/15 6:03 AM
2822814	YARD W Joint Battered ???	477W	APPR	3/14/17 1:12 PM
2017701	YARD E Standard Joint Mismatched (S) YD 11 344+25	WABYARDSW101	APPR	7/24/15 9:09 AM
2017700	YARD E Standard Joint Mismatched (S) SW 101 344+50	WABYARDSW101	APPR	7/24/15 9:05 AM
2014138	YARD E Standard Joint Battered (N) SW 101	WABYARDSW101	APPR	7/21/15 5:35 PM
2014102	YARD E Contact Rail Anchor Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	7/21/15 5:12 PM
2013969	YARD E Wide Gauge Ahead of Bend ( Exceeds 57") SW 101	WABYARDSW101	APPR	7/21/15 2:23 PM
2966279	YARD E Ties Cracked (3) YD 11 344+20	WABYARDSW101	WAPPR	12/27/12 3:00 PM
2041945	YARD E Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	8/11/15 3:00 PM
2122222	YARD E Stock Rail Top Worn (S) SW 101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 5:29 AM
2122224	YARD E Rail Top Worn (S) SW 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 5:37 AM
2122221	YARD E Rail Top Worn SW 103	WABYARDSW103	MONITOR	10/10/15 5:22 AM
2179	YARD E Stock Rail Top Worn SW 103 345 - 345+50E	WABYARDSW103	MONITOR	10/10/15 5:11 AM
2015002	YARD E Closure Rail Insulated Plate Broken (N) YD 3 SW 103	WABYARDSW103	APPR	7/21/15 12:01 PM
2220249	YARD E RH Heel Block Bolt Loose (2) (N) SW 103	WABYARDSW103	APPR	12/18/15 1:52 PM
2017797	YARD E Concrete Tie Cracked (1) YD 11 SW 107	WABYARDSW107	APPR	7/24/15 12:18 PM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	8/19/15 7:58 AM
2900896	YARD Closure/Stock/Switch Point/Frog Side Worn YD 3 (29 Deg)	WABYARDSW113	APPR	5/5/17 8:52 AM
2966271	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 11	WABYARDSW113	WAPPR	7/24/15 4:00 PM
2017769	YARD E LH Stock Rail/Switch Point Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	7/24/15 11:11 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	7/24/15 11:10 AM
2861618	YARD E Stock Rail / Running Rail (N) (29 Deg) YD1 SW 127A	WABYARDSW127A	MONITOR	4/8/17 2:51 PM
2017790	YARD E Concrete Tie Broken (3) YD 1 SW 127A	WABYARDSW127A	APPR	7/24/15 11:41 AM
2404826	YARD E Switch Point/Rail Side Worn YD 1 SW 127 A	WABYARDSW127A	APPR	5/10/16 10:57 AM
2013931	YARD E Contact Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	7/21/15 2:09 PM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B 347+90	WABYARDSW127B	APPR	7/21/15 6:08 PM
2966284	YARD M Ties Cracked (9) YD 1 SW 129A CM 354	WABYARDSW129A	APPR	12/27/12 3:00 PM
2013809	YARD Standard Joint Loose (N/R) YD 1 SW 133A W	WABYARDSW133A	APPR	7/21/15 12:09 PM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	8/27/15 3:17 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	7/22/15 5:52 AM
2061562	YARD W Standard Joint Track Bolt Missing (2) YD 1 135A	WABYARDSW135A	APPR	8/27/15 3:10 PM
2013930	YARD W Contact Rail Approach Mismatch/Burnt SW 137 362+00	WABYARDSW137	APPR	7/21/15 2:09 PM
2014924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	7/22/15 5:49 AM
2966273	YARD W Stock Closure rail/ Sw Pt Side Worn (31Deg) YD 13 Sw 139	WABYARDSW139	MONITOR	6/22/17 7:52 AM
2059	YARD W Switch Point Side Worn Yd 5 SW 141 (S)	WABYARDSW141	MONITOR	8/19/15 8:01 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143 (S)	WABYARDSW143	APPR	7/21/15 2:17 PM



Running Rail 363+60 - 363+30

✓2962855	YARD W Switch Point Side Worn 26 deg YD11 SW 151 (N)	WABYARDSW151	WAPPR	12/27/13 11:28 AM
✓2014159	YARD W Closure Rail Side Worn (25 deg) YD 11 SW 151 (S)	WABYARDSW151	APPR	7/21/15 6:10 PM
✓2963736	YARD W Curve Stock Rail Side Worn (26 deg) YD11 SW 151 (N)	WABYARDSW151	WAPPR	6/20/17 7:11 AM
✓2015370 P2	YARD W Rail Top Worn SW 161 (S) STOCK RAIL (Running Rail)	WABYARDSW161	APPR	7/22/15 2:39 PM
✓2013914	YARD W Contact Rail Burnt/Mismatched SW 163 363+10	WABYARDSW163	APPR	7/21/15 2:01 PM
✓2014930	YARD W Tie Saver Pad Missing YD 2 SW 163 363+10	WABYARDSW163	APPR	7/22/15 5:59 AM
✓2017773	YARD W <del>Stock Rail Side Worn (25 deg) SW 165 (N) CLOSE</del>	WABYARDSW165B	APPR	7/24/15 11:16 AM
✓2044188	YARD W <del>Rail Top Worn (S) SW 165 CLOSE Repaired</del>	WABYARDSW165B	INPRG	8/13/15 6:13 AM
<del>2017742</del>	YARD W <del>H &amp; End Post Battered/Rail Top Worn (S/R) SW 165 CLOSE</del>	WABYARDSW165B	APPR	7/24/15 10:59 AM
✓2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	7/21/15 5:33 PM
✓2013790	YARD W Frog Side Worn SW 167A (27Deg)	WABYARDSW167A	MONITOR	7/21/15 11:53 AM
✓2966276	YARD W Closure Rail Side Worn (27-34 Deg) SW 167A	WABYARDSW167A	WAPPR	7/24/15 5:00 PM
✓2017772	YARD W Stock Rail&Switch Point (33 deg) YD 1 SW167A	WABYARDSW167A	APPR	7/24/15 11:15 AM
✓2121272	YARD W Frog Toe Bolt Loose (3) 167B	WABYARDSW167B	APPR	10/9/15 2:53 PM
✓2887238 P2	YARD W Contact Rail Bracket Disconnected SW 171 A 366+85	WABYARDSW171A	APPR	4/28/17 2:29 PM
✓2051516 P3	YARD W Rail Side Worn (29 deg) YD 15 SW 171A 366+80	WABYARDSW171A	MONITOR	8/19/15 8:02 AM
<del>2089695</del>	YARD W <del>Switch Point Side Worn YD 1 SW 171B CLOSE</del>	WABYARDSW171B	WAPPR	9/17/15 7:47 AM
2013920 P2	YARD W Contact Rail Mismatch YD 1 SW 171B TOP WORN 362+60	WABYARDSW171B	APPR	7/21/15 2:06 PM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	7/21/15 12:15 PM
2998183	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		WSCH	7/14/17 4:16 AM
2959563	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	6/16/17 4:15 AM
2967578	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	6/23/17 4:15 AM
2978187	Tri-Monthly Yard SWINSP Track 5,6,7,9,11,12		WSCH	6/30/17 4:18 AM
2967613	Tri-Monthly Yard SWINSP Track 2,3,4		APPR	6/23/17 4:11 AM
2959594	Tri-Monthly Yard SWINSP Track 1		COMP	6/16/17 4:16 AM
2978159	(YA(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKINGRD) MET		APPR	6/30/17 4:18 AM
2928404	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	5/26/17 4:16 AM
2949614	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	6/9/17 4:12 AM
2987870	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	7/7/17 4:15 AM
2987839	Tri-Monthly Yard SWINSP Track 13,14,15,MM,OM,PO,OC		WSCH	7/7/17 4:14 AM

PM'S

### Work Order Tracking (Tr)

Query  Find Work Order  Select Action

- List View
- Work Order
- Plans
- Actuals
- Activities
- Measurements
- Axle Configuration
- Related Records

Work Order: 2998183 (YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification:

Classification Description: MTA - METRO

Asset:

Alias:

Location: CHAIN\_MARK  Metro Chain Markers

Work Location:

Work Type:

Status: APPR

Status Date: 07/14/17 04:06:41 PM

Reported By:

Phone:

Reported Date:

On Behalf Of:

Consist:

**Attachments**

Site: ME1

Failure Class:

Problem Code:

Priority:

Asset/Location Priority:

Is Task?

Parent WO:

Warranty Situation Present: N

Maintenance Alert?

Repair Order?

Has Follow-up Work?

Quick PM?

#### Asset Details

#### Costs

Year:

Total Planned Cost: 0.00

RIGHT OF WAY INSPECTION REPORT

Inspected From: \_\_\_\_\_ WYARD \_\_\_\_\_ To \_\_\_\_\_ EYARD \_\_\_\_\_ Walking  Riding  Parent WO # \_\_\_\_\_ 29998183

Item	Exception Chain Marker Number		Track No.	Position	Switch No.	Exception Codes		Priority 1-5	Alias
	From	To				Component	Defect		
1	365100		2		Yard 167B	SO4	D40	2	TMWY
2	350100		1				PO9	2	TMWY
3									
4									
5									
6									
7									
8									

EXCEPTION REMARKS

1	Curve switch point side worn	WO #
2	Concrete ties cracked 4 in a row	WO #
3		WO #
4		WO #
5		WO #
6		WO #
7		WO #
8		WO #

Inspection Date: 7-19-17 Inspection Completed? Yes  No  If No, Why? \_\_\_\_\_

Track Inspector (Print) Joe Brockmeyer

Track Inspector (Signature) [Signature]

Track Inspector (Print) \_\_\_\_\_

Track Inspector (Signature) \_\_\_\_\_

Watchman (Print) Alan Perkins

Watchman (Signature) [Signature]

Supervisor (Signature) [Signature]

Date \_\_\_\_\_

### Work Order Tracking (Tr)

**BMXAA45911 - Status change**

Query Find Work Order Select Action



List View Work Order Plans Actuals Activities Measurements Axle Configuration Related Records

Work Order: 3007762

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Attachments

Classification: MTA \ METRO

Site: MET

Classification Description: MTA - METRO

Failure Class:

Asset:

Problem Code:

Alias:

Priority:

Location: CHAIN\_MARK Metro Chain Markers

Asset/Location Priority:

Work Location:

Is Task?

Work Type: PM

Parent WO:

Status: APPR

Warranty Situation Present: N

Status Date: 07/22/17 07:56:24 AM

Maintenance Alert?

Reported By: MTACRON

Repair Order?

Phone:

Has Follow-up Work?

Reported Date: 07/21/17 04:17:19 AM

Quick PM?

On Behalf Of:

Consist:

#### Asset Details

#### Costs

Year:

Total Planned Cost: 0.00

Inspected From: \_\_\_\_\_ W YARD \_\_\_\_\_ To \_\_\_\_\_ E YARD \_\_\_\_\_ Walking  Riding  Parent WO # \_\_\_\_\_ 3007762

Item	Exception Chain Marker Number		Track No.	Position	Switch No.	Exception Codes		Priority 1-5	Alias
	From	To				Component	Defect		
1									
2									
3									
4									
5									
6									
7									
8									

**EXCEPTION REMARKS**

1									WO #
2									WO #
3									WO #
4									WO #
5									WO #
6									WO #
7									WO #
8									WO #

Did not complete within specified  
 weekly time frame.

Inspection Date: 7-29-17 Inspection Completed? Yes  No  If No, Why? \_\_\_\_\_

Track Inspector (Print) \_\_\_\_\_ Track Inspector (Signature) \_\_\_\_\_  
 Track Inspector (Print) \_\_\_\_\_ Track Inspector (Signature) \_\_\_\_\_  
 Watchman (Print) \_\_\_\_\_ Watchman (Signature) \_\_\_\_\_  
 Supervisor (Signature) [Signature] \_\_\_\_\_ Date \_\_\_\_\_