

Material Safety Data Sheet

Fiebing Company, Inc., Milwaukee, WI 53204

Phone #: (414) 271-5011

Emergency Phone: 1-800-424-9300

Product Code: 20-01-78-2

Product Name: Fiebing Sole & Heel Polish Brown

Effective Date: 3.4.2011 Date Printed: 3.4.2011 MSDS #:

1. Ingredients

Name	CAS #	% by wt	PEL-OSHA	TLV-ACGIH
Copolymer	25916-39-6	< 20.0	None established	None established
Polymer	Proprietary	< 2.0	None established	None established
Acrylic Copolymer	Non-hazardous	< 2.0	None established	None established
Water	7732-18-5	> 50.0	None established	None established
Iron oxide	1309-37-1	> 1.0	10 mg/m3*	None established
1-Methoxy-2-propanol	107-98-2	< 2.5	100 ppm TWA 150 ppm STEL	100 ppm 150ppm
Diethylene glycol monobutyl ether	112-34-5	< 2.5		
Glycol Ethers (SARA 313 category), total		< 2.5		

* As total nuisance dust

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). In addition, other substances not 'Hazardous' per this OSHA Standard may be listed. Where proprietary ingredient shows, the identity may be made available as provided in this standard.

2. Physical Data

BOILING POINT:	Approximately 210 Deg.F
VAPOR PRESSURE:	Not done
VAPOR DENSITY:	Not done
SOLUBILITY IN WATER:	Dilutable
SPECIFIC GRAVITY:	1.03 - 1.04
APPEARANCE:	Brown liquid
ODOR:	Characteristic

3. Fire And Explosion Hazard Data

FLASH POINT:	Non Flammable
METHOD USED:	Estimated

FLAMMABLE LIMITS

LEL:	Not available
UEL:	Not available

EXTINGUISHING MEDIA: Dry chemical, foam, Carbon dioxide, water spray.

FIRE & EXPLOSION HAZARDS: No special hazards known. Material can splatter above 212 Deg.F. Dried product can burn.

FIRE-FIGHTING EQUIPMENT: Wear NIOSH approved self contained breathing apparatus and full protective gear.

4. Reactivity Data

STABILITY(CONDITIONS TO AVOID): This product is considered stable. However, avoid temperatures above 350 Deg.F, the onset of Polymer decomposition. Thermal decomposition is dependent on time and temperature.

INCOMPATIBILITY: (SPECIFIC MATERIALS TO AVOID): Avoid contact with strong oxidizers, zirconium, mercury, copper, silver, zinc and their alloys.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, Carbon dioxide, acrylic monomers.

HAZARDOUS POLYMERIZATION: Will not occur.

5. Environmental and Disposal Information

ACTION TO TAKE FOR SPILLS / LEAKS: Keep spectators away. Floor may be slippery; use care to avoid falling. Contain spills immediately with inert materials (e.g. sand, earth). Transfer liquids and solid diking material to separate suitable containers for recovery or disposal. Keep spills and cleaning runoff out of Municipal sewers and open bodies of water.

DISPOSAL METHOD: Dispose of according to Federal, State, County and Local regulations.

6. Health Hazard Data

EYE: Direct contact with the material can cause eye irritation.

SKIN CONTACT: Prolonged or repeated skin contact may cause slight irritation.

INGESTION: May cause nausea, vomiting, headache, dizziness and irritation of the gastrointestinal tract.

INHALATION: Inhalation of vapor or mist can cause headache, nausea, irritation of nose, throat and lungs.

7. First Aid

EYES: Flush eyes with a large amount of water for at least 15 minutes. Consult a physician.

SKIN: Wash affected skin areas thoroughly with soap and water. Consult a physician if irritation persists.

INGESTION: If swallowed, give two glasses of water to drink and induce vomiting. Consult a physician. Never give anything by mouth to an unconscious person.

INHALATION: Move subject to fresh air.

8. Handling Procedures

EXPOSURE GUIDELINE(S): Refer to section 1 of this MSDS.

VENTILATION: Use general, local exhaust ventilation with required capture velocity at the point of vapor evolution.

RESPIRATORY PROTECTION: No special requirements under normal conditions. Use NIOSH/MSHA approved respirator if airborne concentrations are above the normal.

SKIN PROTECTION: Impervious gloves, aprons.

EYE PROTECTION: Splash goggles.

9. Additional Information

SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep containers closed. Protect from freezing. Wash thoroughly after handling. Avoid breathing mists when spraying. Keep out of children's reach.

10. REGULATORY INFORMATION: (Not meant to be all-inclusive - selected regulations represented.)

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations. See MSDS Sheet for health and safety information.

U.S. Regulations:

TSCA: In compliance

SARA 313 Information:

This product contains toxic chemical(s) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372. Any such toxic chemical(s) are shown below:

<u>Component</u>	<u>CAS #</u>	<u>Concentration</u>
Glycol Ethers (SARA 313 category), total		2.49 %