










ASA Non-Approved Bat List with ASA Certification Mark



April 4, 2013

This list depicts the previously ASA certified bats that failed an ASA sponsored field audit and that also carry the 2000 or 2004 ASA Certification Mark. This list is intended for informational purposes only.

Manufacturer	Bat Name
Combat	VIRSP3 Lady Virus
	
Easton	SCX2 Synergy
	
Easton	SCX22 Synergy 2
	
Louisville Slugger	FP136
	
Louisville Slugger	FP1368
	
Louisville Slugger	FP1369
	
Louisville Slugger	FPC305 Catalyst (-8)
	



ASA Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Louisville Slugger	SB304
	
Louisville Slugger	SB34 Genesis
	
Louisville Slugger	SB404
	
Louisville Slugger	SB73V TPS Voltage
	
Miken	MSF Freak
	
Miken	Ultra
	
Miken	Ultra II
	
Miken	Ultra Maxload
	



ASA Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Nokona	Tomahawk
	
Schutt	Red/Silver Schutt Bat
	
Worth	EST9
	
Worth	QESTFP
	
Worth	SBWK(Wicked)
	
Worth	SBWKA
	
Worth	WWSC Wicked Comp. (SP Only)
	
Worth	WWSCA
	



ASA Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
--------------	----------


Worth

XEST9X




Worth

XGold



Worth

XPST4



Worth

XRed



Worth

XWICKX Wicked (SP Only)



For a complete list of approved bats go to the certified equipment section of www.asasoftball.com

Last Updated: March 4, 2013