CHURCH REACTION TEAM ASSESSMENT CHECKLIST



CHURCH INFORMATION				
CHURCH NAME		ADDRESS	CITY	, STATE, ZIP
KEY CONTACT PERSON		TELEPHONE	EMA	IL ADDRESS
REACTION TEAM POC		TELEPHONE	EMA	AIL ADDRESS
	COI	NDUCTED BY		
NAME		TELEPHO	ONE	DATE
GEI	NERAL CH	HURCH INFORMA	TION	
MEMBERSHIP	AVERA	GE ATTENDANCE	YOU	TH/CHILDREN
Location:				
☐ Urban ☐ Suburban ☐ Rur	al			
Distance to Nearest ER: Miles:				
Does the church have?				
☐ Day Care ☐ Gymnasium ☐ School or Classrooms				
Electronic Security Alarm System: Safety/Security Team:				
□ Yes □ No				
Electronic Access Control System	em:	Staff Safet	y Training Pro	gram:
☐ Yes ☐ No		☐ Yes	□ No	
Video Surveillance System:		Volunteer	Safety Training	g Program:
☐ Yes ☐ No		☐ Yes	□ No	

	NEIGHBORHOOD
☐ YES ☐NO ☐NA	Is there a Neighborhood Watch program in the Area?
	Comment:
□ YES □NO □NA	Can the church be observed from surrounding facilities and streets? It is preferable for there to be clear lines of sight between churches and their neighbors.
	Comment:
□ YES □NO □NA	Are neighborhood streets and walkways in the immediate vicinity to the church well lit?
	Comment:
□ YES □NO □NA	Do nearby residents use church property for recreational purposes? Persons who are not members of the church and use the property for recreation may become a security risk or threat.
	Comment:

PROPERTY PERIMETER
t the church property perimeter or boundaries be clearly defined and recogn

□ YES □NO □NA	Are property boundaries of the church easily recognizable by visual
	means? Comment:
□ YES □NO □NA	Is there a marquee or other sign visible from the adjacent roadway that identifies the presence of the church for First Responders?
	Comment:
□ YES □NO □NA	Are there signs near the property perimeter directing First Responders to appropriate locations for building entry? Comment:
□ YES □NO □NA	Is the church building and grounds visibly accessible to patrolling law enforcement vehicles?
	Comment:

EXTERNAL GROUNDS

External grounds are those property areas that extend from the church property boundaries to

the actual perimeter of the building or facility. External grounds may include vehicle parking areas, pedestrian walkways, playgrounds or recreational areas, detached storage facilities, open or landscaped areas, etc. ☐ YES ☐ NO ☐ NA Are designated parking lots or parking areas well lit? Comment: ☐ YES ☐ NO ☐ NA Are pedestrian walkways and building entrances particularly well lit? Comment: ☐ YES ☐ NO ☐ NA Are all sides of the church illuminated by exterior lighting? Comment: ☐ YES ☐ NO ☐ NA Are exterior lights associated with the church controlled by a photoelectric cell? It is preferable to have exterior lighting controlled by light sensitive photoelectric cells rather than manual switches or timers. Comment: ☐ YES ☐NO ☐NA Does someone have the responsibility for checking the operation of all exterior lighting at least once a week? It is recommended there be a formal process for inspecting all external lighting on a regular scheduled basis. Comment:

□ YES □NO □NA	Are switches, breakers or electrical panels that control lighting inaccessible to the public?
	Comment:
□ YES □NO □NA	Are exterior playgrounds enclosed by a sturdy fence?
	Comment:
□ YES □NO □NA	Do external playgrounds have a restricted entry point?
	Comment:
□ YES □NO □NA	Are sight lines from the church to playgrounds unobstructed by landscaping, plant growth or other means?
	Comment:
□ YES □NO □NA	Does playground equipment have tamper-proof fasteners?
	Comment:
□ YES □NO □NA	Are dumpster covers locked and is the trash or dumpster area well lit?
	Comment:

	BUILDING PERIMETER
☐ YES ☐NO ☐NA	Are visitor entry points clearly identified?
	Comment:
☐ YES ☐NO ☐NA	Is the church designed in such a manner that visitors have to check in at an administrative office or desk before they can access other parts of the
	building? Comment:
	Comment
☐ YES ☐NO ☐NA	Is the designated visitor entry point under the visual supervision of
	a receptionist or administrative office?
	Comment:
☐ YES ☐NO ☐NA	Are locations where gas and electric utilities enter the church secured?
	Comment:
☐ YES ☐NO ☐NA	Are exterior doors not used as designated entry points locked to prevent entry from the exterior?
	Comment:

□ YES □NO □NA	Are the locks on all building entry points functional and in a good state of repair?
	Comment:
□ YES □NO □NA	Are exit doors equipped with emergency push-bars panel exit device?
	Comment:
□ YES □NO □NA	Are operable exterior windows easily locked?
	Comment:
□ YES □NO □NA	Is there a clear responsibility for unlocking and locking the church each day?
	Comment:

ELECTRONIC INTRUSION DETECTION SYSTEM		
□ YES □NO □NA	Does the church have an electronic intrusion detection system ("burglar alarm")?	
	Comment:	
□ YES □NO □NA	Is there a preventive maintenance program for the intrusion detection alarm system? Intrusion detection systems should be inspected and serviced at least annually by a trained and certified technician.	
	Comment:	
□ YES □NO □NA	Are the arm/disarm codes for an intrusion detection system changed and reissued at least annually?	
	Comment:	
□ YES □NO □NA	Are the names and call numbers of persons on the central station call list reviewed and updated at least annually?	
	Comment:	

E	ELECTRONIC ACCESS CONTROL SYSTEM
☐ YES ☐NO ☐NA	Are primary exterior doors controlled by a functioning electronic access control system (magnetic swipe or proximity device)?
	Comment:
□ YES □NO □NA	Is the database of card holders for the electronic access control system periodically audited to deactivate users who no longer need access to the church?
	Comment:
	VIDEO OUDVEU LANGE OVOTEM
	VIDEO SURVEILLANCE SYSTEM
☐ YES ☐NO ☐NA	Does the church currently have a video surveillance system (CCTV cameras)?
☐ YES ☐NO ☐NA	If the church currently has a video surveillance system, is it used to view vehicle parking areas or playground areas?
	Comment:
□ YES □NO □NA	If the church currently has a video surveillance system, is it used to monitor perimeter access control?
	Comment:

	INTERIOR OF FACILITY
□ YES □NO □NA	Are hallways and rooms well lit? Comment:
□ YES □NO □NA	Can restroom entry doors be locked from inside the restroom? It is recommended that restrooms not be capable of being locked from the inside. Comment:
□YES □NO □NA	All doors close and lock properly and that the door hardware is in a good state of repair?
□ YES □NO □NA	Are there locks on mechanical room doors? Only designated church staff should have access to building mechanical rooms.
□ YES □NO □NA	Is there a single person responsible for key issuance and record keeping? Comment:

☐ YES ☐NO ☐NA	Is there a written (preferably computerized) inventory of all church property and equipment of value?
	Comment:
☐ YES ☐NO ☐NA	Are church assets, equipment and items of value inventoried annually?
	Comment:
	CHILDREN AND YOUTH SECURITY
☐ YES ☐NO ☐NA	Is there a written, up-to-date Child and Student Safety and Protection Policy? Comment:
□ YES □NO □NA	Is there a church policy that requires a background check of staff and volunteers?
	Comment:
□ YES □NO □NA	Are those working with Children required to complete Child Sexual Awareness Training?
	Comment:

	Is there a policy that requires volunteers to be a member of the church or active in church activities for at least six months before they can be directly involved in children and youth activities? Comment:
□ YES □NO □NA	Is there a child-tag system or other child check in and drop off procedure for the church worship?
	Comment:
	CHURCH REACTION TEAM MINISTRY
a safe and secure environ the Church's primary miss	s a select group of volunteers and staff who serve the Lord by maintaining ment for worship, prayer and study. The Reaction Team Ministry supports ion by adding layers of safety to the church's activities and events. The ude: Trained LTC Person(s) and CPR/First Aid Trained Person(s))
☐ YES ☐NO ☐NA	Do you have a designated person or team responsible for safety, security, and risk management training and oversight?
	Comment:
□ YES □NO □NA	Do you have a written and followed emergency preparation and response plan and the personnel needed to oversee such a ministry or event?
	Comment:

□ YES □NO □NA	Are team members trained to handle communication, evacuation, first aid, emergency response, and violent intruder?
	Comment:
□ YES □NO □NA	Has your team discussed worst-case scenarios and developed responses to them? Comment:
□ YES □NO □NA	Has your team consulted area experts, such as police, paramedics, and firefighters, to determine how your organizations can work best with one another? Comment:
□ YES □NO □NA	Does your team practice evacuation on a regular basis with staff, volunteers, and members? Comment:
□ YES □NO □NA	Is your team trained in Use of Force and Control Techniques (Unarmed Self-Defense)? Comment:

□ YES □NO □NA	Does your team include medical professionals who are responsible for providing first aid and calling for medical assistance in the event of an emergency?
	Comment:
□ YES □NO □NA	Does your safety team maintain a fully stocked first-aid/trauma kit?
	Comment:
☐ YES ☐NO ☐NA	Does the church maintain a AED Defibrillator?
	Comment:
□ YES □NO □NA	Are members of your safety team trained in basic first aid, CPR, and AED use (if you have AEDs)?
	Comment:
□ YES □NO □NA	Does your Reaction Team address the possibility of violent attacks?
	Comment:
□ YES □NO □NA	Has your safety team determined which areas of your ministry are most vulnerable to attack?
	Comment:

□ YES □NO □NA	Does your disaster response team regularly participate in drills to review and practice what you intend to do during and after an emergency?
	Comment:
□ YES □NO □NA	Can your team implement lockdown procedures in the event of a violent event within the church? Comment:
□ YES □NO □NA	Do you regularly communicate with your congregation about what to do in the event of an emergency? (Location of emergency exits, lockdown procedures, how you'll protect children in Sunday school, etc.?) Comment:
	FIREARMS ISSUES
☐ YES ☐NO ☐NA	Are armed security personnel current or former law enforcement agents? Comment:
☐ YES ☐NO ☐NA	Are they licensed to carry a weapon in your state? Comment:
□ YES □NO □NA	Do you require team members who carry firearms to receive regular, formal weapons training? Comment:

□ YES □NO □NA	Have team members been trained how to resolve conflict without weapons?
	Comment:

COURTESY OF TRI-RIVERS BAPTIST AREA

This Church Reaction Team Assessment relied heavily on guidelines provided by the American Crime Prevention Institute and Sheep Dog Church Security.

TRI-RIVERS BAPTIST AREA ADDITIONAL TRAINING RESOURCES

- Tri-Rivers Baptist Area Church Safety Consultant:
 - Onsight Evaluation of Church Safety Needs
- Protecting The Flock Church Safety Kit:
 - o What do we do and How do we get starting in Church Security?
- Onsite Training for Active Shooter Neutralization and Lock Down Drills:
 - To help you understand the nature of an active shooter event
 - o To teach you how to instruct and lead civilians during an active shooter event
 - o To help you develop a response plan for handling an active shooter event
- License To Carry Instruction Class
- Child Sexual Awareness Training
- Background Checks

TRI-RIVERS BAPTIST AREA CONTACT INFORMATION

Rev Richard Ray, Director of Missions 502 E. Main Street, Gatesville, TX 76528

Office: 254-865-1299 Cell: 432-202-1526

Email: tririversdom@gmail.com Website: tri-riversbaptistarea.com