

I'm not robot  reCAPTCHA

Continue

## Mini istick vape manual

The iStick Pico, like its name, is preferred, innovative, compact and outstanding (PICO). With a compact size, you can hold it in the palm of your hand, much more comfortable to use and portable. Powered by one interchangeable 18650 cell, iStick Pico also gives you a maximum power of 75 W and SWITCHing MODES OF VW/Bypass/TC-Ni/TC-Ti/TCR. Option: Size: 45 mm 23 mm 70.5 mm Thread type: 510 thread, fully compatible with eGo-510 thread atomizers. Battery type: removable interchangeable single battery 18650 (continuous discharge current should be above 25A) Weekend mode: VW/Bypass/TC (Ni,Ti,SS,TCR-M1,M2,M3) Output power: 1-75W Resistance range: 0.05-1.5 ohm (TC modes), temperature range 0.1-5.0ohm (VW/Bypass mode) Temperature range: 100-315 degrees Celsius/200-600 degrees Fahrenheit (TS modes) Advantage: 1.Tiny and Cute Appearance: With a compact size, you can keep the kit in the palm of your hand, much more convenient for use and portability. 2.TC-SS and TCR modes available: Despite the compact size, iStick Pico allows for intelligent but satisfying draw with 75W maximum output and switchable VW/Bypass/TC (Ni,Ti, SS, TCR) modes 3.Delete interchangeable single 18650 battery: Users can carry spare cells when on the go and change the cell easily, removing the battery cover only. 4.510 Spring Connector: Fully compatible with eGo-510 thread atomizers; It also keeps the stainless steel spring loaded with a 510 connector for strong durability and high adaptability. 5.Micro USB Port Charging: The 18650 battery can be charged in the iStick Pico via a USB side port via a 1A wall adapter or computer or charged by an external charger. The recommended method is to charge the cell from the outside, as it will take less time to give the cell a full charge. 6.Unique bottom design: the vents at the bottom for better heat dissipation and adjustment buttons are located at the bottom as well. How to use power in/off: Screw off the battery cover, put one high-speed 18650 interchangeable battery (positive side down and negative side up) in the iStick Pico 75W Box MOD and finally screw on the battery cover. iStick Pico 75W Box MOD can be worked out by clicking the fire button 5 times. Note:1. Please make sure you use a high-speed 18650 battery whose continuous discharge current should be above 25A.2. Please be careful not to use a battery with a torn shell, as it is dangerous for safety.3 Before using, please set the power within the proper range that the sprayer you have installed can work. Vaping: Long press the fire button to take the puff. Stealth on/off: Press the fire button and down the button at the same time when iStick Pico 75W Box MOD to switch between Stealth On and Stealth off mode. In Stealth On mode, you can veech with the OLED screen off and you can press the fire button once to see the current setting. Lock/unlock adjustment buttons: keep clicking and down the button simultaneously for two seconds, when the iStick Pico 75W Box MOD is turned on, then the up and down buttons will be locked and the screen will display Lock. In the same way, up and down buttons can be unlocked and the screen will appear unlocked. With this operation, you can protect the buttons from unintentional clicks and extend their lifespan. Display mode: Continue to press the up-and-down button at the same time for two seconds, when the iStick Pico 75W Box MOD is off, the screen display will rotate 180 degrees. You can view the screen from two different angles through this operation. Vaping modes: When the iStick Pico 75W Box MOD is on, press the fire button 3 times in a row, the iStick Pico 75W Box MOD will display the current restriction mode. Click up or down to switch between VW, Bypass, TC-Ti, TC-SS, TCR-M1, TCR-M2, TCR-M3 modes and then click on fire button once or stay in the interface for 10 seconds to confirm the vaping mode you choose. 1) In VW mode: When set in VW mode, the iStick Pico 75W Box MOD can support coils that range from 0.1ohms to 3.5ohms. Adjust power: In this mode, the power output can be adjusted from 1W to 75W by pressing the up or down button to zoom in and down the button to reduce. Long press the up or down button to quickly increase or reduce the power level. 2) Bypass mode: When set in bypass mode, the device can support coils whose resistance is in the 0.1Ohm-3.5Ohm range. This mode uses a direct voltage output system. The higher the battery level, the higher the output voltage. 3). In TC-Ni/TC-SS/TCR (M1, M2, M3) Mode: When set in TC-Ni/TC-SS/TCR (M1, M2, M3) iStick Pico 75W Box MOD mode can separately support Nickel 200, Titanium and stainless steel 316 coils. In TCR mode (Temperature Resistance Factor) iStick Pico 75W Box MOD can support different temperature control coils in different TVR ranges, and you can set TCR at different values within the proper range. (Coil resistance range: 0.05 Ohm-1.5 Ohm). Set up TCR (M1, M2, M3): When the iStick Pico 75W Box MOD is off, keep pressing the fire button and button up at the same time, then you'll enter the TCR (M1, M2, M3) menu set:1. Click up or down to select one of the M1, M2 and M3/2 modes. Press the fire button once to confirm the mode you choose;3. Press the up or down button to increase or reduce the TCR value according to the coil material you are using;4. Continue to press the fire button or stay interface for 10 seconds to confirm the settings. Follow the different ranges of TCR values for reels for your link: Note: 1. The value of TCR in sheet 10 is multiplied by actual TCR. Our total TCR range is 1-1000. Adjust power: B M2, M3 mode, power output can be adjusted from 1W to 75W. Tap Fire Button 4 times in quick succession to enter the power installation menu and press up or down the button to increase or reduce the power level. Continue to press up or down the button without looseness to quickly increase or reduce the power level. Continue to press the button or down the button without looseness can quickly increase or reduce the temperature of the setting. Shift between KK and KK: If you increase the temperature to 315 degrees Celsius, and seam to press the button up, the temperature readings will automatically change to the lowest Fahrenheit (200 degrees Fahrenheit). Similarly, if its temperature is set at the lowest Fahrenheit (200 degrees Fahrenheit) and you continue to press the button down, the temperature readings will automatically change to the highest Celsius (315 degrees Celsius). Resistance to lock/unlock: In TC-Ni/TC-Ti/TC-SS/TCR mode (M1, M2, M3), when the devices are turned on, continue to press the fire button and up the button simultaneously for two seconds to block or unlock the base resistance atomizer. The lock sign will appear when the resistance is blocked and  $\Omega$  will always return when unlocked. Note: 1. Please block resistance when the coil is at room temperature, so that the iStick Pico 75W Box MOD can display the correct baseline resistance.2. In resistance lock mode, when you remove the coil and then put it back, the iStick Pico 75W Box MOD can support the same Bse resistance although resistance coils to a lot increase due to rising temperature. In resistance unlock mode, when you remove the coil and then put the coil back, the screen can display the new reel up the same down as the resistance coil can increase within a certain range. If it's the same coil, click down, and if it's a new coil, click up. But please unlock resistance when you want to change the spray or coils of different resistance.3 When using a common coil or coil whose resistance is above 1.5 Ohm in C-Ni/TC-Ti/TC-SS/TCR (M1, M2, M3) by mistake, iStick Pico 75W Box MOD will automatically go back to VW mode. Micro USB Port Charging: The battery power indicator on the iStick Pico 75W screen will blink when The 18650 battery power is less than 10%. The 18650 battery can be charged in the iStick Pico via a USB port through a wall adapter 1A or computer or charged with an external charger. If the 18650 battery is charged in iStick Pico, the battery on the screen will continue to blink while charging and the screen will come out at full charge. It again charges a fee The battery with the external charger as it will take less time to give it a full charge. Firmware Update: The firmware can be updated by connecting the iStick Pico 75W Box MOD with the computer via a USB port via a USB micro cable. Atomizer Protection Properties: Every time vaping time exceeds 10 seconds, the output automatically shuts down with the Over 10s display on the sulfur. Atomizer Low Alert: When the coil resistance is below 0.1 Ohm in VW/Bypass mode or below 0.05 Ohm in TC modes, Atomizer Low will appear on the screen. Atomizer Short Circuit - No atomizer protection: When a short-circuit atomizer occurs, the screen will appear Atomizer Short. The screen will display No Atomizer when no atomizer is connected. Low-voltage protection: When the battery voltage is below 3.1V, the screen will first display the low battery and then Lock, charge the battery to unlock the iStick Pico 75W Box MOD. Protection temperature: In TC modes, when the actual temperature of the coil reaches a set temperature, Temp Protection will be displayed on the screen. You can continue use the iStick Pico 75W Box MOD normally. Temperature warning: If the device's temperature is above the alert temperature, the output is automatically switched off and the screen will display the device too hot. You can continue the veip after it has cooled down. Weak battery alert: In all vaping modes, when the device works with the booster and the cell voltage falls below 2.9V, the screen will display a weak battery. Meanwhile, the output will be reduced accordingly. Warnings:1. Only your iStick Pico is refurbished by production. Do not try to repair the device yourself, as damage or pre-injury may occur.2. Do not leave the iStick Pico in high temperatures or humid conditions, otherwise it will be damaged. When charging, the temperature is between 0 and 45 degrees Celsius, and when used - from -10 to 60 degrees Celsius. Please keep children out of reach. This device is not recommended for use by young people or non-smokers. Page 2 For Australian Friends: We still send a lot of orders to your country every day, electronic liquid shipping is not a problem. But the Australian government can ban nicotine in 2021 on January 1, you have to stock up some in advance, don't wait to order until the last minute. Buy more, save more! You will automatically get a lower wholesale discount rate in accordance with the total price you ordered. Or you can contact us directly, we will give you the best discount and we believe that you will be very happy with your purchases. (Tips: If you want a neutral (unbranded) package instead of a BestEciq package, please remind us) List Product price:ADiscount price: Delivery speed: C (see shipping cost Price: A-B'CDiscount Rate (K): In line with the total price you ordered: Total product price (US\$) 100!t; FOR 300 300 q!t; 500 500 q!t; It:1000 1000 q!t;It; 2000 2000 q!t; It; It; 10000 1000 1000 0!t; discounts (K) 2.5% 5% 7.5% 10% 15% 20% 25% Page Base Principle 3BestEciq.com: Principle Safety (Integrity)/Professional Fast qualityGood serviceLow price We offer the best products with the best prices, and we check and pack all of our orders with care before they are sent to you, so we think you will be very happy with your purchases. However, there are times when items are damaged, malfunctioning, or incorrectly shipped. If this is the case for you, we will gladly replace them, or return the money to you. If in the event that there are any defects for electronic parts of the products within 180 days of purchase after normal use, we will replace the parts for you or fix the problem for you. Normally, you don't need to take time and trouble to get them back to us. If possible, we would like to re-replace the parts for free along with your next new order you can make a note on the order column to remind us. Or, if you don't plan to order recently, let's replace them for FREE through Airmail (Airmail registration usually takes about 2 weeks in worldwide), you can offer us what you choose. We have a lot of experience in shipping around the world. Normally, our parcels have no customs problem and you do not have to pay any customs duties. But in the case (this is based on random verification) if your parcel is stopped by customs or you can't get it, we can't let our customers lose their money if they can't use our products, so we'd like to re-send a new package to you again, or return the money (minus shipping cost) to you. Page 4 1.F for using Visa/Mastercard online If your payment failed, and receive an email notification containing one of the following reasons: 1.Your card should be 3D (SecureCode) included; please try, MasterCard SecureCode or Visa Authenticated Payment Program 2.We don't burden customers in this country; choose payment in other ways of payment. 3.Risk denied the transaction; choose payment in other ways of payment. 4. Missing postcode: Filled with the correct customer data must match your visa information. 5.Transaction dropped by the bank: try again after a while. 6.Invalid credit card number (credit card number option): the correct card number is filled out. You can pay by the next link, no need to place the order again. (remark: your order No.) Please see our frequent the questions below for possible answers to the query you may have. 1. do not recognize the charge on my bank statement. If your bank statement reads reads We can assist you with any matters relating to the transaction. Feel free to contact our free customer service at any time. 2. How to safely use a credit card online? When buying online, always use a web page you are familiar with and trust. A good indicator of the quality of a trading website is: Do they use SSL certificates? You can easily see this by looking at the address rack in your browser. If it says: https:// on the payment page, your credit card information is securely transferred. Do I have to pay on a pop-up screen that leads directly to a well-known bank? This payment method is called web forms and is a safer alternative way to make payments online because the connection goes directly to the bank. Are there complaints about the company on forums and on the Internet? Misbehavior traders are often and soon written about in various forums on the Internet. Google the website if you are unsure of its quality. As an additional security measure, ask your card issuer if they can provide a 3D secure credit card for you. A 3D security-enabled card will tell you the 4-digit pin you've chosen when you buy online. 3. I forgot the website address I bought for. How can I find out? Either use the contact form and ask for information about which site the purchase was made on, or call our support staff on 1866 7235766 (USA) or 86-75525846724 (China) and ask them directly. 4. My card was stolen and I didn't make a purchase, what do I do now? Contact support staff at 1866 7235766 (U.S.) or 86-75525846724 (China) for advice and assistance in getting your funds returned. Don't forget to always cancel your stolen or fraudulently used credit card. Page 5Placing order from Besteciq.com experience of Robert Bony 2018-10-17 come from the public guest book ON ORDER No 201810542935. rECIEVED REPLACEMENT TODAY and I'm testing the same. Thanks for your quick response. That's why I went shopping with you. DAMN GOOD SERVICE!! Jennifer 2018-05-07 come from the public guest book Hello, in a previous order from your company I was sent a sample of red tea butter as a free gift. I loved this taste but can't find it on your order list. Can you please let me know how I can buy some more red tea butter. ABBAS 2018-04-30 come from the public guest book Thank you for your help never underpowered me. u again thank me so much ms.parker Darryl Morris 2017-10-04 come from the public guestbook If anyone is interested, I have been using coffee for 4 years. I just got a small bottle of mint and I added a couple of drops to my clearomizer with coffee. It's This. Well done. Robert Becker 2017-09-09 come from the public guest book Hello Beci, thanks for your wonderful service. Cynthia Gupta!!'s good relations 2017-09-08 come from the public guest book I want to thank you very much for promptly solving my problem solving with PayPal. You've always found a solution to any difficulty I've had. I tell everyone about BestEciq.com. Katherine Hodgson's 2017-08-13 come from the public guest book I'm about to make a purchase. I always buy liquid and accessories from you. I'm a regular customer requesting a discount for being a regular customer. Grisel Salewski 2017-08-01 come from the public guest book I would like to express my gratitude for your quick delivery and your good free gifts and replacement reels. It is encouraging that you have listened to my concerns and are trying to help them to please. John Kaye 2017-06-21 come from the public guest book thanks for being so helpful this fx problem! Traei 2017-06-17 come from the public guest book just got my eliquid yesterday... so happy! Love your e-liquid taste is great and the cloud is perfect on the vg/mix. Thank you so much! Gerard 2017-04-12 come from the public guest book Thank you very much for the wonderful gift of the Nautilus tank and samples of liquids. That's very kind. The Nautilus tank is very good to use. Good thanks to Frank Oliver 2017-03-12 come from a public guest book I always wished I could travel around your country... You are amazing people and I admire your family structure. I can never get to see your country,but I live to dream Monty 2016-12-16 come from the public Guest Book Received my other package today, it was great, I really like iStick 30W is a great product! Thank you for your help! Monty Watson 2016-12-13 come from the public guest book got my first order today, all good! Thank you for the great service! Eddie 2016-10-20 come from the public guest book hey guys I contacted my local post office they told me that my packages just left your country today... What's going on has offended you guys. it uses only take 3 days, thanks and keep the good work of Moira McLean 2016-09-28 come from the public

