

VC4210L

11 Gallon Wet/Dry HEPA Filter Dust Extractor/Vacuum, AWS® Capable



POWER : 12 AMP motor generates 148 CFM of suction power to take on the most challenging applications

PERFORMANCE : Automatic Filter Cleaning System for longer filter life

EFFICIENCY : Efficient 3 stage filtration system, including main flat & HEPA filters captures 99.95% particles

CONVENIENCE : Automatic start/stop function activates the machine when a connected power tool is used

INCLUDES : Wet/Dry HEPA Filter, Flat Filter, Plastic Disposal Bag, Fleece Filter Bag, Quick-Connect Adapter, 15/16" Hose Cuff Adapter, 1-3/4" Hose Cuff Adapter, Quick-click Cuff

[VIEW DUST MANAGEMENT OPTIONS](#)



ABOUT MODEL

The 11 Gallon Wet/Dry HEPA Filter Dust Extractor/Vacuum (VC4210L) is a best-in-class solution for dust extraction in concrete and woodworking applications. The VC4210L is powered by a 12 AMP motor that generates 148 CFM of suction power and 92" of water lift to take on the most challenging applications.

Designed with contractors in mind, the VC4210L combines power with less noise and less weight in a smaller footprint and is ideal for indoor and room-to-room applications. The motor chamber is constructed of quality sound-absorbing materials, delivering an operating sound level of only 60 dB(A). In addition, precision lightweight motor components and more efficient air

ducting allowed Makita engineers to reduce the weight to only 35 lbs. For increased stability and easier maneuverability, the VC4210L has wide-set rear wheels and enlarged steel caster front wheels, which creates a lower center of gravity.

FEATURES

- Powerful 12 AMP Motor Generates 148 CFM of Suction Power and 92" of Water Lift
- Automatic Filter Cleaning System for longer filter life
- HEPA filter captures 99.97% of particulates .3 microns and larger
- Efficient three stage filtration system with main flat filter captures 99.95% particles 2 microns and larger
- On-board tool-activated power outlet starts and stops vacuum with a 10 second "off" delay to clear any remaining debris
- Auto-start Wireless System (AWS®) utilizes Bluetooth® technology for wireless power-on/off communication between tool and dust extractor/vacuum (capable with AWS® adaptor WUT02U, sold separately)
- Soft start function for lower amp-draw at start-up
- Variable speed control dial for a variety of applications
- Motor chamber constructed of quality sound-absorbing materials resulting in a quiet operating sound level of 60 dB(A)
- Weights only 35 lbs. for easy transport



INCLUDES





- (1) 1-1/4" x 13' Anti-Static Hose, VC4210 (P-84084)
- (1) Wet/Dry HEPA Filter, VC4210 (W107413555)
- (1) Fleece Filter Bag, 1/pk, VC4210 (W107418353-1)
- (1) Plastic Disposal Bag, 1/pk, VC4210 (W107418355-1)
- (1) Replacement Quick-Click Cuff, VC4210 (W107417866)
- (1) Main Flat Filter, VC4210 (W107418351)
- (1) Interlocking Case Adapter Plate, VC4210 (W107418357)
- (1) 15/16" Hose Cuff Adapter, VC4210 (W107418678)
- (1) Quick-Connect Adapter (P-70378)
- (1) 1-3/4" Hose Cuff Adapter, VC4210 (W107418688)
- (1) Hose Hook, VC4210 (W107415083)
- (1) Diffuser, VC4210 (W107415096)
- (1) Crevice Nozzle (W6084)

SPECS

Gross Container Size :	11 gal.
Wet Capacity :	9 gal.
Air Flow Rate :	148 CFM
Static Water Lift :	92"
AMPS :	12
Filter Cleaning :	Yes
HEPA filter :	Yes
Equipped Filter Efficiency :	99.97% of .3 microns
Tool Activated Suction Start-Up? :	Yes
Working Sound Level :	60 dB(A)
Cord Length (ft) :	24.6'
Dry Weight :	35 lbs.

Power Type :	Corded
Automatic-start Wireless System (AWS™) :	Capable (transmitter sold separately)
Shipping Weight :	50.72 lbs.
UPC Code :	088381-846028

RESOURCES & MEDIA

-  [Makita VC4210L Instruction Manual](#)
-  [Makita VC4210L Safety Instructions](#)
-  [VC4210L Parts Breakdown](#)
-  [Makita VC4210L New Tool Flyers \(English\)](#)

PRODUCTS RELATED TO VC4210L

Page 1 of 4



W107418353
Fleece Filter Bag, 5/pk, VC4210



W107418355
Plastic Disposal Bag, 5/pk, VC4210