

## Edible streetscapes - Species to Avoid

The following species threaten the biodiversity of local bushland because they are known or likely environmental weeds whose fruit and / or seeds are spread by birds.

- Aerial Yam (*Dioscorea bulbifera*)
- African olive (*Olea africanus*)
- Asparagus ferns (*Asparagus aethiopicus*, *africanus*, *asparagoides*, *plumosus*)
- Bunya Pine (*Araucaria bidwillii*)
- Brazilian Cherry (*Eugenia uniflora*)
- Blackberry (*Rubus fruticosus*)
- Black Mulberry (*Morus alba*)
- Black Locust (*Robinia pseudoacacia*)
- Cape Gooseberry (*Physalis viscosa*)
- Cherry Guava (*Psidium cattleianum*)
- Coffee (*Coffea arabica*)
- Common Olive (*Olea europaea* subsp. *cuspidata*)
- Dragon Fruit (*Hylocereus undatus*)
- Guava (*Psidium guajava*)
- Grumichama (*Eugenia dombeyi*)
- Honey Locust (*Gleditsia triacanthos*)
- Ice-cream Bean (*Inga edulis*)
- Jaboticaba (*Myrciaria cauliflora*)
- Leucaena (*Leucaena leucocephala*)
- Loquat (*Eriobotrya japonica*)
- White Mulberry (*Morus alba*)
- Passionfruit (*Passiflora edulis*, *suberosa* and *subpeltata*)
- Prickly Pear (*Opuntia* spp)
- Rough Lemon (*Citrus x taitensis*)
- Taro (*Colocasia esculenta*)
- Water lettuce (*Pistia stratiotes*)
- Wax Jambu (*Syzygium jambolana*)
- White Sapote (*Casimiroa edulis*)

Note: this list is not exhaustive. If you have any doubts about species selection, please contact Council's \*\* on \*\*.