

ParaActiv™ | KBKB1T

Heat-resistant sleeves with cut protection made with material that resists sparks and melting



ABOUT THE PRODUCT

Our cut-resistant ParaActiv™ KBKB1T FR sleeves offer heat protection and are made with material designed to resist flame. ParaActiv™ engineered yarn provides 360° cut protection with ANSI A4 cut resistance, ANSI 2 heat resistance, and passes the ASTM D6413 vertical flame resistance test for protection against sparks and slag. Tapered sleeves with elasticized biceps and thumbholes secure sleeves and ensure a snug fit.

APPLICATIONS

AUTOMOTIVE, CONSTRUCTION, METAL FABRICATION, OIL & GAS

RECOMMENDED FOR

GENERAL LABOUR, GENERAL MAINTENANCE, MATERIAL HANDLING, OIL REFINERY

AVAILABLE SIZING

XS, S, M, L, XL, 2XL

SHIPPING AND PACKAGING

Unit of Measure	Pair
Country of Origin	Canada

FEATURES AND TECH

Latex Free	Yes
UKCA / CE Certified	Yes
Welding	Yes

LAUNDERING INSTRUCTIONS

No Bleach
Wash & Tumble Dry

CONTENDER™ KBKB1T


Black cut-resistant sleeves with ANSI 2 heat protection and inner bicep elastic and grip to stay in place

	LENGTH (INCHES)	TUBULAR OR TAPERED	THUMBHOLE	AVAILABILITY	SIZE
KBKB1T9	9	TAPERED	NO	MTO*	L
KBKB1T12T	12	TAPERED	YES	MTO*	XS-L
KBKB1T14	14	TAPERED	NO	MTO*	L
KBKB1T14T	14	TAPERED	YES	STOCKED	XS-XL
KBKB1T18	18	TAPERED	NO	STOCKED	XS-2XL
KBKB1T18T	18	TAPERED	YES	MTO*	2XS
KBKB1T18T	18	TAPERED	YES	STOCKED	XS-2XL
KBKB1T22	22	TAPERED	NO	MTO*	XS
KBKB1T22	22	TAPERED	NO	STOCKED	S-XL
KBKB1T22T	22	TAPERED	YES	STOCKED	XS-XL

TO FIND THE BEST FIT, MEASURE THE CIRCUMFERENCE OF YOUR BICEP AND CHOOSE SIZING ACCORDING TO THE CHART BELOW.

Sleeves come in multiple lengths.

SIZE	WIDTH (MM)	WIDTH (IN)
 XS	260 MM	10.25 IN
 S	270 MM	10.5 IN
 M	280 MM	11 IN
 L	295 MM	11.5 IN
 XL	380 MM	15 IN
 2XL	410 MM	16 IN



For a more natural fit, sleeves come in a tapered version which provide better comfort and staying power. Tapered sleeves are designed to fit the contours of your arm and won't lose shape due to stretching.

