

Visit us



\$40 Savings



15" PLANER KC-385FX
 • 3 HP motor
 • 8" max planing thickness
 • Includes cabinet stand, planing knives, knife setting gauge and 4" dust collector outlet



15" PLANER KC-382CFX
 • 3 HP motor
 • 6" max planing thickness
 • Includes cabinet stand, planing knives, knife setting gauge and 4" dust collector outlet



1050 CFM - 3 SPEED AIR CLEANER WITH REMOTE CONTROL KAC-1050

- 1/3 HP, 3 Amp.
- Air suction capacities 556, 702, 1050 CFM
- 2 stage filtration, one disposable electrostatic 5 microns outer filter and 1 micron inner two pocket filter



After \$40.00 mail-in rebate
 Sale price \$1339.00 Taxes payable on price before rebate

\$1299*

After \$40.00 mail-in rebate
 Sale price \$1199.00 Taxes payable on price before rebate

\$1159*

MAGNETIC SWITCHES

Comes with twist lock emergency stop button
 Comes with 2 wire clamps, 1 padlock and 2 spare keys

- KMAG-110-811** 110V (8-11 Amp.)
- KMAG-110-1417** 110V (14-17 Amp.)
- KMAG-220-811** 220V (8-11 Amp.)
- KMAG-220-1417** 220V (14-17 Amp.)



\$89.99 ea.

1200 CFM DUST COLLECTOR KC-3105C

- 1.5 HP motor
- 1200 ft³/min. air suction capacity
- Comes with wheel castors for portability
- Can be operated at 12 amp. @ 110V, 6 amp. @ 220V motor



\$399.99

1200 CFM DUST COLLECTOR WITH 1 MICRON CANISTER FILTER KC-3105C/KDCF-3500

- 1.5 HP motor
- 1200 ft³/min. air suction capacity
- Comes with wheel castors for portability



\$549

93" WOOD CUTTING BANDSAW BLADES

Model	Length	Width	TPI	Thickness	Price
KBB-1418-14	93"	1/8"	14	.025"	\$15.99
KBB-1414-6	93"	1/4"	6	.025"	\$15.99
KBB-1436-10	93"	3/16"	10	.025"	\$15.99
KBB-1438-6	93"	3/8"	6	.025"	\$15.99
KBB-1412-6	93"	1/2"	6	.025"	\$15.99
KBB-1412-8	93"	1/2"	8	.025"	\$15.99
KBB-1434-4	93"	3/4"	14	.025"	\$15.99

14" WOOD CUTTING BANDSAW WITH RIP FENCE AND RESAW GUIDE KC-1433FXR



- 10 amp. motor
- 14" x 14" cast iron table
- 3 speeds (735-1470- 2350 FPM)
- Miter gauge • Dust chute
- Hinged doors



RIP FENCE SYSTEM WITH RESAW GUIDE RF-1433R
 With the purchase of # KC-1433FXR
\$99.99

RISER BLOCK KIT KW-049
 Comes complete with a 105" blade
\$79.99

NEOPRENE WHEEL PROTECTOR FOR 14" WOOD BANDSAWS KW-094
\$17.99

10" CABINET SAWS WITH RIVING KNIFE BLADE GUARD SYSTEM

- Powerful 2 HP motor
- Table has "T" slots for miter gauge and beveled front edge
- Large 8" diameter chromed handwheels
- Comes with riving knife, industrial "Tru-Rip" T-square rip fence system for precision cuts, miter gauge, standard and dado inserts



OPTIONAL Melamine extension table kit with 2 support legs
EXT-5052 Fits: KC-10JCS, KC-24FXT & KC-26FXT
\$159

KRF-J30
 30" RIP
\$259

KRF-J52
 52" RIP
\$299

KC-10JCS/J30
 30" RIP

After \$40.00 mail-in rebate
 Sale price \$999.00 Taxes payable on price before rebate
\$959*

KC-10JCS/J52
 52" RIP

After \$40.00 mail-in rebate
 Sale price \$1039.00 Taxes payable on price before rebate
\$999*

After \$40.00 mail-in rebate
 Sale price \$629.00 Taxes payable on price before rebate

\$589*

10" x 16" WOOD LATHE

KWL-1016C

- All precision-machined cast-iron bedway
- 6 speeds (480, 1270, 1960, 2730, 3327, 4023) RPM
- 1/2 HP motor
- Complete with MT#2 live center, MT#2 spur center, 3" faceplate, steel knock-out bar, hex. keys and safety glasses

\$329.99



OPTIONAL

\$89.99

22" BED EXTENSION

EXT-1016

Increases the spindle turning capacity to 38"



8 PC. WOOD LATHE CHISEL SET

KPRO-08

- Long 10" hard wood handles
- Comes in a wood box

\$69.99



4 JAW - 4" WOOD LATHE CHUCK

KW-100

Fits models KWL-1016C & KWL-1443VS 1" x 8 T.P.I.

\$99.99



Pivoting headstock turns 180° and locks into position for outboard turning



14" X 43" VARIABLE SPEED WOOD LATHE WITH DIGITAL READOUT

KWL-1443VS

- Cast iron bed and stand legs ensure stability and minimize operating vibrations
- Spindle tachometer with digital readout
- Variable speed from 600 - 2,400 RPM
- Pivoting headstock turns 180°
- Quick release headstock, tailstock and tool rest assembly for easy adjustments
- Comes complete with 6" face plate, 12" tool rest with offset and base, MT#2 headstock and tailstock centres and adjustment wrenches

INCLUDED CAST IRON STAND

\$599.99

BANDSAWS

17" WOOD BANDSAW

KC-1702FXB

- Powerful 16 amp. / 8 amp. motor
- 17" x 17" cast iron table
- 2 speeds (1600/3300) S.F.P.M.
- 2-4" Dust Chutes
- Hinged doors for quick access to the blade
- Cutting Height Indicator
- Rack and pinion height adjustment system
- Miter gauge

21" WOOD BANDSAW

KC-2102FXB

- Powerful 23 amp. / 11.5 amp. motor
- 21" x 21" cast iron table
- 2 speeds (1890/3300) S.F.P.M.
- 2-4" Dust Chutes
- Hinged doors for quick access to the blade
- Cutting Height Indicator
- Rack and pinion height adjustment system
- Miter gauge

New improved upper & lower blade guide system



131 5/8" WOOD CUTTING BANDSAW BLADES

Model	Length	Width	TPI	Thickness	Price
KBB-1714-6	131 5/8"	1/4"	6	.025"	\$19.99
KBB-1738-6	131 5/8"	3/8"	6	.025"	\$19.99
KBB-1712-4	131 5/8"	1/2"	4	.025"	\$19.99
KBB-1734-3	131 5/8"	3/4"	3	.025"	\$19.99
KBB-1710-2	131 5/8"	1"	2	.025"	\$26.99

152 1/8" WOOD CUTTING BANDSAW BLADES

Model	Length	Width	TPI	Thickness	Price
KBB-2114-6	152 1/8"	1/4"	6	.025"	\$26.99
KBB-2138-6	152 1/8"	3/8"	6	.025"	\$26.99
KBB-2112-4	152 1/8"	1/2"	6	.025"	\$26.99
KBB-2134-3	152 1/8"	3/4"	3	.025"	\$29.99
KBB-2110-2	152 1/8"	1"	2	.025"	\$29.99

\$1499

\$1999

5/8" HOLLOW CHISEL MORTISER WITH TILTING HEAD

MA-1050ST

- Powerful 3/4 HP
- Includes sleeve adaptors which accept 5/8" and 3/4" diameter chisel shanks
- Comes complete with mortising chisel and bit set (1/4", 5/16", 3/8" & 1/2"), 1/2" chuck and key, column mounted hold down, pair of 9 position table hold downs and quick release vise

Head tilts from 0° to 30° to the right and left



SLIDING WORK TABLE

\$459

OPTIONAL STAND
SS-1050ST

\$85.99



ACCESSORIES

YOUR \$49.99 CHOICE

- High frequency oscillating action without kickback
- Kit includes a sanding back-up pad with hook and loop backing, 24 sanding papers, HSS segment saw blade, 35mm Tru-cut narrow offset saw blade, 52mm rigid offset scraper blade & hex. key.



MORTISING ATTACHMENT WITH 4 PC. MORTISING CHISELS & BITS

MA-611
Mortising chisels & bits (1/4", 3/8", 1/2" & 5/8")
Fits: KC-116C(FC), KC-117C(FC), KC-118FC
& most other brands of drill presses available on the market with quill diameters of 55mm, 60mm and 65mm

\$79.99



Counter-Rotating Twin Blade Technology

"DOUBLE CUT™" SAW KITS

CS300

- Powerful 4.5 amp. motor
- Cuts hard and soft metals, hardwood, PVC, iron, plastics, aluminum, copper, stainless steel with ease and precision
- Kit includes set of universal tungsten carbide tipped (TCT) blades, 10 pcs. lubricating wax sticks, control handle, arbor tool and sturdy carrying case

NEW

3" \$99.99



KC-9125

- Powerful 7.5 amp. motor
- Cuts hard and soft metals, hardwood, PVC, iron, plastics, aluminum, copper, stainless steel with ease and precision
- Kit includes set of universal tungsten carbide tipped (TCT) blades, 10 pcs. lubricating wax sticks, control handle, arbor tool and sturdy carrying case

5" \$139.99



CS650

- Powerful 13 amp. motor
- Cuts hard and soft metals, hardwood, PVC, iron, plastics, aluminum, copper, stainless steel with ease and precision
- Kit includes set of universal tungsten carbide tipped (TCT) blades, 10 pcs. lubricating wax sticks, control handle, arbor tool and sturdy carrying case

6 1/4" \$199.99



CROSSLIDE VISES

- 4" KCV-4** • Extremely versatile
- \$49.99** • Makes lateral or longitudinal adjustments simple
- 5" KCV-5** **\$69.99**
- 6" KCV-6** **\$89.99**



DRILL PRESSES

LASER GUIDE SYSTEM

Bonus 4" DRILL PRESS VISE
With the purchase of # KC-116FC

DRILL PRESS CHUCK SAFETY GUARD KM-116
Fits KC-116FC
\$19.99

13" DRILL PRESS WITH DUAL LASER GUIDE SYSTEM KC-116FC

- Powerful 7.5 amp. motor
- 16 speeds (210-3670 RPM)
- 13" swing
- 3 5/16" stroke
- 5/8" chuck

\$299.99

DRILL PRESS CHUCK SAFETY GUARD KM-118
Fits KC-118FC
\$19.99

17" DRILL PRESS KC-118FC

- Powerful 12.5 amp. motor
- 16 speeds (240-3400 RPM)
- 17" swing
- 3 1/4" stroke
- 5/8" chuck

\$479

17" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH KC-118FC-(LS)

- Powerful 12.5 amp. motor
- 16 speeds (240-3400 RPM)
- 17" swing
- 3 1/4" stroke
- 5/8" chuck

\$579

DRILL PRESS CHUCK SAFETY GUARD KM-122
Fits KC-122FC
\$19.99

22" DRILL PRESS KC-122FC

- 12.5 amp. motor
- 1 1/4" capacity
- Spindle taper MT #4
- 12 speeds (180-4200 RPM)
- 4 3/4" stroke
- 3/4" chuck

\$899

22" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH KC-122FC-(LS)

- 12.5 amp. motor
- 1 1/4" capacity
- Spindle taper MT #4
- 12 speeds (180-4200 RPM)
- 4 3/4" stroke
- 3/4" chuck

\$999

JACK SCREW CUTTERHEAD SYSTEM



6" WOODWORKING JOINTER

- KC-60FX**
- Industrial 1 1/2 HP motor
 - Adjustable fence stops at 45° & 90°
 - 7" x 46" table size
 - 28" x 4" fence size

\$699

H.S.S. & CARBIDE JOINTERS KNIVES

Model	Type	Size	Set of	Price
KKC-6	H.S.S.	6"	3	\$39.99
KKC-8	H.S.S.	8"	3	\$44.99
KKC-120	H.S.S.	12"	3	\$59.99
KKC-6-CB	Carbide	6"	3	\$139.99
KKC-8-CB	Carbide	8"	3	\$159.99

JACK SCREW CUTTERHEAD SYSTEM



6" PARALLELOGRAM JOINTER

- KC-70FX**
- 2 HP (110V) motor
 - 6" x 55 1/2" table size
 - 36" x 5" fence size
 - Built-in 4" dust chute
 - Adjustable fence stops at 45° & 90°

\$799.99

JACK SCREW CUTTERHEAD SYSTEM



8" INDUSTRIAL JOINTER

- KC-203C**
- 2 HP (220V) motor
 - 9" x 73" table size
 - 35" x 5" fence size
 - Adjustable fence stops at 45° & 90°
 - 4" dust chute

\$999

JOINTERS WITH SPIRAL CUTTERHEAD

6" PARALLELOGRAM JOINTER WITH SPIRAL CUTTERHEAD

- KC-75FX**
- Powerful 2 HP (110V) motor
 - A spiral cutterhead makes 50% less noise than a conventional cutterhead
 - Stays sharp longer
 - Easy set-up (Carbide cutter inserts)
 - Parallelogram table adjustment system
 - Built-in 4" dust chute

4 Row spiral cutterhead with 28 replaceable cutter inserts



\$1099

JACK SCREW CUTTERHEAD SYSTEM



8" PARALLELOGRAM JOINTER

- KC-80FX**
- 2 HP (220V) motor
 - 8" x 76 1/2" table size
 - 36" x 5" fence size
 - Adjustable fence stops at 45° & 90°
 - 4" dust chute

\$1299

8" PARALLELOGRAM JOINTER WITH SPIRAL CUTTERHEAD

- KC-85FX**
- Powerful 2 HP (220V) motor
 - A spiral cutterhead makes 50% less noise than a conventional cutterhead
 - Stays sharp longer
 - Easy set-up (Carbide cutter inserts)
 - Parallelogram table adjustment system
 - Built-in 4" dust chute
 - Magnetic safety switch
 - Includes 2 safety push blocks

4 Row spiral cutterhead with 36 replaceable cutter inserts



\$1799

JACK SCREW CUTTERHEAD SYSTEM



12" PARALLELOGRAM JOINTER

- KC-120FX** (220V, 1 phase, 60Hz)
KC-120FX-5 (550V, 3 phase, 60Hz)
- 3 HP motor
 - 84" x 13" table size
 - 36" x 5" fence size
 - Built-in 5" dust chute
 - Adjustable fence stops at 45° & 90°

\$2999

4 Row spiral cutterhead with 64 replaceable cutter inserts



12" PARALLELOGRAM JOINTER WITH SPIRAL CUTTERHEAD

- KC-125FX** (220V, 1 phase, 60Hz)
KC-125FX-5 (550V, 3 phase, 60Hz)
- Powerful 3 HP motor
 - A spiral cutterhead makes 50% less noise than a conventional cutterhead
 - Stays sharp longer
 - Easy set-up (Carbide cutter inserts)
 - Parallelogram table adjustment system
 - Built-in 5" dust chute

\$3599



9 PC. MOULDING KNIFE SET
K-4509K ALSO AVAILABLE:
20 INDIVIDUAL MOULDING CUTTER PROFILES

\$199



13" H.S.S. PLANER KNIVES
KKC-13PM Fits: KC-235PM
\$39.99

15" H.S.S. PLANER KNIVES
KKC-15
\$69.99

20" H.S.S. PLANER KNIVES
KKC-20
\$99.99

SPRAY COAT CLEAN CUT
 Table and tool surface sealant
KM-040 **\$14.99**
 Blade and bit cleaner
KM-050 **\$14.99**

MAGNETIC & MICRO ADJUSTABLE KNIFE JIG ALIGNMENT KIT
KKC-50 **\$49.99**

KNIFE JIG ALIGNMENT KIT For Jointers
KKC-60 **\$29.99**

10 PC. CARBIDE CUTTER INSERT KIT
KW-093 **\$49.99**
 • Carbide inserts cut on all 4 sides
 • Cutter size: 14mm x 14mm x 2mm
 Fits: KC-75FX, KC-85FX, KC-125FX, KC-390FX, KC-530FX
KW-104 **\$69.99**
 • Carbide inserts cut on all 4 sides
 • Cutter size: 15mm x 15mm x 2.5mm
 Fits: KC-530FXR

FOLDING ROLLER STAND 3 in 1 FOLDING ROLLER STAND
KRS-102 **KRS-108**
 • Easily changes from a roller, omni-directional or a flat support (KRS-108)
 • Stand height is adjustable from 27" to 44"
 • 11-3/4" Roller width
 • Folds flat for storage



\$19.99 **\$29.99**

13" PLANER / MOULDER

KC-235PM
 • Powerful 1.5 HP motor
 • Moulding cutterhead guide system included
 • Comes complete with planing knives, setting gauge and 4" dust hood
 • 6 1/8" max. planing / moulding thickness



\$1099

STAND INCLUDED

20" HEAVY-DUTY PLANER
KC-520C



• 3 HP (220V) motor
 • 104-83 cuts per inch
 • 2 speeds (16-20 S.F.P.M.)
 • 4 knife cutterhead
 • 8" max. planing thickness
 • Magnetic safety switch

BUILT-IN MOBIL BASE

\$1999*
 * After \$40.00 mail-in rebate
 Sale price \$2039.00 Taxes payable on price before rebate

PLANERS with SPIRAL CUTTERHEAD

4 Row spiral cutterhead with 64 replaceable cutter inserts



15" PLANER WITH SPIRAL CUTTERHEAD
KC-390FX

• Powerful 3 HP motor
 • A spiral cutterhead makes 50% less noise than a conventional cutterhead
 • Anti-kickback fingers in front of the infeed roller to prevent wood kickback
 • Magnetic safety switch
 • Comes complete with cabinet stand and 4" dust collector outlet



BUILT-IN MOBIL BASE

\$2299

4 Row spiral cutterhead with 96 replaceable cutter inserts



20" PLANER WITH SPIRAL CUTTERHEAD
KC-530FXR

• Powerful 5 HP
 30 amp 220V motor
 • A spiral cutterhead makes 50% less noise than a conventional cutterhead
 • Anti-kickback fingers in front of the infeed roller to prevent wood kickback
 • Comes with 5" dust chute for dust collector hook-up



BUILT-IN MOBIL BASE

\$3499

EXTENDABLE & FLEXIBLE CONVEYOR ROLLER TABLE
KRRS-109

• Extends from 19" to 52"
 • Raises from 24" to 39"
 • 300 Lbs. max. capacity



\$199.99

EXTENDABLE UNIVERSAL MOBILE BASE
KMB-1250

• 500 lbs. Max.



\$49.99

HEAVY DUTY EXTENDABLE UNIVERSAL MOBILE BASE
KMB-1275

• 750 lbs. Max.



\$99.99

12" DOVETAIL JIG

K-2796

• Makes perfect 1/2" "D2half-blind" Dovetail joints with one pass of the router
 • Handles materials from 5/16" to 1 1/4" thick, and widths up to 12"
 • Unit includes 1/2" aluminum template



\$74.99

6" x 48" BELT & 12" DISC SANDER

- KC-788FX**
- 1.5 HP belt drive motor
 - Sturdy cabinet stand
 - 2-4" Dust chutes
 - Quick belt release lever
 - Quick connect motor to switch plug for easy set-up
 - Heavy duty cast iron tables
 - Miter gauge



\$899

ABRASIVE CLEANER



KW-043
• 1 1/2" x 1 1/2" x 8 1/2"

\$9.99

16" SINGLE DRUM SANDER

- KC-16-1-D**
- 1.5 HP motor
 - 16" width by 5" thickness capacity
 - 6-20 SFPM variable feed speed
 - 4" dust collector outlet

3 1/4" x 96" SANDING BELT

Model	Belt Size	Grit	Unit	Price
SB-396-80	3 1/4" x 96"	80	1	\$14.99
SB-396-100	3 1/4" x 96"	100	1	\$14.99
SB-396-120	3 1/4" x 96"	120	1	\$14.99
SB-396-150	3 1/4" x 96"	150	1	\$14.99
SB-396-180	3 1/4" x 96"	180	1	\$14.99



\$999

6" x 89" OSCILLATING EDGE SANDER

- KC-689-OSC-7**
- 2 HP belt drive motor
 - Sturdy cabinet stand
 - 4" Dust chute
 - Quick belt release lever
 - Comes with miter gauge, table guide and end table



\$899

6" x 89" SANDING BELT KIT

Model	Belt Size	Grit	Unit	Price
SB-689-60	6" x 89"	60	1	\$16.99
SB-689-80	6" x 89"	80	1	\$16.99
SB-689-100	6" x 89"	100	1	\$16.99
SB-689-120	6" x 89"	120	1	\$16.99

6" x 108" EDGE SANDER

- KT-108C**
- 2 HP motor
 - Table size: Front 37" x 7 3/4", Side 19" x 12"
 - Fully tilting front table
 - 4" Dust chute
 - Magnetic safety switch



\$1799

6" x 108" SANDING BELT KIT

Model	Belt Size	Grit	Unit	Price
SB-6108-60	6" x 108"	60	1	\$19.99
SB-6108-80	6" x 108"	80	1	\$19.99
SB-6108-100	6" x 108"	100	1	\$19.99
SB-6108-120	6" x 108"	120	1	\$19.99

6" X 108" OSCILLATING EDGE & SPINDLE SANDER

- KC-6108-OSC**
- 2 HP motor
 - Sturdy cabinet stand
 - 4" Dust chute
 - Quick belt release lever
 - Includes miter gauge, work stop, three end-table inserts and three 4-1/2" high spindle drums and sanding sleeves (1-1/2", 2", 3")



\$1999

End table allows curved sanding operations



5" aluminum sanding drum is precision balanced and driven by a V-belt

26" x 12" SINGLE DRUM SANDER

- KC-26-1-D**
- 2 HP (220V) motor
 - 2 speeds (6-30 S.F.P.M)
 - Twin 4" dust chutes
 - Magnetic safety switch
 - Variable feed speed

\$1699

26" x 12" DUAL DRUM SANDER

- KC-26DS**
- 3 HP (220V) motor
 - 2 speeds (6-30 S.F.P.M)
 - Twin 4" dust chutes
 - Magnetic safety switch
 - Variable feed speed



Two 5" aluminum sanding drum are precision balanced and driven by 2 V-belts

5" x 120" SANDING BELT KIT

Model	Belt Size	Grit	Unit	Price
SB-5120-80	5" x 120"	80	1	\$19.99
SB-5120-120	5" x 120"	120	1	\$19.99
SB-5120-150	5" x 120"	150	1	\$19.99
SB-5120-180	5" x 120"	180	1	\$19.99

\$2099



12" Thickness Capacity



3/4" UNIVERSAL SHAPER CUTTERHEAD WITH 13 INTERCHANGEABLE PROFILE CUTTER SETS
KW-091

\$799

WOODWORKING SHAPER

- KC-34SH**
- 1.5 HP (220V) motor
 - 20" x 18" Cast-iron table
 - Comes complete with interchangeable spindles, 1/2" & 3/4"
 - Two spindle speeds, 7,000 & 10,000 RPM
 - Spindle travels a full 3"
 - Forward reverse switch



\$199.99



\$1359

INDUSTRIAL WOODWORKING SHAPER

- KC-351S**
- 3 HP (220V) motor
 - 28" x 30" Cast-iron table
 - Comes complete with 1/2" & 3/4" interchangeable spindles, 1/4" & 1/2" router bit adaptors and a miter gauge
 - Two spindle speeds, 8,000 & 10,000 RPM
 - Spindle travels a full 3"
 - Front mounted forward reverse switch and magnetic safety switch

BUILT-IN MOBILE BASE



\$3299

5 HP HEAVY DUTY WOODWORKING SHAPER

- KC-356S**
- 5 HP (220V) motor
 - Comes complete with three interchangeable spindles 3/4", 1" and 1 1/4" x 7 1/2"
 - Four spindle speeds (3,600, 5,100, 8,000 & 10,000 RPM)
 - Spindle travels a full 3 1/2"
 - Magnetic starting switch with thermal overhead protection.

ROUTER BIT SPINDLE

KW-072 (Fits KC-356S)
Router Bit Size: 1/2"



\$79.99

SPINDLE SANDERS



OSCILLATING SPINDLE SANDER

- KC-OVS**
- 7.5 amp. motor
 - 1/2" oscillating stroke
 - 100 oscillations per minute
 - 14 3/4" x 14 3/4" cast iron titling table

\$399.99

Optional

OSCILLATING SPINDLE SANDER STAND

SS-OVS

\$79.99

5 9/16" x 1/4" TO 2" SLEEVES KITS

Model	Sleeve Size	Grit	Units/Kits	Price
SL-514-K-80	5 9/16" x 1/4"	80	3	\$5.99
SL-514-K-120	5 9/16" x 1/4"	120	3	\$5.99
SL-512-K-80	5 9/16" x 1/2"	80	3	\$5.99
SL-512-K-120	5 9/16" x 1/2"	120	3	\$5.99
SL-534-K-80	5 9/16" x 5/8"	80	3	\$5.99
SL-534-K-120	5 9/16" x 5/8"	120	3	\$5.99
SL-515-K-80	5 9/16" x 1 1/2"	80	2	\$5.99
SL-515-K-120	5 9/16" x 1 1/2"	120	2	\$5.99
SL-520-K-80	5 9/16" x 2"	80	2	\$5.99
SL-520-K-120	5 9/16" x 2"	120	2	\$5.99

4" x 9" OSCILLATING SPINDLE SANDER

- KC-OVS-F2**
- 11amp. @110 / 5.5 amp. @220V motor
 - 1 1/2" oscillating stroke
 - 72 oscillations per minute

\$999



25" x 25" cast iron titling table

SLEEVES KITS
6" x 3/8" to 5/8"
9" x 3/4" to 4"

Model	Sleeve Size	Grit	Units/Kits	Price
SL-638-K-80	6" x 3/8"	80	1	\$4.99
SL-638-K-120	6" x 3/8"	120	1	\$4.99
SL-612-K-80	6" x 1/2"	80	1	\$4.99
SL-612-K-120	6" x 1/2"	120	1	\$4.99
SL-658-K-80	6" x 5/8"	80	1	\$4.99
SL-658-K-120	6" x 5/8"	120	1	\$4.99
SL-934-K-80	9" x 3/4"	80	1	\$4.99
SL-934-K-120	9" x 3/4"	120	1	\$4.99
SL-910-K-80	9" x 1"	80	1	\$4.99
SL-910-K-120	9" x 1"	120	1	\$4.99
SL-915-K-80	9" x 1 1/2"	80	1	\$5.99
SL-915-K-120	9" x 1 1/2"	120	1	\$5.99
SL-920-K-80	9" x 2"	80	1	\$6.99
SL-920-K-120	9" x 2"	120	1	\$6.99
SL-930-K-80	9" x 3"	80	1	\$8.99
SL-930-K-120	9" x 3"	120	1	\$8.99
SL-940-K-80	9" x 4"	80	1	\$9.99
SL-940-K-120	9" x 4"	120	1	\$9.99

POWER FEEDERS

VARIABLE SPEED POWER FEEDER

- KPF-30V**
- 1.2 amp. motor
 - 3 feed rollers
 - 3 1/8" roller diameter
 - 1 3/16" roller width
 - Variable feed rate of 7-40 feet per minute

\$369.99



1/2 HP POWER FEEDER

- KPF-32**
- 3 feed rollers
 - 3 1/8" roller diameter
 - 1 3/16" roller width


\$599.99



1 HP POWER FEEDER

- KPF-34 (220V)**
KPF-34-5 (550V)
- 3 feed rollers
 - 4 3/4" roller diameter
 - 2 1/4" roller width

\$899.99



DUST COLLECTION SEPARATOR with ELBOW

To maximize the cyclonic air flow in the drum



\$29.99
K-1056
K-1017

ALUMINUM BLAST GATE

3" K-1141

\$14.99

4" K-1142
\$16.99



4" BLAST GATE

K-1007

\$7.99



4" T-FITTING

K-1013

\$7.99



4" Y-FITTING

K-1015

\$7.99



4" ELBOW

K-1017

\$7.99



4" SPLICE

K-1019

\$7.99



1" - 6" UNIVERSAL ADAPTOR

K-1039

\$7.99



4" & 5" WIRE HOSE CLAMP

4" K-1317

5" K-1318

\$1.99 EA.



CLEAR FLEXIBLE COLLAPSIBLE PVC HOSE

4" K-1033-50

\$2.99

Lin. Ft.



PVC HOSE

4" K-1034-50

5" K-1035-50

\$2.99

Lin. Ft.

\$4.49

Lin. Ft.

REMOTE POWER CONTROL SYSTEMS

- 99 Minute timer
- 120° Infrared ray receiving angle
- Includes mounting hardware and 2 AAA batteries

RC-110 (110V)

\$79.99

RC-220 (220V)

\$79.99




27 PC 4" DUST COLLECTION HOOK-UP SYSTEM

KW-270

27 pc kit includes:

- 4 pc 4" x 36" Clear tubes
- 1 pc 4" x 7" Clear tube
- 2 pc 4" 45 degree elbows
- 2 pc 4" 90 degree elbows
- 7 pc 4" adaptor fittings
- 2 pc 4" Blast gates
- 1 pc 4" Y-fitting
- 8 pc retaining Brackets (including 16 screws and 16 wall plugs)

\$99.99



1200 CFM DUST COLLECTOR

KC-3109C

- 2 HP (220V) motor
- 1200 ft³/min. air suction capacity
- Comes with wheel castors for portability



1 Micron felt upper bag

\$449.99

1 MICRON FELT UPPER BAGS

KDCB-3108T-1MIC

Fits: KC-3105C, KC-3108C

\$39.99



See through plastic bottom dust bag

KDCB-5

5 BAGS PER BOX

\$19.99



1 Cloth bottom dust bag

KDCB-3105B

Fits KC-3105C

\$29.99



600 CFM DUST COLLECTOR

KC-1105C

- 1 HP motor
- Heavy duty bag
- Comes complete with 10' hose, dust hood, dust hood support and wheel castors for portability



\$199.99

2280 CFM DUST COLLECTOR

KC-4045C

- 3 HP (220V) motor
- 2280 ft³/min. air suction capacity
- Noise level reading at 36": 75-85 Db
- Static pressure (inch of water): 11.8
- Dust port opening: 3 x 4" / 1 x 8"



NEW & Improved

1 Micron felt upper bag

\$699

3980 CFM DUST COLLECTOR

KC-5043FX-2 5 HP (220V)

KC-5043FX-6 5 HP (600V)

- 3980 ft³/min. air suction capacity
- Comes with wheel castors for portability
- 4 - 4" hose connectors



Dust bag comes with see-through window

\$1499

600 CFM DUST COLLECTOR

KC-2105C

- 1 HP motor
- Heavy duty bags
- Complete with wheel castors for portability



1 Micron felt upper bag

\$249.99

TOTAL HEIGHT 11 FT.

**1200 CFM
DUST COLLECTOR
WITH
CANISTER FILTER**
KC-3109C/KDCF-3500

- Powerful 2 HP motor
- Noise level reading at 36": 66-77 Db
- Static pressure (inch of water): 9.5
- Dust port opening: 2 x 4" / 1 x 6"



**2280 CFM
DUST COLLECTOR
WITH
CANISTER FILTER**
KC-4045C/KDCF-3500

- 3 HP (220V) motor
- 2280 Ft./min. air suction capacity
- Noise level reading at 36": 75-85 Db
- Static pressure (inch of water): 11.8
- Dust port opening: 3 x 4" / 1 x 8"



**3 SPEED
AIR CLEANER**



KAC-410

- .9 amp. motor
- Air capacity of 410 CFM
- 2 stage filtration, one disposable electrostatic 5 microns outer filter and 1 micron inner two pocket filter

COMES WITH 3-SPEED REMOTE CONTROL

\$199.99

\$599.99

\$999.99



WET-DRY VACUUMS



3.5 PEAK HP 5 20 LITERS
Gallon US

8520LP

- 3.5 Peak HP motor
- 5 Gallon US (20L) plastic tank
- Double filtration system
- Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand, 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice tool

5 PEAK HP 8 30 LITERS
Gallon US

8530LP

- 5 Peak HP motor
- 8 Gallon US (30L) plastic tank
- Double filtration system
- Tank water drain
- Power cord wrap for 12 ft. power cord
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

5 PEAK HP 10 40 LITERS
Gallon US

8540LST

- 5 Peak HP motor
- 10 Gallon US (40L) corrosion resistant stainless steel tank
- Double filtration system
- Tank water drain
- Power cord wrap for 12 ft. power cord
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

6.5 PEAK HP 16 60 LITERS
Gallon US

8560LST

- 6.5 Peak HP motor
- 16 Gallon US (60L) corrosion resistant stainless steel tank
- Double filtration system
- Tank water drain
- 18 ft. power cord with convenient power cord wrap posts
- Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, contoured handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag



\$49.99



\$69.99



\$119.99



\$199.99

18GA. X 1" NARROW CROWN STAPLER KIT

8101S

- 3/8" to 1" Stapler range
- Comes with 1/4" air inlet, oiler, hex. keys, & sturdy carrying case



16 GA. X 2" 7/16" MEDIUM CROWN STAPLER KIT

8216S

- 3/4" to 2" Stapler range
- Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



21 GA. X 1/2" CROWN UPHOLSTERY STAPLER KIT

8121S

- 1/4" to 5/8" Stapler range
- Comes with 1/4" air inlet, oiler, hex. keys, & sturdy carrying case



STAPLER KIT - DRIVES ARROW® T50® STAPLES

8140S

- 1/4" - 9/16" Stapler range
- Comes with 1/4" air inlet, oiler, hex. keys, & sturdy carrying case



18GA. X 2" BRAD NAILER KIT

8201N

- 3/4" to 2" Nail range
- Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



16GA. X 2 1/2" BRAD NAILER KIT

8225N

- 3/4" to 2 1/2" Nail range
- Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



23GA. X 1 3/8" HEADLESS PIN NAILER KIT

8223PN

- 1/2" to 1-3/8" Pin range
- Comes with 1/4" Air inlet, 2 removable non-marring tips, oiler, hex. keys and sturdy carrying case



23GA. X 2" HEADLESS PIN NAILER KIT

8251PN

- 1/2" to 2" Pin range
- Comes with 1/4" Air inlet, 2 removable non-marring tips, oiler, hex. keys and sturdy carrying case



30° - 34° CLIPPED HEAD CORDLESS GAS FRAMING NAILER KIT

8235GFN

- Drives standard 30°-34° Paslode™ and Senco™ paper collated clipped head nails
- Accepts Paslode™ and Senco™ fuel cells
- Powered by 6V 1.8Ah Ni-Mh battery and fuel cell (fuel cell sold separately)

1 HOUR CHARGER plus 2 BATTERY PACKS

\$199.99



CLIPPED HEAD FRAMING NAILER KITS

8228N

- Shoots standard 2 1/4" - 3 1/2", 28°, 30° nails



8234N

- Shoots standard 2 1/4" - 3 1/2", 34° nails



4-IN-1 18GA. BRAD NAILER/STAPLER & FLOORING NAILER/STAPLER KIT

8241FNS

- Standard 18 Ga. brad nails and 18 Ga. 1/4" crown staples
- Comes with 1/4" air inlet, oiler, hex. keys & sturdy carrying case



2 IN 1 - 18 GA. NAILER/STAPLER KIT

8210NS

- 18 Ga. x 1/4" (3/8" to 1 5/8") stapler
- 18 Ga. x 1/4" (3/4" to 2") nailer
- Comes with 1/4" air inlet, oiler, hex. keys and sturdy carrying case



COIL ROOFING NAILER KIT

8245R

- 7/8" to 1 3/4" (11 Ga.)
- Comes with 1/4" air inlet, debris shield, safety glasses, oiler, hex. keys and sturdy carrying case



2" FLOORING STAPLER/CLEAT NAILER KIT

- 1" to 2" Staple range
- 1 1/2" to 2" Cleat nail range
- Comes with mallet, 1/4" air inlet, safety glasses, oiler, hex. keys & sturdy carrying case



2" FLOORING STAPLER/CLEAT NAILER KIT

- 1 1/2" to 2" stapler range
- 1 1/2" to 2" "L" & "T" cleat nail range
- Comes with nylon-fibreglass mallet, 1/4" air inlet, safety glasses, oiler, hex. keys & sturdy carrying case



6 GALLON 150 PSI OIL-FREE AIR COMPRESSOR

- 8491**
- 17,000 RPM, 12 Amp. motor
 - 3.4 SCFM @ 40 PSI
 - 2.5 SCFM @ 90 PSI
 - Cast iron cylinder
 - Two 1/4" universal one touch quick couplers
 - ASME Safety Valve



\$164.99
compressor only

6 GALLON OIL-FREE AIR COMPRESSOR & BRAD NAILER COMBO KIT

- 8491/8200BNH25**
- Kit includes:
- 1-6 gallon air compressor
 - 1-18 gauge x 2" brad nailer kit (model 8200B)
 - 1-3/8" x 25" air hose 300 PSI (model KAH-3825)



\$199.99
combo kit

8 GALLON TWIN TANK AIR COMPRESSOR WITH DETACHABLE TANK

- 8492**
- Powerful 3 peak HP motor
 - 2 x 4 gallon twin tanks
 - 5.2 CFM @ 40 PSI / 4.1 CFM @ 90 PSI
 - ASME safety valves
 - Dual 1/4" universal "one touch" quick connect couplers allow user to connect up to 2 air tools

Upper 4 gallon tank is detachable



\$259.99

150 PSI output

TIRE INFLATION GUN WITH PRESSURE GAUGE

- K-1630**
- 15" flexible rubber hose with lever style chuck, rubber protected 2-1/2" diameter pressure gauge (pressure range of 10-170 PSI) and a quick connect 1/4" NPT air inlet



\$19.99

5.5 PEAK HP 20 GALLON AIR COMPRESSOR

- KC-2051H1**
- 2 cylinder cast iron single stage oil lubricated pump
 - 150 PSI max pressure
 - 7.6 SCFM @ 40 PSI
 - 6.0 SCFM @ 90 PSI
 - High efficiency reed valves

\$559



10 GALLON 5.5 HP GAS (HONDA) WHEELBARROW AIR COMPRESSOR

- KC-5510G1**
- 2 cylinder cast iron single stage oil lubricated pump
 - 150 PSI max pressure
 - 14.1 SCFM @ 40 PSI
 - 11.2 SCFM @ 90 PSI
 - High efficiency reed valves

HONDA GX160 Engine

\$999



ARCTIC FLEX

HYBRID POLYMER INDUSTRIAL AIR HOSES

K-2514H	25' x 1/4"	\$19.99
K-2538H	25' x 3/8"	\$24.99
K-5014H	50' x 1/4"	\$29.99
K-5038H	50' x 3/8"	\$39.99
K-10014H	100' x 1/4"	\$49.99
K-10038H	100' x 3/8"	\$59.99

All-Weather Flexibility (-40°C to 65°C)
300 PSI MAXIMUM PRESSURE

5 PEAK HP AIR COMPRESSOR

- 8498**
- Durable oil lubricated pump
 - A.S.M.E. 20 gallon tank
 - 7.4 SCFM @ 40 PSI
 - 5.7 SCFM @ 90 PSI
 - Air Pressure Regulator and easy to read Pressure Gauges



\$299.99

COMPRESSOR OIL BOTTLE (850ml) INCLUDED
with the purchase of # 8498
Sold separately
KW-077

\$6.99



STATIONARY 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

- KC-6160V1**
- 2 cylinder cast iron single stage oil lubricated pump
 - 150 PSI max pressure
 - 13.4 SCFM @ 40 PSI
 - 11.2 SCFM @ 90 PSI
 - High efficiency reed valves

\$749



HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

- KC-5160V1**
- 3 cylinder cast iron single stage oil lubricated pump
 - 150 PSI max pressure
 - 22.6 SCFM @ 40 PSI
 - 18.5 SCFM @ 100 PSI
 - High efficiency reed valves

\$1199



Powerful 3 HP (220V) "LEESON" motor

10" EXTREME CABINET SAWS WITH RIVING KNIFE BLADE GUARD SYSTEM

- 74 3/4" x 27" table size
- Magnetic safety switch
- 33 1/4" Extension table, 2 sturdy adjustable supporting legs for extension table (KC-26FXT/i50/5052 only)

KC-26FXT/i30/30

LEFT TILT 30" RIP

\$1599*

* After \$40.00 mail-in rebate
Sale price \$1639.00 Taxes payable on price before rebate



LEFT TILT

Powerful 3 HP (220V) "LEESON" motor

10" EXTREME CABINET SAWS WITH RIVING KNIFE BLADE GUARD SYSTEM INCLUDING ROUTER TABLE AND SLIDING TABLE ATTACHMENTS

KC-26FXT/i30/DELUXE

- Model KC-26FXT shown here with router table attachment model KRT-100 and sliding table attachment model KST-101
- These router table and sliding table attachments fits most table saws having a 27" deep table

KC-26FXT/i50/5052

LEFT TILT 50" RIP

\$1699*

* After \$40.00 mail-in rebate
Sale price \$1739.00 Taxes payable on price before rebate

* After \$40.00 mail-in rebate
Sale price \$2439.00 Taxes payable on price before rebate

\$2399*

TENONING JIG K-1501

Designed to fit cabinet saws and contractor saws



\$99.99

8" DADO BLADE SET KSC-8000

- Carbide-Tipped 24 tooth ATB-R Dado blades
- Cuts grooves from 1/8" to 13/16" wide
- 5/8" Arbor, 7,000 RPM max.
- Comes with 14 pc. Dado Shim Set



\$79.99

30" INDUSTRIAL RIP FENCE SYSTEMS KRF-i30



\$389

50" INDUSTRIAL RIP FENCE SYSTEMS KRF-i50



\$399



INDUSTRIAL ROUTER TABLE AND FENCE ATTACHMENT KRT-100

\$399

INDUSTRIAL SLIDING TABLE ATTACHMENT KST-101



\$599

CYCLONE DUST COLLECTORS

Superior dust collection and air filtration

KC-6200C

- Powerful 220V TEFC motor
- Max. air suction capacity: 1,450 CFM
- Noise level reading at 36": 76 Db
- Static pressure (inch of water): 10.5
- Steel drum capacity: 28 gallons
- Dust port opening: 2 x 4" / 1 x 6"
- Manual crank handle for easy cleaning

2 HP



INCLUDED Remote control with timer

\$1299.

KC-6300C

- Powerful 220V TEFC motor
- Max. air suction capacity: 2,111 CFM
- Noise level reading at 36": 78 Db
- Static pressure (inch of water): 11.2
- Steel drum capacity: 60 gallons
- Dust port opening: 3 x 4" / 1 x 8"
- Manual crank handle for easy cleaning

3 HP



INCLUDED Remote control with timer

\$1699.

Optional 6pc. heavy-duty bags kit



KDCB-62 (Fits: KC-6200C)
KDCB-63 (Fits: KC-6300C)
5 drum bags/
1 canister filter bag
\$19.99

6" x 48" BELT & 9" DISC SANDER



KC-760L

- Powerful 1 HP motor
- Heavy-duty cast-iron construction
- Two 2-1/2" dust chutes with 2-1/2" to 4" adaptor for dust collector hook-up
- Comes complete with miter gauge, 2-1/2" to 4" dust chute adaptor and sturdy enclosed cabinet stand

\$329.99

9" STICK-ON ADHESIVE DISCS

Model	Disc size	Grit	Units/Kits	Price
SD-9-K-60	9"	60	3	\$5.99
SD-9-K-80	9"	80	3	\$5.99
SD-9-K-100	9"	100	3	\$5.99
SD-9-K-120	9"	120	3	\$5.99

6" x 48" SANDING BELT KITS

Model	Belt Size	Grit	Units/Kits	Price
SB-648-K-60	6"x48"	60	2	\$9.99
SB-648-K-80	6"x48"	80	2	\$9.99
SB-648-K-100	6"x48"	100	2	\$9.99
SB-648-K-120	6"x48"	120	2	\$9.99