

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CL</b>		
03-01	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
99-97	All Eng. - 26.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
<b>INTEGRA</b>		
01-94	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
93-89	All Eng. - 34.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
88-86	All Eng. - 33.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
<b>LEGEND</b>		
95-94	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
93	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	59007
92-91	All Eng. - 27.00 Oz. R-12; 6.50 Oz. Mineral .....	59000
90-89	All Eng. - 30.00 Oz. R-12; 6.50 Oz. Mineral .....	59000
88-86	All Eng. - 33.00 Oz. R-12; 6.50 Oz. Mineral .....	59000
<b>MDX</b>		
08-07	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
06-02	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
01	All Eng. - 27.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
<b>NSX</b>		
05-97	All Eng. - 30.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
96-93	All Eng. - 30.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
92-91	All Eng. - 34.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
<b>RDX</b>		
08-07	All Eng. - 18.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	59007
<b>RL</b>		
10	6 Cyl. 3.7 Eng. ....	59007
09-06	All Eng. - 17.50 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
05	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
04	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
03-02	All Eng. - 25.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
01-96	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
<b>RSX</b>		
06	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
05-02	All Eng. - 18.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
<b>SLX</b>		
99-98	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
97-96	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
<b>TL</b>		
09-04	All Eng. - 19.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
03-99	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
98-95	All Eng. - 27.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
<b>TSX</b>		
09-07	All Eng. - 19.00 Oz. R-134a; 6.5 Oz. PAG-46 .....	59007
06-04	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
<b>VIGOR</b>		
94-92	All Eng. - 30.00 Oz. R-12; 7.00 Oz. Mineral .....	59000

## AMERICAN MOTORS

### Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>AMX</b>		
80	6 Cyl. 4.2 Eng. ....	59000
79	6 Cyl. 4.2 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
<b>CONCORD</b>		
83	6 Cyl. 4.2 Eng. ....	59000
82-80	4 Cyl. 2.5 Eng. ....	59000
	6 Cyl. 4.2 Eng. ....	59000
<b>SPIRIT</b>		
83	6 Cyl. 4.2 Eng. ....	59000
82-80	4 Cyl. 2.5 Eng. ....	59000

Continued on Next Page

# AMERICAN MOTORS

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>SPIRIT (Cont'd)</b>		
82-80	6 Cyl. 4.2 Eng. ....	<b>59000</b>
79	4 Cyl. 2.0 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	6 Cyl. 4.2 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
<b>EAGLE</b>		
88-85	6 Cyl. 4.2 Eng. ....	<b>59000</b>
84	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 4.2 Eng. ....	<b>59000</b>
83	4 Cyl. 2.5 Eng. ....	<b>59000</b>
82-81	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 4.2 Eng. ....	<b>59000</b>
80	6 Cyl. 4.2 Eng. ....	<b>59000</b>

# AUDI

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>100 SERIES</b>		
94	All Eng. - 26.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 26.50 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	All Eng. - 26.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
92-89	All Eng. - 38.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>
<b>200 SERIES</b>		
91-89	All Eng. - 38.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>
<b>5000 SERIES</b>		
88-87	5 Cyl. 2.2 Eng. ....	<b>59000</b>
	5 Cyl. 2.3 Eng. ....	<b>59000</b>
86-84	5 Cyl. 2.2 Eng. ....	<b>59000</b>
<b>80 SERIES</b>		
92-88	All Eng. - 37.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>
<b>90 SERIES</b>		
95-93	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
91-88	All Eng. - 37.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>
<b>A3 SERIES</b>		
07	6 Cyl. 3.2 Eng. ....	<b>59007</b>
06	4 Cyl. 2.0 Eng. ....	<b>59007</b>
	6 Cyl. 3.2 Eng. ....	<b>59007</b>
<b>A4 SERIES</b>		
08-06	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
05	All Eng. - 20.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
04-02	All Eng. - 17.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
01-00	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
99-96	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
<b>A6 SERIES</b>		
07-06	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
05	All Eng. - 24.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	<b>59007</b>
04-03	All Eng. - 30.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	<b>59007</b>
02-01	All Eng. - 24.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
00-98	All Eng. - 28.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
97-96	All Eng. - 21.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
95	All Eng. - 26.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
<b>A8 SERIES</b>		
06	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
05	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
04	All Eng. - 21.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
03-00	All Eng. - 25.00 Oz. R-134a; 8.50 Oz. PAG-46 w/o Restrictor .....	<b>59007</b>
	All Eng. - 29.00 Oz. R-134a; 8.50 Oz. PAG-46 w/ Yellow Restrictor .....	<b>59007</b>
99	All Eng. - 21.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
98-97	All Eng. - 21.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>

Continued on Next Page

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>ALLROAD QUATTRO</b>		
05	All Eng. - 23.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
04-03	All Eng. - 30.00 Oz. R-134a; 9.25 Oz. PAG-46 .....	<b>59007</b>
02-01	All Eng. - 24.50 Oz. R-134a; 9.25 Oz. PAG-46 .....	<b>59007</b>
<b>CABRIOLET</b>		
05-03	All Eng. - 19.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
98-94	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
<b>COUPE QUATTRO</b>		
91-90	All Eng. - 37.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>
<b>RS4</b>		
07	All Eng. - 16.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
<b>RS6</b>		
04-03	8 Cyl. 4.2 Eng. ....	<b>59007</b>
<b>S SERIES</b>		
04-01	All Eng. - 26.00 Oz. R-134a; 9.00 Oz. PAG-46 w/ Zexel Compressor .....	<b>59007</b>
	All Eng. - 30.00 Oz. R-134a; 10.00 Oz. PAG-46 w/ Denso Compressor .....	<b>59007</b>
96-94	All Eng. - 26.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 26.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
	All Eng. - w/ R12 .....	<b>59000</b>
92	All Eng. - 38.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>
<b>TT SERIES</b>		
06-02	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
01-00	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
<b>V8 QUATTRO</b>		
94-93	All Eng. - 30.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
92-90	All Eng. - 39.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>533 SERIES</b>		
84-83	6 Cyl. 3.2 Eng. ....	<b>59000</b>
<b>633 SERIES</b>		
82-78	6 Cyl. 3.2 Eng. ....	<b>59000</b>
<b>733 SERIES</b>		
84-78	6 Cyl. 3.2 Eng. ....	<b>59000</b>
<b>318 SERIES</b>		
99-93	All Eng. - 29.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser .....	<b>59002</b>
	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser .....	<b>59002</b>
92-91	All Eng. - 42.50 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	<b>59000</b>
	All Eng. - 42.50 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	<b>59000</b>
85-84	4 Cyl. 1.8 Eng. ....	<b>59000</b>
<b>323 SERIES</b>		
00	All Eng. - 29.50 Oz. R-134a; 5.50 Oz. PAG-100; From 9/98 .....	<b>59002</b>
99-98	All Eng. - 29.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser .....	<b>59002</b>
	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser .....	<b>59002</b>
<b>325 SERIES</b>		
06-01	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
95-94	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
93	All Eng. - 36.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
92-91	All Eng. - 42.00 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	<b>59000</b>
	All Eng. - 42.50 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	<b>59000</b>
90-89	All Eng. - 34.50 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	<b>59000</b>
	All Eng. - 34.50 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	<b>59000</b>
88-86	All Eng. - 33.50 Oz. R-12; 5.75 Oz. Mineral .....	<b>59000</b>
85	6 Cyl. 2.7 Eng. ....	<b>59000</b>
<b>328 SERIES</b>		
00-96	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>

Continued on Next Page



## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>330 SERIES</b>		
06	6 Cyl. 3.0 Eng. ....	<b>59007</b>
05-01	6 Cyl. 3.0 Eng. ....	<b>59002</b>
<b>525 SERIES</b>		
06-04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
03-01	All Eng. - 27.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
95-94	All Eng. - 51.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser .....	<b>59002</b>
	All Eng. - 53.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser .....	<b>59002</b>
93	All Eng. - 51.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser .....	<b>59002</b>
	All Eng. - 53.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser .....	<b>59002</b>
	6 Cyl. 2.5 Eng. - w/ R12 .....	<b>59000</b>
92-89	All Eng. - 68.00 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	<b>59000</b>
	All Eng. - 68.00 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	<b>59000</b>
<b>528 SERIES</b>		
00	All Eng. - 43.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
99	All Eng. - 44.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
98-97	All Eng. - 43.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
82	6 Cyl. 2.7 Eng. ....	<b>59000</b>
81-79	6 Cyl. 2.8 Eng. ....	<b>59000</b>
<b>530 SERIES</b>		
06-04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
03-01	6 Cyl. 3.0 Eng. ....	<b>59002</b>
95-94	All Eng. - 51.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser .....	<b>59002</b>
	All Eng. - 53.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser .....	<b>59002</b>
<b>535 SERIES</b>		
93	All Eng. - 51.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser .....	<b>59002</b>
	All Eng. - 53.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser .....	<b>59002</b>
92-89	All Eng. - 68.00 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	<b>59000</b>
	All Eng. - 68.00 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	<b>59000</b>
<b>540 SERIES</b>		
03-01	All Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
00-99	All Eng. - 44.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
98-97	All Eng. - 43.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
95-94	All Eng. - 51.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser .....	<b>59002</b>
	All Eng. - 53.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser .....	<b>59002</b>
<b>545 SERIES</b>		
05-04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
<b>635 SERIES</b>		
89	All Eng.; w/o Rear AC - 39.00 Oz. R-12; 5.75 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 63.50 Oz. R-12; 5.75 Oz. Mineral .....	<b>59000</b>
<b>735 SERIES</b>		
92	All Eng.; w/o Rear AC 4/92-12/92 - 55.00 Oz. R-134a; 5.50 Oz. PAG-100; w/ Denso Compressor .....	<b>59002</b>
	All Eng.; w/o Rear AC 4/92-12/92 - 55.00 Oz. R-134a; 6.00 Oz. PAG-100; w/ Seiko Seiki Compressor .....	<b>59002</b>
	All Eng.; w/ Rear AC 4/92-12/92 - 60.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
	All Eng.; w/o Rear AC To 3/92 - 68.00 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	<b>59000</b>
	All Eng.; w/o Rear AC To 3/92 - 68.00 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	<b>59000</b>
	All Eng.; w/ Rear AC To 3/92 - 73.00 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	<b>59000</b>
	All Eng.; w/ Rear AC To 3/92 - 73.00 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	<b>59000</b>
	6 Cyl. 3.5 Eng. - w/ R12 .....	<b>59000</b>
91-89	All Eng.; w/o Rear AC - 68.00 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	<b>59000</b>
	All Eng.; w/o Rear AC - 68.00 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	<b>59000</b>
	All Eng.; w/ Rear AC - 73.00 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	<b>59000</b>
	All Eng.; w/ Rear AC - 73.00 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	<b>59000</b>
88-85	6 Cyl. 3.5 Eng. ....	<b>59000</b>
<b>740 SERIES</b>		
01	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-100 .....	<b>59002</b>
00-99	All Eng. - 55.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
98-95	All Eng. - 42.50 Oz. R-134a; 5.50 Oz. PAG-100; w/ Denso Compressor .....	<b>59002</b>
	All Eng. - 42.50 Oz. R-134a; 6.00 Oz. PAG-100; w/ Seiko Seiki Compressor .....	<b>59002</b>
94-93	All Eng.; w/o Rear AC - 55.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
	All Eng.; w/ Rear AC - 60.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
<b>745 SERIES</b>		
05-04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
03-02	8 Cyl. 4.4 Eng. ....	<b>59002</b>

Continued on Next Page

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>750 SERIES</b>		
01	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-100 .....	59002
00-99	All Eng. - 43.00 Oz. R-134a; 6.50 Oz. PAG-100 .....	59002
98-95	All Eng.; w/o Rear AC - 42.50 Oz. R-134a; 5.50 Oz. PAG-100; w/ Denso Compressor .....	59002
	All Eng.; w/ Rear AC - 42.50 Oz. R-134a; 6.00 Oz. PAG-100 .....	59002
	All Eng.; w/o Rear AC - 42.50 Oz. R-134a; 6.00 Oz. PAG-100; w/ Seiko Seiki Compressor .....	59002
94-93	All Eng.; w/o Rear AC - 55.00 Oz. R-134a; 5.50 Oz. PAG-100; w/ Denso Compressor .....	59002
	All Eng.; w/o Rear AC - 55.00 Oz. R-134a; 6.00 Oz. PAG-100; w/ Seiko Seiki Compressor .....	59002
	All Eng.; w/ Rear AC - 60.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	59002
91-89	All Eng.; w/o Rear AC - 68.00 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	59000
	All Eng.; w/o Rear AC - 68.00 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	59000
	All Eng.; w/ Rear AC - 73.00 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	59000
	All Eng.; w/ Rear AC - 73.00 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	59000
<b>760 SERIES</b>		
06-04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	59007
<b>840 SERIES</b>		
97-94	All Eng. - 55.00 Oz. R-134a; 5.50 Oz. PAG-100; w/ Denso Compressor .....	59002
	All Eng. - 55.00 Oz. R-134a; 6.00 Oz. PAG-100; w/ Seiko Seiki Compressor .....	59002
<b>850 SERIES</b>		
97-93	All Eng. - 55.00 Oz. R-134a; 5.50 Oz. PAG-100; w/ Denso Compressor .....	59002
	All Eng. - 55.00 Oz. R-134a; 6.00 Oz. PAG-100; w/ Seiko Seiki Compressor .....	59002
92-91	All Eng. - 68.00 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	59000
	All Eng. - 68.00 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	59000
<b>L SERIES</b>		
87-86	6 Cyl. 3.5 Eng. ....	59000
<b>M SERIES</b>		
06-04	6 Cyl. 3.2 Eng. ....	59002
03-01	6 Cyl. 3.2 Eng. ....	59002
	8 Cyl. 5.0 Eng. ....	59002
00	8 Cyl. 5.0 Eng. ....	59002
99-95	All Eng. - 29.00 Oz. R-134a; 5.00 Oz. PAG-100; Flat Tube Condenser .....	59002
	All Eng. - 36.00 Oz. R-134a; 5.00 Oz. PAG-100; Round Tube Condenser .....	59002
93	All Eng. - 51.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser .....	59002
	All Eng. - 53.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser .....	59002
	All Eng. - w/ R12 .....	59000
92	All Eng. - 53.00 Oz. R-12; 6.75 Oz. Mineral .....	59000
91	4 Cyl. - 31.00 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	59000
	4 Cyl. - 31.00 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	59000
	6 Cyl. - 53.00 Oz. R-12; 6.75 Oz. Mineral .....	59000
90-89	All Eng. - 31.00 Oz. R-12; 10.00 Oz. Mineral; w/ Bosch Compressor .....	59000
	All Eng. - 31.00 Oz. R-12; 6.75 Oz. Mineral; w/ Behr Compressor .....	59000
88	4 Cyl. 2.3 Eng. ....	59000
<b>X SERIES</b>		
06	6 Cyl. 3.0 Eng. ....	59002
	8 Cyl. 4.4 Eng. ....	59002
	8 Cyl. 4.8 Eng. ....	59002
05-04	All Eng. - 27.00 Oz. R-134a; .....	59002
03-02	6 Cyl. 3.0 Eng. ....	59002
	8 Cyl. 4.4 Eng. ....	59002
	8 Cyl. 4.6 Eng. ....	59002
01	X5 - 16.00 Oz. R-134a; PAG-100 .....	59002
00	8 Cyl. 4.4 Eng. ....	59002
<b>Z SERIES</b>		
07-06	6 Cyl. 3.0 Eng. ....	59002
05-04	6 Cyl. 2.5 Eng. ....	59002
	6 Cyl. 3.0 Eng. ....	59002
03	All Eng. - 26.00 Oz. R-134a; .....	59002
02	6 Cyl. 2.5 Eng. ....	59002
	6 Cyl. 3.0 Eng. ....	59002
	6 Cyl. 3.2 Eng. ....	59002
01	Z8 - 26.00 Oz. R-134a; .....	59002
	6 Cyl. 2.5 Eng. ....	59002
	6 Cyl. 3.0 Eng. ....	59002
	6 Cyl. 3.2 Eng. ....	59002

Continued on Next Page

# BMW

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>Z SERIES (Cont'd)</b>		
00	Z8 - 26.00 Oz. R-134a; .....	<b>59002</b>
	Z3 - 29.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser .....	<b>59002</b>
	Z3 - 36.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser .....	<b>59002</b>
99	Z3 - 29.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser .....	<b>59002</b>
	Z3 - 36.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser .....	<b>59002</b>
98	4 Cyl. 1.9 Eng. ....	<b>59002</b>
	6 Cyl. 2.8 Eng. ....	<b>59002</b>
	6 Cyl. 3.2 Eng. ....	<b>59002</b>
97	4 Cyl. 1.9 Eng. ....	<b>59002</b>
	6 Cyl. 2.8 Eng. ....	<b>59002</b>
96	4 Cyl. 1.9 Eng. ....	<b>59002</b>

# BUICK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>APOLLO</b>		
73	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
<b>ALLURE</b>		
07-05	6 Cyl. 3.6 Eng. ....	<b>59007</b>
	6 Cyl. 3.8 Eng. ....	<b>59007</b>
<b>CENTURY SEDAN / COUPE</b>		
05	All Eng. - 38.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
04-03	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
02-97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
96-94	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
92	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
91-85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
84	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
	6 Cyl. 3.0 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>
83-82	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
	6 Cyl. 3.0 Eng. ....	<b>59000</b>
<b>ELECTRA SEDAN / COUPE</b>		
90-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
88	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
87-86	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
85	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
84	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
72-70	8 Cyl. 7.5 Eng. ....	<b>59000</b>
69-67	8 Cyl. 7.0 Eng. ....	<b>59000</b>
66-64	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.0 Eng. ....	<b>59000</b>
63	8 Cyl. 6.6 Eng. ....	<b>59000</b>
<b>ENCLAVE</b>		
09-08	All Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
<b>ESTATE WAGON</b>		
96-94	8 Cyl. 5.7 Eng. ....	<b>59003</b>
93-92	8 Cyl. 5.7 Eng. ....	<b>59000</b>
91-90	8 Cyl. 5.0 Eng. ....	<b>59000</b>
89	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
88-86	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>ESTATE WAGON (Cont'd)</b>		
88-86	8 Cyl. 5.0 Eng. ....	59000
85	4 Cyl. 2.5 Eng. ....	59000
	6 Cyl. 2.8 Eng. ....	59000
	6 Cyl. 3.0 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
84	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
72	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
71	8 Cyl. 7.5 Eng. ....	59000
70	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
<b>LACROSSE</b>		
09-06	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
05	All Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	59007
<b>LESABRE SEDAN / COUPE</b>		
05	All Eng. - 38.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
04-03	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
02-98	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
97-96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
95-94	All Eng. - 39.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
93-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral .....	59000
88	All Eng. - 53.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
87-86	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
85	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
84	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
72-70	8 Cyl. 7.5 Eng. ....	59000
64-63	8 Cyl. 6.6 Eng. ....	59000
<b>LUCERNE</b>		
08-06	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
<b>PARK AVENUE</b>		
05	All Eng. - 38.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
04-00	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
99-97	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
95-94	All Eng. - 39.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
93-92	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral .....	59000
91	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
<b>RAINIER</b>		
07-05	All Eng.; w/o Rear AC - 30.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 42.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
04	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
<b>REATA</b>		
91-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral .....	59000
88	6 Cyl. 3.8 Eng. ....	59000
<b>REGAL SEDAN / COUPE</b>		
04-97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
96-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
93-88	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
87-85	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
84	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
74-73	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
<b>RENDEZVOUS</b>		
07-02	All Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007

Continued on Next Page

# BUICK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>RIVIERA</b>		
99-97	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
96-95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
93-89	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
88-86	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
85	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
84	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
71-70	8 Cyl. 7.5 Eng. ....	59000
69-66	8 Cyl. 7.0 Eng. ....	59000
65	8 Cyl. 6.6 Eng. ....	59000
	8 Cyl. 7.0 Eng. ....	59000
<b>ROADMASTER</b>		
96-94	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
93-91	All Eng. - 50.00 Oz. R-12; 6.00 Oz. Mineral .....	59000
<b>SKYHAWK</b>		
89	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
88-87	4 Cyl. 2.0 Eng. ....	59000
86-85	4 Cyl. 1.8 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
<b>SKYLARK</b>		
98-95	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
94	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
93	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
92	All Eng. - 42.50 Oz. R-12; 8.00 Oz. Mineral .....	59000
91-89	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
88	4 Cyl. 2.3 Eng. ....	59000
	4 Cyl. 2.5 Eng. ....	59000
	6 Cyl. 3.0 Eng. ....	59000
87-86	4 Cyl. 2.5 Eng. ....	59000
	6 Cyl. 3.0 Eng. ....	59000
85-82	4 Cyl. 2.5 Eng. ....	59000
	6 Cyl. 2.8 Eng. ....	59000
<b>SOMERSET</b>		
87-85	4 Cyl. 2.5 Eng. ....	59000
	6 Cyl. 3.0 Eng. ....	59000
<b>TERRAZA</b>		
07	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 7.25 Oz. PAG-46 .....	59007
06-05	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	59007

# CADILLAC

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CALAIS</b>		
73-68	8 Cyl. 7.7 Eng. ....	59000
67-65	8 Cyl. 7.0 Eng. ....	59000
<b>ALLANTE</b>		
93-87	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
<b>CATERA</b>		
01-99	All Eng. - 41.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
98-97	All Eng. - 41.50 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
<b>CIMARRON</b>		
88-86	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
85	4 Cyl. 2.0 Eng. ....	59000
	6 Cyl. 2.8 Eng. ....	59000
84-83	4 Cyl. 2.0 Eng. ....	59000
82	4 Cyl. 1.8 Eng. ....	59000

Continued on Next Page



## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CONCOURS</b>		
99-96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
95-94	All Eng. - 39.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
<b>CTS</b>		
09-08	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
07-03	All Eng. - 21.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	<b>59007</b>
<b>DEVILLE</b>		
05-02	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
01-00	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
99-98	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
97-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93-91	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
88	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
87-85	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
73-68	8 Cyl. 7.7 Eng. ....	<b>59000</b>
67-64	8 Cyl. 7.0 Eng. ....	<b>59000</b>
63	8 Cyl. 6.4 Eng. ....	<b>59000</b>
<b>DTS</b>		
09-06	All Eng. - 23.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	<b>59007</b>
<b>ELDORADO</b>		
02-98	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
97-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93-91	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
88-86	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
85	All Eng. - 56.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
84	8 Cyl. 4.1 Eng. ....	<b>59000</b>
73-70	8 Cyl. 8.2 Eng. ....	<b>59000</b>
69-68	8 Cyl. 7.7 Eng. ....	<b>59000</b>
67-65	8 Cyl. 7.0 Eng. ....	<b>59000</b>
<b>ESCALADE</b>		
09	40.00 Oz R-134a; 11.0 Oz Pag 46 .....	<b>59007</b>
	All Eng.; w/o Rear AC - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
08-07	40.00 Oz R-134a; 11.0 Oz Pag 46 .....	<b>59007</b>
	ExT - 25.50 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/o Rear AC - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	Base Model; w/ Rear AC - 40.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	<b>59007</b>
	Esv; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	<b>59007</b>
06-03	ExT - 25.50 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
	Base Model; w/ Rear AC - 43.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	<b>59007</b>
	Esv; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	<b>59007</b>
02	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 42.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	<b>59007</b>
00-99	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ HT6 Compressor .....	<b>59003</b>
	All Eng.; w/ Rear AC - 64.00 Oz. R-134a; 11.00 Oz. PAG-150; w/ HT6 Compressor .....	<b>59003</b>
<b>FLEETWOOD / BROUGHAM</b>		
96-94	All Eng.; RWD - 28.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93	All Eng.; RWD - 50.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
92-91	FLEETWOOD; FWD - 39.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	BROUGHAM - 49.50 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
90-87	FLEETWOOD; FWD - 46.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	BROUGHAM - 56.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
86	FLEETWOOD; FWD - 46.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	BROUGHAM - 56.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
85	BROUGHAM - 56.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
73-68	8 Cyl. 7.7 Eng. ....	<b>59000</b>
67-65	8 Cyl. 7.0 Eng. ....	<b>59000</b>
<b>SEVILLE</b>		
04-01	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-46; Mitsubishi Compressor .....	<b>59007</b>
00-99	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46; Mitsubishi Compressor .....	<b>59007</b>
98	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150; HD6 Compressor .....	<b>59003</b>
	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46; Mitsubishi Compressor .....	<b>59007</b>
97-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>

Continued on Next Page

# CADILLAC

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>SEVILLE (Cont'd)</b>		
93-91	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
88	8 Cyl. 4.5 Eng. ....	<b>59000</b>
87-86	8 Cyl. 4.1 Eng. ....	<b>59000</b>
85	8 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
84	8 Cyl. 4.1 Eng. ....	<b>59000</b>
<b>SRX</b>		
09	6 Cyl. 3.6 Eng. ....	<b>59007</b>
	8 Cyl. 4.6 Eng. ....	<b>59007</b>
08-04	All Eng.; w/o Rear AC - 20.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
<b>STS</b>		
08	6 Cyl. 3.6 Eng. ....	<b>59007</b>
	8 Cyl. 4.6 Eng. ....	<b>59007</b>
07	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
06-05	6 Cyl. 3.6 Eng. ....	<b>59007</b>
	8 Cyl. 4.6 Eng. ....	<b>59007</b>
<b>XLR</b>		
07-06	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
05-04	All Eng. - 22.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>

# CHEVROLET

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CHEVELLE</b>		
73	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 7.4 Eng. ....	<b>59000</b>
72-71	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.4 Eng. ....	<b>59000</b>
70	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.5 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.4 Eng. ....	<b>59000</b>
69	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.5 Eng. ....	<b>59000</b>
68	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.4 Eng. ....	<b>59000</b>
	8 Cyl. 6.5 Eng. ....	<b>59000</b>
67	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 4.6 Eng. ....	<b>59000</b>
	8 Cyl. 5.4 Eng. ....	<b>59000</b>
	8 Cyl. 6.5 Eng. ....	<b>59000</b>
66-65	6 Cyl. 3.2 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	8 Cyl. 4.6 Eng. ....	<b>59000</b>

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CHEVELLE (Cont'd)</b>		
66-65	8 Cyl. 5.4 Eng. ....	59000
	8 Cyl. 6.5 Eng. ....	59000
<b>CHEVY II</b>		
67	6 Cyl. 4.1 Eng. ....	59000
66-64	6 Cyl. 3.2 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
63-62	6 Cyl. 3.2 Eng. ....	59000
<b>AVEO</b>		
08	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
07-06	All Eng. - 21.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	59007
05	All Eng. - 24.00 Oz. R-134a; 8.00 Oz. PAG-46 w/ Harrison V5 .....	59007
04	All Eng. - 24.00 Oz. R-134a; 8.00 Oz. PAG-46 w/ Harrison V5 .....	59007
	All Eng. - 35.00 Oz. R-134a; 8.75 Oz. PAG-46 w/ Mitsubishi Compressor .....	59007
<b>BERETTA</b>		
96-94	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
93-92	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	4 Cyl. 2.2 Eng. ....	59003
	4 Cyl. 2.3 Eng. ....	59003
	6 Cyl. 3.1 Eng. ....	59003
91	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
90-88	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
87	4 Cyl. 2.0 Eng. ....	59000
	6 Cyl. 2.8 Eng. ....	59000
<b>CAMARO</b>		
02-98	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
97	6 Cyl. 3.8 Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	8 Cyl. 5.7 Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	6 Cyl. 3.8 Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
96	8 Cyl. 5.7 Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
95-94	All Eng. - 32.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
93	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
92-89	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
88	6 Cyl. 2.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
87-85	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
84-82	4 Cyl. 2.5 Eng. ....	59000
	6 Cyl. 2.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
73	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
72-71	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
70	8 Cyl. 6.6 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.5 Eng. ....	59000
69	8 Cyl. 6.6 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.4 Eng. ....	59000
68-67	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.5 Eng. ....	59000
	8 Cyl. 7.0 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.4 Eng. ....	59000

Continued on Next Page

# CHEVROLET

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CAMARO (Cont'd)</b>		
68-67	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.5 Eng. ....	<b>59000</b>
<b>CAPRICE</b>		
96-94	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93-91	All Eng. - 50.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
88-85	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
84	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
72-70	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.4 Eng. ....	<b>59000</b>
69	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.4 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.5 Eng. ....	<b>59000</b>
68	8 Cyl. 7.0 Eng. ....	<b>59000</b>
	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.4 Eng. ....	<b>59000</b>
67	8 Cyl. 6.5 Eng. ....	<b>59000</b>
	8 Cyl. 7.0 Eng. ....	<b>59000</b>
	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 4.6 Eng. ....	<b>59000</b>
66	8 Cyl. 5.4 Eng. ....	<b>59000</b>
	8 Cyl. 6.5 Eng. ....	<b>59000</b>
	8 Cyl. 7.0 Eng. ....	<b>59000</b>
	8 Cyl. 7.0 Eng. ....	<b>59000</b>
<b>CAVALIER</b>		
05-03 02	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
	4 Cyl. 2.2 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46; w/ CVC6 Compressor .....	<b>59007</b>
	4 Cyl. 2.2 Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150; w/ V5 Compressor .....	<b>59003</b>
01-95 94	4 Cyl. 2.4 Eng. - 21.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93-86 85	4 Cyl. 2.2 Eng. ....	<b>59000</b>
	6 Cyl. 3.1 Eng. ....	<b>59000</b>
	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
84-83	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
	4 Cyl. 2.0 Eng. ....	<b>59000</b>
<b>CELEBRITY</b>		
90-85 84-82	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
<b>CITATION</b>		
85-82	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
<b>CLASSIC</b>		
05-04	4 Cyl. 2.2 Eng. ....	<b>59007</b>
<b>COBALT</b>		
08-06	All Eng. - 14.50 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
<b>CORSICA</b>		
96-94 93-92	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
91	4 Cyl. 2.2 Eng. ....	<b>59003</b>
	6 Cyl. 3.1 Eng. ....	<b>59003</b>
90-88 87	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	4 Cyl. 2.0 Eng. ....	<b>59000</b>

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CORSICA (Cont'd)</b>		
87	6 Cyl. 2.8 Eng. ....	59000
<b>CORVETTE</b>		
08-06	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
05	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-150 .....	59003
04-02	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
01-00	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
99-97	All Eng. - 26.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
96-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
93-90	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
89-88	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
87-85	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
84-69	8 Cyl. 5.7 Eng. ....	59000
68-66	8 Cyl. 5.4 Eng. ....	59000
65	8 Cyl. 5.4 Eng. ....	59000
	8 Cyl. 6.5 Eng. ....	59000
<b>EL CAMINO</b>		
87-85	6 Cyl. 4.3 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
84	6 Cyl. 3.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
73	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
72-70	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
69	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.5 Eng. ....	59000
68	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.4 Eng. ....	59000
67-65	6 Cyl. 3.8 Eng. ....	59000
	8 Cyl. 4.6 Eng. ....	59000
	8 Cyl. 5.4 Eng. ....	59000
<b>IMPALA</b>		
08	6 Cyl. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
	8 Cyl. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
07-06	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
05-04	All Eng. - 37.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
03-00	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
85	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.3 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
84-83	6 Cyl. 3.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
82-80	6 Cyl. 3.8 Eng. ....	59000
	8 Cyl. 4.4 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
79-77	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
76-73	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
67-66	6 Cyl. 4.1 Eng. ....	59000

Continued on Next Page

# CHEVROLET

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>IMPALA (Cont'd)</b>		
67-66	8 Cyl. 4.6 Eng. ....	59000
	8 Cyl. 5.4 Eng. ....	59000
	8 Cyl. 6.5 Eng. ....	59000
	8 Cyl. 7.0 Eng. ....	59000
<b>IMPALA SS</b>		
96-94	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
<b>LUMINA</b>		
01-98	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
96-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
93	All Eng. - 36.00 Oz. R-12; 9.00 Oz. Mineral .....	59000
92-90	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
<b>LUMINA APV</b>		
96-94	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	59003
93	All Eng.; w/o Rear AC - 42.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	59003
	6 Cyl. 3.1 Eng. - w/ R12 .....	59000
92	6 Cyl. 3.8 Eng. - w/ R12 .....	59000
	All Eng.; w/o Rear AC - 51.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
91	All Eng.; w/ Rear AC - 67.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng.; w/o Rear AC - 51.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
90	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
<b>MALIBU / MALIBU MAXX</b>		
08-04	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
03-02	All Eng. - 22.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
01-97	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
73	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
67	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 4.6 Eng. ....	59000
	8 Cyl. 5.4 Eng. ....	59000
	8 Cyl. 6.5 Eng. ....	59000
<b>METRO</b>		
01	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-150 .....	59003
00	3 Cyl. 1.0 Eng. ....	59002
	4 Cyl. 1.3 Eng. ....	59002
99-98	All Eng. - 21.00 Oz. R-134a; 3.50 Oz. PAG-150 .....	59003
<b>MONTE CARLO</b>		
07-06	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
05-04	All Eng. - 37.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
03-98	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
96-95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
88	6 Cyl. 4.3 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
87-86	All Eng. - 56.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
85	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
73-70	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
<b>NOVA</b>		
88-87	All Eng. - 26.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
86	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
73-67	6 Cyl. 4.1 Eng. ....	59000
66-64	6 Cyl. 3.2 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
63-62	6 Cyl. 3.2 Eng. ....	59000

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>PRIZM</b>	
02-98	All Eng. - 26.50 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
	<b>SPRINT</b>	
88-85	3 Cyl. 1.0 Eng. ....	<b>59000</b>
	<b>VENTURE</b>	
05-01	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
00-97	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	<b>59003</b>

## CHEVROLET LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>ASTRO</b>	
05-94	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	<b>59003</b>
93-92	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>
91-90	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>
89	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>
88-85	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 48.00 Oz. R-12; 9.00 Oz. Mineral .....	<b>59000</b>
	<b>AVALANCHE</b>	
09	8 Cyl. 5.3 Eng. ....	<b>59007</b>
	8 Cyl. 6.0 Eng. ....	<b>59007</b>
08-03	All Eng. - 25.50 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
02	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
	<b>COLORADO</b>	
08-06	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
05-04	All Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
	<b>EQUINOX</b>	
09	6 Cyl. 3.4 Eng. ....	<b>59007</b>
08-05	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	<b>FULLSIZE PICKUP</b>	
09	6 Cyl. 4.3 Eng. ....	<b>59007</b>
	8 Cyl. 6.6 Eng. ....	<b>59007</b>
08-03	All Eng. - 25.50 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
02-00	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46; w/ Denso Compressor .....	<b>59007</b>
	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ HT6 Compressor .....	<b>59003</b>
99-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150; Standard Cab .....	<b>59003</b>
	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150; Crew Cab .....	<b>59003</b>
93	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral; w/ R12; Standard Cab .....	<b>59000</b>
	All Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ R134a; Standard Cab .....	<b>59003</b>
	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral; w/ R12; Crew Cab .....	<b>59000</b>
	All Eng. - 48.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ R134a; Crew Cab .....	<b>59003</b>
92	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
91-90	C,K - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	R,V - 52.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
89	C,K - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	R,V - 52.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
88	C,K - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	R, V - 52.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
87	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
86-85	All Eng. - 44.00 Oz. R-12; 10.00 Oz. Mineral; w/ A6 Compressor .....	<b>59000</b>
	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral; w/ R4 Compressor .....	<b>59000</b>
84	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	6 Cyl. 4.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>

Continued on Next Page

# CHEVROLET LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>FULLSIZE PICKUP (Cont'd)</b>		
84	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.2 Eng. ....	59000
72-70	8 Cyl. 7.4 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
69	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	6 Cyl. 4.8 Eng. ....	59000
68	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.5 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	6 Cyl. 4.8 Eng. ....	59000
67	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.4 Eng. ....	59000
	8 Cyl. 6.5 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
66	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 4.6 Eng. ....	59000
	8 Cyl. 5.4 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
65	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 4.6 Eng. ....	59000
	8 Cyl. 5.4 Eng. ....	59000
	8 Cyl. 6.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.7 Eng. ....	59000
<b>G SERIES FULLSIZE VAN / EXPRESS</b>		
09-07	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
06	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
05-03	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
02	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	59003
01-00	All Eng.; w/o Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng.; w/ Rear AC - 72.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	59003
99-97	All Eng.; w/o Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng.; w/ Rear AC - 78.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	59003
96	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng.; w/ Rear AC - 78.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	59003
95-94	All Eng.; w/o Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng.; w/ Rear AC - 68.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	59003
93	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 11.00 Oz. Mineral .....	59000
92	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral .....	59000
91-89	6 Cyl. 4.3 Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral; w/ R4 Compressor .....	59000
	6 Cyl. 4.3 Eng.; w/ Rear AC - 72.00 Oz. R-12; 9.00 Oz. Mineral; w/ R4 Compressor .....	59000
	8 Cyl. 5.0 Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral; w/ R4 Compressor .....	59000
	8 Cyl. 5.0 Eng.; w/ Rear AC - 72.00 Oz. R-12; 9.00 Oz. Mineral; w/ R4 Compressor .....	59000
	8 Cyl. 5.7 Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral; w/ R4 Compressor .....	59000
	8 Cyl. 5.7 Eng.; w/ Rear AC - 72.00 Oz. R-12; 9.00 Oz. Mineral; w/ R4 Compressor .....	59000
	8 Cyl. 6.2 Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral; w/ HR6/DA6 Compressor .....	59000

Continued on Next Page



# CHEVROLET LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>G SERIES FULLSIZE VAN / EXPRESS (Cont'd)</b>		
91-89	8 Cyl. 6.2 Eng.; w/o Rear AC - 56.00 Oz. R-12; 10.00 Oz. Mineral; w/ A6 Compressor .....	59000
	8 Cyl. 6.2 Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral; w/ HR6/DA6 Compressor .....	59000
	8 Cyl. 6.2 Eng.; w/ Rear AC - 72.00 Oz. R-12; 13.00 Oz. Mineral; w/ A6 Compressor .....	59000
	8 Cyl. 7.4 Eng.; w/o Rear AC - 46.00 Oz. R-12; 10.00 Oz. Mineral; w/ A6 Compressor .....	59000
	8 Cyl. 7.4 Eng.; w/o Rear AC - 46.00 Oz. R-12; 8.00 Oz. Mineral; w/ R4 Compressor .....	59000
	8 Cyl. 7.4 Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral; w/ HR6/DA6 Compressor .....	59000
	8 Cyl. 7.4 Eng.; w/ Rear AC - 64.00 Oz. R-12; 13.00 Oz. Mineral; w/ A6 Compressor .....	59000
	8 Cyl. 7.4 Eng.; w/ Rear AC - 64.00 Oz. R-12; 9.00 Oz. Mineral; w/ R4 Compressor .....	59000
88	8 Cyl. 7.4 Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral; w/ HR6/DA6 Compressor .....	59000
	All Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
87-85	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral .....	59000
	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
84-83	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral .....	59000
	6 Cyl. 4.1 Eng. ....	59000
82-81	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.2 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
80-77	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
76-75	8 Cyl. 6.6 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
74	8 Cyl. 6.6 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	6 Cyl. 4.8 Eng. ....	59000
73	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	6 Cyl. 4.8 Eng. ....	59000
71	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
70	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
69-68	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
67	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
10-06	<b>HHR</b> All Eng. - 15.00 Oz. R-134a; 4.00 Oz. PAG 46 .....	59007
<b>P SERIES VAN</b>		
99-96	6 Cyl. 4.3 Eng. ....	59003
	8 Cyl. 5.7 Eng. ....	59003
	8 Cyl. 6.5 Eng. ....	59003
	8 Cyl. 7.4 Eng. ....	59003
95-94	6 Cyl. 4.3 Eng. ....	59003
	8 Cyl. 5.7 Eng. ....	59003
	8 Cyl. 6.5 Eng. ....	59003
	8 Cyl. 7.4 Eng. ....	59002
93	6 Cyl. 4.3 Eng. ....	59000

Continued on Next Page

# CHEVROLET LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>P SERIES VAN (Cont'd)</b>		
93	8 Cyl. 5.7 Eng. - w/ R12 .....	59000
	8 Cyl. 5.7 Eng. - w/ R134a .....	59003
92	8 Cyl. 6.2 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
	6 Cyl. 4.3 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
91-90	8 Cyl. 6.2 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
	4 Cyl. 3.9 Eng. ....	59000
	6 Cyl. 4.3 Eng. ....	59000
89	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.2 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
	4 Cyl. 3.9 Eng. ....	59000
88-85	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.2 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
<b>S10 BLAZER</b>		
05-01	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
00-99	All Eng. - 31.00 Oz. R-134a; 8.50 Oz. PAG-150 .....	59003
98-95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
94	All Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
93	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
92-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
88	All Eng. - 37.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
87-85	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
84	4 Cyl. 1.9 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
	4 Cyl. 2.2 Eng. ....	59000
	6 Cyl. 2.8 Eng. ....	59000
83	4 Cyl. 1.9 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
	6 Cyl. 2.8 Eng. ....	59000
<b>S10 PICKUP</b>		
04-99	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150; w/ V7 Compressor .....	59003
	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ HT6 Compressor .....	59003
98-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
93-90	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
89	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
88	All Eng. - 37.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
87-85	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
84	4 Cyl. 1.9 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
	4 Cyl. 2.2 Eng. ....	59000
	6 Cyl. 2.8 Eng. ....	59000
83-82	6 Cyl. 2.8 Eng. ....	59000
<b>SSR</b>		
06	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
05-04	All Eng. - 19.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
<b>SUBURBAN / FULLSIZE BLAZER / TAHOE</b>		
09	8 Cyl. 4.8 Eng. Excl. Hybrid .....	59007
	8 Cyl. 5.3 Eng. Excl. Hybrid .....	59007
	8 Cyl. 6.0 Eng. Excl. Hybrid .....	59007
	8 Cyl. 6.2 Eng. Excl. Hybrid .....	59007
08	Excl. Hybrid; w/o Rear AC - 25.50 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	TAHOE Excl. Hybrid; w/ Rear AC - 40.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	59007
	SUBURBAN Excl. Hybrid; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
	Hybrid - Refer to OE Specifications .....	59889

Continued on Next Page

# CHEVROLET LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>SUBURBAN / FULLSIZE BLAZER / TAHOE (Cont'd)</b>		
07	All Eng.; w/o Rear AC - 25.50 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	TAHOE; w/ Rear AC - 40.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	59007
	Suburban; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
06-03	All Eng.; w/o Rear AC - 25.50 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	TAHOE; w/ Rear AC - 43.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
	Suburban; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
02	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	TAHOE; w/ Rear AC - 42.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
	Suburban; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
01	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	TAHOE; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
	Suburban; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
00-94	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng.; w/ Rear AC - 64.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	59003
93	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 11.00 Oz. Mineral .....	59000
92	All Eng.; w/o Rear AC - 44.80 Oz. R-12; 6.00 Oz. Mineral .....	59000
91-90	All Eng.; w/o Rear AC - 52.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 84.00 Oz. R-12; 11.00 Oz. Mineral .....	59000
89	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral .....	59000
88	All Eng.; w/o Rear AC - 52.00 Oz. R-12; 6.00 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 84.00 Oz. R-12; 9.00 Oz. Mineral .....	59000
87-85	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.2 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
84	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.2 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
72-71	6 Cyl. 4.1 Eng. ....	59000
	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
70	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
69	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.5 Eng. ....	59000
<b>TRACKER</b>		
04-01	All Eng. - 16.00 Oz. R-134a; 3.50 Oz. PAG-46 .....	59007
00-99	All Eng. - 16.00 Oz. R-134a; 3.50 Oz. PAG-150 .....	59003
98-94	All Eng. - 21.00 Oz. R-134a; 3.50 Oz. PAG-150 .....	59003
93-89	All Eng. - 21.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
<b>TRAILBLAZER</b>		
08-05	All Eng.; w/o Rear AC - 30.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 42.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
04-02	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
<b>UPLANDER</b>		
08-07	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
06-05	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	59007

# CHRYSLER

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CORDOBA</b>		
83-81	6 Cyl. 3.7 Eng. ....	59000
	8 Cyl. 5.2 Eng. ....	59000
80	6 Cyl. 3.7 Eng. ....	59000
	8 Cyl. 5.2 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000
79	8 Cyl. 5.2 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000
<b>E CLASS</b>		
84	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.6 Eng. ....	59000
83	4 Cyl. 2.2 Eng. ....	59000
<b>NEWPORT</b>		
81-80	8 Cyl. 5.2 Eng. ....	59000
79	8 Cyl. 5.2 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000
<b>300 SERIES</b>		
10-09	6 Cyl. 2.7 Eng. ....	59007
	6 Cyl. 3.5 Eng. ....	59007
	8 Cyl. 6.1 Eng. ....	59007
08-05	All Eng. - 26.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
04-99	All Eng. - 25.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
<b>ASPEN</b>		
09	8 Cyl. 4.7 Eng. ....	59007
08-07	8 Cyl. 4.7 Eng. ....	59007
	8 Cyl. 5.7 Eng. ....	59007
<b>CIRRUS</b>		
00	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
99	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
98	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
97-95	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
<b>CONCORDE</b>		
04-99	All Eng. - 25.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
98-97	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
95-94	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
93	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng. - w/ R12	59000
	6 Cyl. 3.5 Eng. - w/ R12	59000
<b>CONQUEST</b>		
89	All Eng. - 29.00 Oz. R-12; 5.75 Oz. Mineral	59000
88-87	4 Cyl. 2.6 Eng. ....	59000
<b>CROSSFIRE</b>		
06-04	All Eng. - 30.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
<b>EXECUTIVE</b>		
85-84	4 Cyl. 2.6 Eng. ....	59000
<b>FIFTH AVENUE</b>		
89-88	All Eng. - 41.00 Oz. R-12; 7.25 Oz. Mineral	59000
87-85	All Eng. - 42.00 Oz. R-12; 7.00 Oz. Mineral	59000
83	8 Cyl. 5.2 Eng. ....	59000
<b>IMPERIAL</b>		
93-92	6 Cyl. 3.8 Eng. ....	59000
91	6 Cyl. 3.3 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
90	6 Cyl. 3.3 Eng. ....	59000
83-81	8 Cyl. 5.2 Eng. ....	59000
<b>LASER</b>		
86	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.5 Eng. ....	59000
85	4 Cyl. 2.2 Eng. ....	59000
<b>LEBARON</b>		
95	All Eng. - 24.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
93	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral	59000

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>LEBARON (Cont'd)</b>		
92	All Eng. - 32.00 Oz. R-12; 9.00 Oz. Mineral .....	59000
91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
90-86	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
85	All Eng. - 37.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
84-82	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.6 Eng. ....	59000
81-80	6 Cyl. 3.7 Eng. ....	59000
	8 Cyl. 5.2 Eng. ....	59000
<b>LHS</b>		
01-99	All Eng. - 25.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
97	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
95-94	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	59007
<b>NEW YORKER</b>		
96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
95-94	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	59007
93-92	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
	All Eng. - 34.00 Oz. R-12; 9.00 Oz. Mineral .....	59000
90-89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng. - 38.00 Oz. R-12; 8.75 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
88	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
87-86	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.5 Eng. ....	59000
85-83	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.6 Eng. ....	59000
82-81	8 Cyl. 5.2 Eng. ....	59000
80-79	8 Cyl. 5.2 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000
<b>PACIFICA</b>		
08-07	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
06-04	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
<b>PROWLER</b>		
02	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
<b>PT CRUISER</b>		
08	All Eng. - 18.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
07-02	All Eng. - 25.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
01	All Eng. - 25.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
<b>SEBRING</b>		
08-07	Sedan - 16.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
	Convertible - 16.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
06	Sedan - 16.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
05-03	Sedan / Coupe - 15.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
02-01	Sedan / Coupe - 15.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
	Convertible - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
00	Convertible - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
	Sedan / Coupe - 26.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	59002
99-97	Convertible - 26.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	59007
	4 Cyl. Sedan / Coupe - 24.00 Oz. R-134a; 4.00 Oz. PAG-46; w/ Denso Compressor .....	59007
	6 Cyl. Sedan / Coupe - 26.00 Oz. R-134a; 6.00 Oz. PAG-100; w/ Sanden Compressor .....	59002
96	Convertible - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	4 Cyl. Sedan / Coupe - 24.00 Oz. R-134a; 4.00 Oz. PAG-46; w/ Denso Compressor .....	59007
	6 Cyl. Sedan / Coupe - 26.00 Oz. R-134a; 6.00 Oz. PAG-100; w/ Sanden Compressor .....	59002
95	4 Cyl. Sedan / Coupe - 24.00 Oz. R-134a; 4.00 Oz. PAG-46; w/ Denso Compressor .....	59007
	6 Cyl. Sedan / Coupe - 26.00 Oz. R-134a; 6.00 Oz. PAG-100; w/ Sanden Compressor .....	59002
<b>TC MASERATI</b>		
91	6 Cyl. 3.0 Eng. ....	59000
90	4 Cyl. 2.2 Eng. ....	59000
	6 Cyl. 3.0 Eng. ....	59000
89	4 Cyl. 2.2 Eng. ....	59000
<b>TOWN &amp; COUNTRY</b>		
08-07	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 39.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007

Continued on Next Page

# CHRYSLER

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>TOWN &amp; COUNTRY (Cont'd)</b>		
06-04	All Eng.; w/o Rear AC - 31.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 43.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	<b>59007</b>
03-96	All Eng.; w/o Rear AC - 34.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	<b>59007</b>
95-94	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 50.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	<b>59007</b>
	6 Cyl. 3.3 Eng. - w/ R12 .....	<b>59000</b>
92	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor .....	<b>59000</b>
	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 8.75 Oz. Mineral; w/ Variable Displacement Compressor .....	<b>59000</b>
	All Eng.; w/ Rear AC - 44.00 Oz. R-12; 13.00 Oz. Mineral; w/ Fixed Displacement Compressor .....	<b>59000</b>
	All Eng.; w/ Rear AC - 44.00 Oz. R-12; 13.00 Oz. Mineral; w/ Variable Displacement Compressor .....	<b>59000</b>
91-90	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor .....	<b>59000</b>
	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 8.75 Oz. Mineral; w/ Variable Displacement Compressor .....	<b>59000</b>
	All Eng.; w/ Rear AC - 43.00 Oz. R-12; 13.00 Oz. Mineral; w/ Fixed Displacement Compressor .....	<b>59000</b>
	All Eng.; w/ Rear AC - 43.00 Oz. R-12; 13.00 Oz. Mineral; w/ Variable Displacement Compressor .....	<b>59000</b>
88-86	4 Cyl. 2.2 Eng. ....	<b>59000</b>
	4 Cyl. 2.5 Eng. ....	<b>59000</b>
85-84	4 Cyl. 2.2 Eng. ....	<b>59000</b>
	4 Cyl. 2.6 Eng. ....	<b>59000</b>
<b>VOYAGER / GRAND VOYAGER</b>		
03-00	All Eng.; w/o Rear AC - 34.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	<b>59007</b>

# DAEWOO

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>LANOS</b>		
02-99	All Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-100 .....	<b>59002</b>
<b>LEGANZA</b>		
02-99	All Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-100 .....	<b>59002</b>
<b>NUBIRA</b>		
02-99	All Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-100 .....	<b>59002</b>

# DAIHATSU

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CHARADE</b>		
92-89	All Eng. - 23.00 Oz. R-12; 4.00 Oz. Mineral .....	<b>59000</b>
<b>ROCKY</b>		
92-90	All Eng. - 26.50 Oz. R-12; 4.00 Oz. Mineral .....	<b>59000</b>

# DODGE

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>400</b>		
83-82	4 Cyl. 2.2 Eng. ....	<b>59000</b>
	4 Cyl. 2.6 Eng. ....	<b>59000</b>

Continued on Next Page

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>ASPEN</b>		
80	6 Cyl. 3.7 Eng. ....	59000
	8 Cyl. 5.2 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000
<b>CHALLENGER</b>		
83-81	4 Cyl. 2.6 Eng. ....	59000
<b>MIRADA</b>		
83-81	6 Cyl. 3.7 Eng. ....	59000
	8 Cyl. 5.2 Eng. ....	59000
80	6 Cyl. 3.7 Eng. ....	59000
	8 Cyl. 5.2 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000
<b>600</b>		
88-86	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.5 Eng. ....	59000
85-83	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.6 Eng. ....	59000
<b>ARIES</b>		
89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng. - 38.00 Oz. R-12; 8.75 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
88-87	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
86	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.5 Eng. ....	59000
85	All Eng. - 37.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
84-81	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.6 Eng. ....	59000
<b>AVENGER</b>		
08	All Eng. - 16.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
00	All Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	59002
99-95	4 Cyl. - 26.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
	6 Cyl. - 26.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	59002
<b>CALIBER</b>		
08-07	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	59007
<b>CHARGER</b>		
08-06	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	59007
87-85	4 Cyl. 2.2 Eng. ....	59000
<b>COLT</b>		
94	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.8 Eng. ....	59000
92	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.5 Eng. ....	59000
91	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
	4 Cyl. 1.5 Eng. ....	59000
90	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.6 Eng. ....	59000
	4 Cyl. 1.8 Eng. ....	59000
89	4 Cyl. 2.0 Eng. ....	59000
	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.8 Eng. ....	59000
88-87	4 Cyl. 2.0 Eng. ....	59000
	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
86-85	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.6 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
<b>CONQUEST</b>		
86-85	4 Cyl. 2.6 Eng. ....	59000
<b>DAYTONA</b>		
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
90-89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
88-86	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.5 Eng. ....	59000
85-84	4 Cyl. 2.2 Eng. ....	59000

Continued on Next Page

# DODGE

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>DIPLOMAT</b>		
89-84	8 Cyl. 5.2 Eng. ....	59000
83-80	6 Cyl. 3.7 Eng. ....	59000
	8 Cyl. 5.2 Eng. ....	59000
79	8 Cyl. 5.2 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000
<b>DYNASTY</b>		
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng. - 32.00 Oz. R-12; 8.75 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
90-89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng. - 38.00 Oz. R-12; 8.75 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
88	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
<b>INTREPID</b>		
04-99	All Eng. - 25.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
98-96	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
95-94	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	59007
93	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	59007
	6 Cyl. 3.3 Eng. - w/ R12 .....	59000
	6 Cyl. 3.5 Eng. - w/ R12 .....	59000
<b>LANCER</b>		
89-86	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.5 Eng. ....	59000
85	4 Cyl. 2.2 Eng. ....	59000
<b>MAGNUM</b>		
08-06	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	59007
05	6 Cyl. 2.7 Eng. ....	59007
	6 Cyl. 3.5 Eng. ....	59002
	8 Cyl. 5.7 Eng. ....	59007
<b>MONACO</b>		
92-90	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
<b>NEON</b>		
05-02	All Eng. - 30.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
01-00	All Eng. - 27.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
99	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	59007
98-97	All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	59007
96-95	All Eng. - 29.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	59007
<b>OMNI</b>		
90-89	4 Cyl. 2.2 Eng. ....	59000
88	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
87	All Eng. - 34.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
86-84	4 Cyl. 1.6 Eng. ....	59000
	4 Cyl. 2.2 Eng. ....	59000
83-81	4 Cyl. 1.7 Eng. ....	59000
	4 Cyl. 2.2 Eng. ....	59000
80-78	4 Cyl. 1.7 Eng. ....	59000
<b>SHADOW</b>		
94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46 .....	59007
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
90-87	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
<b>SPIRIT</b>		
95	All Eng. - 24.00 Oz. R-134a; 7.25 Oz. PAG-46 .....	59007
94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46 .....	59007
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
90-89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
<b>STEALTH</b>		
96	All Eng. - 30.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
95-94	All Eng. - 28.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
93	All Eng. - 29.00 Oz. R-12; 5.50 Oz. Mineral .....	59000
92-91	All Eng. - 18.00 Oz. R-12; 5.50 Oz. Mineral .....	59000
<b>STRATUS</b>		
04-02	All Eng. - 15.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
01-99	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
98	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
97-95	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007

Continued on Next Page



## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>VIPER</b>	
08-03	All Eng. - 16.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
02-94	All Eng. - 30.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	59007

## DODGE LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>RAMPAGE</b>	
84-82	4 Cyl. 2.2 Eng. ....	59000
	<b>CARAVAN / GRAND CARAVAN</b>	
08-07	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 39.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
06-04	All Eng.; w/o Rear AC - 31.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 43.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	59007
03-96	All Eng.; w/o Rear AC - 34.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007
95-94	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007
93	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 50.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007
	4 Cyl. 2.5 Eng. - w/ R12 .....	59000
	6 Cyl. 3.0 Eng. - w/ R12 .....	59000
	6 Cyl. 3.3 Eng. - w/ R12 .....	59000
92	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 8.75 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
	All Eng.; w/ Rear AC - 44.00 Oz. R-12; 13.00 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng.; w/ Rear AC - 44.00 Oz. R-12; 13.00 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
91-90	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 8.75 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
	All Eng.; w/ Rear AC - 43.00 Oz. R-12; 13.00 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng.; w/ Rear AC - 43.00 Oz. R-12; 13.00 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
89	All Eng.; w/o Rear AC - 38.00 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng.; w/o Rear AC - 38.00 Oz. R-12; 8.75 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
	All Eng.; w/ Rear AC - 43.00 Oz. R-12; 13.00 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng.; w/ Rear AC - 43.00 Oz. R-12; 13.00 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
88	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
87-86	All Eng.; w/o Rear AC - 38.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
85-84	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.6 Eng. ....	59000
	<b>DAKOTA</b>	
08	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
07-01	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	59002
00	All Eng. - 32.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	59002
99-98	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100 .....	59002
97-94	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100 .....	59002
93-92	All Eng. - 40.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
91-87	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
	<b>DURANGO</b>	
09	6 Cyl. 3.7 Eng. ....	59002
	8 Cyl. 4.7 Eng. ....	59002
08-07	6 Cyl. 3.7 Eng. ....	59002
	8 Cyl. 4.7 Eng. ....	59002
	8 Cyl. 5.7 Eng. ....	59002
06-05	All Eng.; w/o Rear AC - R-134a; 5.00 Oz. PAG-100 .....	59002
	All Eng.; w/ Rear AC - R-134a; 7.50 Oz. PAG-100 .....	59002
04-01	All Eng.; w/ Rear AC - R-134a; 10.00 Oz. PAG-100 .....	59002
	All Eng.; w/o Rear AC - R-134a; 7.00 Oz. PAG-100 .....	59002
00	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 5.50 Oz. PAG-100 .....	59002
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-100 .....	59002
99-98	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 5.50 Oz. PAG-100 .....	59002

Continued on Next Page

# DODGE LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>DURANGO (Cont'd)</b>		
99-98	All Eng.; w/ Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
<b>NITRO</b>		
07	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
<b>PICKUP - FULLSIZE / RAMCHARGER</b>		
08	6 Cyl. 6.7 Eng.	59007
07	6 Cyl. 3.7 Eng.	59007
	6 Cyl. 5.9 Eng.	59007
	6 Cyl. 6.7 Eng.	59007
	8 Cyl. 4.7 Eng.	59007
	8 Cyl. 5.7 Eng.	59007
06	10 Cyl. 8.3 Eng.	59007
	6 Cyl. 3.7 Eng.	59007
	6 Cyl. 5.9 Eng.	59007
	8 Cyl. 4.7 Eng.	59007
	8 Cyl. 5.7 Eng.	59007
05	10 Cyl. 8.3 Eng.	59002
	6 Cyl. 3.7 Eng.	59007
	6 Cyl. 5.9 Eng.	59002
	8 Cyl. 4.7 Eng.	59007
	8 Cyl. 5.7 Eng.	59007
04	10 Cyl. 8.3 Eng.	59007
	6 Cyl. 3.7 Eng.	59007
	6 Cyl. 5.9 Eng.	59002
	8 Cyl. 4.7 Eng.	59007
	8 Cyl. 5.7 Eng.	59007
03-00	All Eng. - 32.00 Oz. R-134a; 6.25 Oz. PAG-100	59002
99-98	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
97-94	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100	59002
93	All Eng. - 44.00 Oz. R-12; 4.75 Oz. Mineral	59000
92-88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral	59000
87-85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral	59000
84-81	8 Cyl. 5.2 Eng.	59000
	8 Cyl. 5.9 Eng.	59000
<b>PICKUP - MINI</b>		
93-90	All Eng. - 30.00 Oz. R-12; 8.50 Oz. Mineral	59000
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral	59000
88-87	4 Cyl. 2.0 Eng.	59000
	4 Cyl. 2.6 Eng.	59000
<b>RAIDER</b>		
89	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral	59000
	4 Cyl. 2.6 Eng. - w/ R134a	59007
	6 Cyl. 3.0 Eng. - w/ R134a	59007
88-87	4 Cyl. 2.6 Eng.	59007
<b>SPRINTER</b>		
07	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 40.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
06-03	5 Cyl. 2.7 Eng.	59007
<b>VAN - FULLSIZE</b>		
03-98	All Eng.; w/o Rear AC - 34.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 10.00 Oz. PAG-46	59007
97-94	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 60.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
93-91	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 7.25 Oz. Mineral	59000
	All Eng.; w/ Rear AC - 65.00 Oz. R-12; 9.00 Oz. Mineral	59000
90	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 7.25 Oz. Mineral	59000
	All Eng.; w/ Rear AC - 65.00 Oz. R-12; 9.00 Oz. Mineral; w/ Fixed Displacement Compressor	59000
	All Eng.; w/ Rear AC - 65.00 Oz. R-12; 9.00 Oz. Mineral; w/ Variable Displacement Compressor	59000
89	All Eng.; w/o Rear AC - 49.00 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor	59000
	All Eng.; w/ Rear AC - 65.00 Oz. R-12; 9.00 Oz. Mineral; w/ Fixed Displacement Compressor	59000
	All Eng.; w/ Rear AC - 65.00 Oz. R-12; 9.00 Oz. Mineral; w/ Variable Displacement Compressor	59000
88	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 5.00 Oz. Mineral	59000
	All Eng.; w/ Rear AC - 65.00 Oz. R-12; 8.00 Oz. Mineral	59000
87-86	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 5.00 Oz. Mineral	59000

Continued on Next Page

# DODGE LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>VAN - FULLSIZE (Cont'd)</b>		
87-86	All Eng.; w/ Rear AC - 64.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
85	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
	All Eng.; w/ Front & Rear AC - 64.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
84-81	8 Cyl. 5.2 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000

# EAGLE

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>MEDALLION</b>		
89	All Eng. - 29.00 Oz. R-12; 5.50 Oz. Mineral .....	59000
<b>PREMIER</b>		
92-89	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
88	4 Cyl. 2.5 Eng. ....	59000
	6 Cyl. 3.0 Eng. ....	59000
<b>SUMMIT</b>		
96	4 Cyl. 1.5 Eng. ....	59007
	4 Cyl. 1.8 Eng. ....	59007
95	4 Cyl. 1.5 Eng. ....	59007
	4 Cyl. 1.8 Eng. ....	59007
	4 Cyl. 2.4 Eng. ....	59007
94	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.8 Eng. ....	59000
	4 Cyl. 2.4 Eng. ....	59000
93	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.8 Eng. ....	59000
92	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.8 Eng. ....	59000
	4 Cyl. 2.4 Eng. ....	59000
91	4 Cyl. 1.5 Eng. ....	59000
90-89	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.6 Eng. ....	59000
<b>TALON</b>		
98-95	All Eng. - 25.50 Oz. R-134a; 6.50 Oz. PAG-100 .....	59002
94-90	All Eng. - 33.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
<b>VISION</b>		
97-96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
95	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
94-93	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
	6 Cyl. 3.3 Eng. - w/ R12 .....	59000
	6 Cyl. 3.5 Eng. - w/ R12 .....	59000

# FORD

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>FAIRMONT</b>		
82-80	8 Cyl. 4.2 Eng. ....	59000
79-78	8 Cyl. 5.0 Eng. ....	59000
<b>GRANADA</b>		
82	6 Cyl. 3.8 Eng. ....	59000
81	8 Cyl. 4.2 Eng. ....	59000
80	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 4.2 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
79-78	6 Cyl. 4.1 Eng. ....	59000

Continued on Next Page

# FORD

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>GRANADA (Cont'd)</b>		
79-78	8 Cyl. 5.0 Eng. ....	<b>59000</b>
77-76	6 Cyl. 3.3 Eng. ....	<b>59000</b>
	6 Cyl. 4.1 Eng. ....	<b>59000</b>
75	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
<b>LTD II</b>		
79	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
78-77	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
<b>MAVERICK</b>		
77-71	8 Cyl. 5.0 Eng. ....	<b>59000</b>
<b>TORINO</b>		
76-75	8 Cyl. 5.8 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
74-72	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
71	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
<b>ASPIRE</b>		
97	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
96-94	All Eng. - 25.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
<b>CONTOUR</b>		
00-95	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
<b>COUNTRY SQUIRE</b>		
91-87	8 Cyl. 5.0 Eng. ....	<b>59000</b>
<b>CROWN VICTORIA</b>		
09	8 Cyl. 4.6 Eng. ....	<b>59007</b>
08-06	All Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
05-97	All Eng. - 38.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	<b>59007</b>
96-95	All Eng. - 38.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
94	All Eng. - 34.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	8 Cyl. 4.6 Eng. ....	<b>59007</b>
92	All Eng. - 36.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
91-89	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
88	All Eng. - 52.00 Oz. R-12; 13.00 Oz. Paraffin .....	--
87	All Eng. To 9/86 - 52.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	All Eng. From 9/86 - 52.00 Oz. R-12; 13.00 Oz. Paraffin .....	--
<b>EDGE</b>		
08-07	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
<b>ESCORT</b>		
02-97	All Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
96-94	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 34.08 Oz. R-12; 7.75 Oz. Paraffin .....	--
92-91	All Eng. - 33.92 Oz. R-12; 8.00 Oz. Paraffin .....	--
90-88	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
87	All Eng. - 41.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
86	All Eng. - 36.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
85	4 Cyl. 1.6 Eng. ....	--
	4 Cyl. 1.9 Eng. ....	<b>59000</b>
	4 Cyl. 2.0 Eng. ....	--
84-82	4 Cyl. 1.6 Eng. ....	--
81	4 Cyl. 1.6 Eng. ....	<b>59000</b>
<b>EXP</b>		
88-86	4 Cyl. 1.9 Eng. ....	--
85-82	4 Cyl. 1.6 Eng. ....	--

Continued on Next Page

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>FESTIVA</b>	
93-88	All Eng. - 25.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	<b>FIVE HUNDRED</b>	
07-05	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 38.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	<b>FOCUS</b>	
08	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	59007
07-00	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	<b>FUSION</b>	
09	4 Cyl. 2.3 Eng. ....	59007
	6 Cyl. 3.0 Eng. ....	59007
08-06	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
	<b>LTD</b>	
86	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
85	All Eng. - 40.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
84	6 Cyl. 3.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	<b>MUSTANG</b>	
09	6 Cyl. 4.0 Eng. ....	59007
08-07	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
06-05	All Eng. - 31.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
04-97	All Eng. - 34.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
96-94	All Eng. - 34.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
93-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
88-86	All Eng. - 40.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
85-83	6 Cyl. 3.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
82	8 Cyl. 5.0 Eng. ....	59000
73-72	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
71	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 7.0 Eng. ....	59000
	<b>PINTO</b>	
73	4 Cyl. 1.6 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
	<b>PROBE</b>	
97	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	59002
96-94	All Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	59002
93	All Eng. - 28.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
92-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
	<b>TAURUS</b>	
08	All Eng.; w/o Rear AC - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
07-96	All Eng. - 34.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
95	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
94	Excl. SHO - 33.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	SHO - 33.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
93	Excl. SHO - 32.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	SHO - 32.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
	6 Cyl. 3.0 Eng. - w/ R12 .....	--
	6 Cyl. 3.0 Eng. - w/ R134a .....	59007
92	Excl. SHO - 41.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	SHO - 41.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
	6 Cyl. 3.0 Eng. - w/ R12 .....	--
	6 Cyl. 3.0 Eng. - w/ R134a .....	59007
91	4 Cyl. 2.5 Eng. - 41.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	6 Cyl. Excl. SHO - 41.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	6 Cyl. SHO - 41.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
90	4 Cyl. 2.5 Eng. - 41.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	6 Cyl. Excl. SHO - 41.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
	6 Cyl. SHO - 41.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
89	4 Cyl. 2.5 Eng. - 44.00 Oz. R-12; 10.00 Oz. Paraffin .....	--

Continued on Next Page

# FORD

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>TAURUS (Cont'd)</b>		
89	6 Cyl. Excl. SHO - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
	6 Cyl. SHO - 44.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
88	4 Cyl. 2.5 Eng. - 44.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	6 Cyl. 3.0 Eng. - 44.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
	6 Cyl. 3.8 Eng. - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
87	4 Cyl. 2.5 Eng. - 44.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	6 Cyl. 3.0 Eng. - 44.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
86	All Eng. - 44.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
<b>TEMPO</b>		
94	4 Cyl. 2.3 Eng. - 33.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	6 Cyl. 3.0 Eng. - 33.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
93-92	4 Cyl. 2.3 Eng. - 36.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	6 Cyl. 3.0 Eng. - 36.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
91-89	All Eng. - 36.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
88-87	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
86	All Eng. - 36.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
85	All Eng. - 41.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
84	4 Cyl. 2.3 Eng. ....	--
<b>THUNDERBIRD</b>		
05	8 Cyl. 3.9 Eng. ....	<b>59007</b>
04-02	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
97-95	All Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
94	All Eng. - 36.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
93-89	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
88	4 Cyl. - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
	6 Cyl. - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
	8 Cyl. - 40.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
87	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
86	All Eng. To 1/86 - 40.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	All Eng. From 1/86 - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
85-83	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
82	6 Cyl. 3.8 Eng. ....	<b>59000</b>
81	8 Cyl. 5.0 Eng. ....	<b>59000</b>
79	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
78-77	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
76-74	8 Cyl. 7.5 Eng. ....	<b>59000</b>
73	8 Cyl. 7.0 Eng. ....	<b>59000</b>
	8 Cyl. 7.5 Eng. ....	<b>59000</b>
72	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.0 Eng. ....	<b>59000</b>
	8 Cyl. 7.5 Eng. ....	<b>59000</b>

# FORD LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>AEROSTAR</b>		
97	All Eng.; w/o Rear AC - 38.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 54.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	<b>59007</b>
96-94	All Eng.; w/o Rear AC - 38.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 54.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng.; w/o Rear AC - 46.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	All Eng.; w/ Rear AC - 64.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
92-89	All Eng.; w/o Rear AC - 56.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
88	All Eng.; w/o Rear AC - 56.00 Oz. R-12; 10.00 Oz. Paraffin; w/ FS6 Compressor .....	--

Continued on Next Page

# FORD LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>AEROSTAR (Cont'd)</b>		
88	All Eng.; w/o Rear AC - 56.00 Oz. R-12; 13.00 Oz. Paraffin; w/ 6E171 Compressor .....	--
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Paraffin; w/ FS6 Compressor .....	--
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 13.00 Oz. Paraffin; w/ 6E171 Compressor .....	--
87	All Eng.; w/o Rear AC To 9/22/86 - 56.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	All Eng.; w/o Rear AC From 9/22/86 - 56.00 Oz. R-12; 13.00 Oz. Paraffin .....	--
	All Eng.; w/ Rear AC To 9/22/86 - 60.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
86	All Eng.; w/ Rear AC From 9/22/86 - 60.00 Oz. R-12; 13.00 Oz. Paraffin .....	--
	4 Cyl. 2.3 Eng. ....	59000
	6 Cyl. 2.8 Eng. ....	59000
	6 Cyl. 3.0 Eng. ....	59000
<b>BRONCO</b>		
96	All Eng. - 38.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
95	All Eng. - 33.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
93-91	All Eng. - 44.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
90-89	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
88-80	6 Cyl. 4.9 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
79-78	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
77-76	8 Cyl. 5.0 Eng. ....	59000
<b>BRONCO II</b>		
90	All Eng. - 32.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
89-88	All Eng. - 40.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
87	All Eng. - 44.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
86	All Eng. - 52.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
85	All Eng. - 48.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
84	6 Cyl. 2.8 Eng. ....	59000
<b>E SERIES FULLSIZE VAN</b>		
08-07	All Eng.; Gas; w/o Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	All Eng.; Diesel; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; Gas; w/ Rear AC - 54.00 Oz. R-134a; 14.00 Oz. PAG-46 .....	59007
	All Eng.; Diesel; w/ Rear AC - 60.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007
06-02	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 60.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007
01-97	All Eng.; w/o Rear AC - 44.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 64.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007
96-95	All Eng.; w/o Rear AC - 44.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 64.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	59007
94	All Eng.; w/o Rear AC - 48.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 64.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	59007
93-92	All Eng.; w/o Rear AC - 55.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
91-89	All Eng.; w/o Rear AC - 56.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
88-85	All Eng.; w/o Rear AC - 56.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 13.00 Oz. Paraffin .....	--
84-83	6 Cyl. 4.9 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 6.9 Eng. ....	59000
82-80	8 Cyl. 7.5 Eng. ....	59000
	6 Cyl. 4.9 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
79	8 Cyl. 6.6 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
	6 Cyl. 4.9 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
78-76	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
	6 Cyl. 4.9 Eng. ....	59000

Continued on Next Page

# FORD LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>E SERIES FULLSIZE VAN (Cont'd)</b>		
78-76	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
75	6 Cyl. 4.9 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
<b>E SERIES MEDIUM DUTY VAN</b>		
07	10 Cyl. 6.8 Eng. ....	59007
	8 Cyl. 6.0 Eng. ....	59007
06	10 Cyl. 6.8 Eng. ....	59007
	8 Cyl. 5.4 Eng. ....	59007
	8 Cyl. 6.0 Eng. ....	59007
05	10 Cyl. 6.8 Eng. ....	59007
	8 Cyl. 6.0 Eng. ....	59007
04	10 Cyl. 6.8 Eng. ....	59007
	8 Cyl. 5.4 Eng. ....	59007
	8 Cyl. 6.0 Eng. ....	59007
03	10 Cyl. 6.8 Eng. ....	59007
	8 Cyl. 5.4 Eng. ....	59007
	8 Cyl. 7.3 Eng. ....	59007
<b>ESCAPE</b>		
07	4 Cyl. 2.3 Eng. Excl. Hybrid - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	6 Cyl. 3.0 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
06-05	4 Cyl. 2.3 Eng. ....	59007
	4 Cyl. 2.3 Eng. Excl. Hybrid - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	6 Cyl. 3.0 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
04-01	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
<b>EXCURSION</b>		
05-01	All Eng.; w/o Rear AC - 42.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 68.00 Oz. R-134a; 14.00 Oz. PAG-46 .....	59007
00	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 68.00 Oz. R-134a; 14.00 Oz. PAG-46 .....	59007
<b>EXPEDITION</b>		
08-07	All Eng.; w/o Rear AC - 22.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 33.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
06	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 58.00 Oz. R-134a; 14.00 Oz. PAG-46 .....	59007
05-03	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 54.00 Oz. R-134a; 14.00 Oz. PAG-46 .....	59007
02-98	All Eng.; w/o Rear AC - 37.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 62.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
97	All Eng.; w/o Rear AC - 37.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 62.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007
<b>EXPLORER / SPORT / SPORT TRAC</b>		
08-06	All Eng.; w/o Rear AC - 31.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 47.00 Oz. R-134a; 16.00 Oz. PAG-46 .....	59007
05-02	All Eng.; w/o Rear AC - 34.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007
01-98	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
97	All Eng. - 22.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
96-95	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
94	All Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
93-91	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
<b>F SERIES FULLSIZE PICKUP</b>		
10	8 Cyl. 6.4 Eng. ....	59007
08	6 Cyl. 4.2 Eng. ....	59007
	8 Cyl. 4.6 Eng. ....	59007
	8 Cyl. 5.4 Eng. ....	59007
	8 Cyl. 6.4 Eng. ....	59007
07-06	Lightduty - 34.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	Superduty - 45.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
05-98	Lightduty - 33.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	Superduty - 42.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007

Continued on Next Page



# FORD LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>F SERIES FULLSIZE PICKUP (Cont'd)</b>		
97-96	All Eng. - 38.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
95	All Eng. - 33.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
93	All Eng. - 44.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
92-91	All Eng. - 44.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
90-86	All Eng. - 52.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
85	All Eng. - 48.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
84	6 Cyl. 4.9 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 6.9 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
83	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.9 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 6.9 Eng. ....	59000
82	8 Cyl. 7.5 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.9 Eng. ....	59000
	8 Cyl. 4.2 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
81	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
	6 Cyl. 4.9 Eng. ....	59000
	8 Cyl. 4.2 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
80	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
	6 Cyl. 4.9 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
79-78	8 Cyl. 6.6 Eng. ....	59000
	6 Cyl. 4.9 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
77	8 Cyl. 7.5 Eng. ....	59000
	6 Cyl. 4.9 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.4 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
76	8 Cyl. 5.9 Eng. ....	59000
	8 Cyl. 6.4 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
	6 Cyl. 3.9 Eng. ....	59000
75-73	6 Cyl. 4.9 Eng. ....	59000
	6 Cyl. 3.9 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000
	8 Cyl. 6.4 Eng. ....	59000
72-70	8 Cyl. 7.5 Eng. ....	59000
	8 Cyl. 6.4 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000
	8 Cyl. 6.4 Eng. ....	59000
<b>F SERIES MEDIUM DUTY PICKUP</b>		
07-04	10 Cyl. 6.8 Eng. ....	59007
03	8 Cyl. 6.0 Eng. ....	59007
	10 Cyl. 6.8 Eng. ....	59007

Continued on Next Page

# FORD LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>F SERIES MEDIUM DUTY PICKUP (Cont'd)</b>		
03	8 Cyl. 6.0 Eng. ....	59007
	8 Cyl. 7.3 Eng. ....	59007
02-99	10 Cyl. 6.8 Eng. ....	59007
	8 Cyl. 7.3 Eng. ....	59007
93-91	8 Cyl. 7.3 Eng. ....	--
	8 Cyl. 7.5 Eng. ....	--
<b>FREESTAR</b>		
07-04	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 53.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007
<b>FREESTYLE</b>		
07-05	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 38.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
<b>RANGER</b>		
09	4 Cyl. 2.3 Eng. ....	59007
	6 Cyl. 4.0 Eng. ....	59007
08-06	All Eng. - 33.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
05-98	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
97-95	All Eng. - 22.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
94	All Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
93	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
92-91	4 Cyl. 2.3 Eng. - 36.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	6 Cyl. 2.9 Eng. - 32.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	6 Cyl. 3.0 Eng. - 36.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	6 Cyl. 4.0 Eng. - 36.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
90	All Eng. - 32.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
89-88	All Eng. - 40.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
87	All Eng. - 44.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
86-85	All Eng. - 40.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
84-83	4 Cyl. 2.0 Eng. ....	59000
	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.3 Eng. ....	59000
	6 Cyl. 2.8 Eng. ....	59000
<b>WINDSTAR</b>		
03-01	All Eng.; w/o Rear AC - 44.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 14.00 Oz. PAG-46 .....	59007
00-99	All Eng.; w/o Rear AC - 44.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
98	All Eng.; w/o Rear AC - 44.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
97	All Eng.; w/o Rear AC - 44.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 14.00 Oz. PAG-46 .....	59007
96-95	All Eng.; w/o Rear AC - 44.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007

# GEO

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>METRO</b>		
97	All Eng. - 21.00 Oz. R-134a; 3.50 Oz. PAG-150 .....	59003
96-95	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-150 .....	59003
94	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-150 .....	59003
	3 Cyl. 1.0 Eng. - w/ R12 .....	59000
	4 Cyl. 1.3 Eng. - w/ R12 .....	59000
93-90	All Eng. - 18.00 Oz. R-12; 3.00 Oz. Mineral .....	59000
89	3 Cyl. 1.0 Eng. ....	59000
<b>PRIZM</b>		
97	All Eng. - 26.50 Oz. R-134a; 4.00 Oz. PAG-150 .....	59003
96-95	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
94	All Eng. - 24.00 Oz. R-134a; 5.25 Oz. PAG-150 .....	59003

Continued on Next Page

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>PRIZM (Cont'd)</b>		
93	All Eng. - 24.00 Oz. R-12; 6.00 Oz. Mineral .....	59000
92-91	All Eng. - 27.00 Oz. R-12; 6.00 Oz. Mineral .....	59000
90	All Eng. - 18.00 Oz. R-12; 3.00 Oz. Mineral .....	59000
89	4 Cyl. 1.6 Eng. ....	59000
<b>SPECTRUM</b>		
89	All Eng. - 29.00 Oz. R-12; 3.50 Oz. Mineral .....	59000
<b>STORM</b>		
93-92	All Eng. - 21.00 Oz. R-12; 5.25 Oz. Mineral .....	59000
91-90	All Eng. - 24.00 Oz. R-12; 5.25 Oz. Mineral .....	59000

**GMC LIGHT TRUCK**

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>ACADIA</b>		
07	All Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	59007
<b>CABALLERO</b>		
87-85	6 Cyl. 4.3 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
84	6 Cyl. 3.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
<b>CANYON</b>		
08-06	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
05-04	All Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
<b>ENVOY</b>		
07-05	All Eng.; w/o Rear AC - 30.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 42.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
04-02	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
<b>FULLSIZE PICKUP</b>		
10	8 Cyl. 6.6 Eng. ....	59007
09	6 Cyl. 4.3 Eng. ....	59007
	8 Cyl. 4.8 Eng. ....	59007
	8 Cyl. 5.3 Eng. ....	59007
	8 Cyl. 6.0 Eng. ....	59007
	8 Cyl. 6.6 Eng. ....	59007
08-03	All Eng. - 25.50 Oz. R-134a; 8.00 Oz. PAG-46; w/ Denso Compressor .....	59007
02-00	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46; w/ Denso Compressor .....	59007
	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ HT6 Compressor .....	59003
99-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150; Standard Cab .....	59003
	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150; Crew Cab .....	59003
93	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral; w/ R12; Standard Cab .....	59000
	All Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ R134a; Standard Cab .....	59003
	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral; w/ R12; Crew Cab .....	59000
	All Eng. - 48.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ R134a; Crew Cab .....	59003
92-90	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
88	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
87	All Eng. - 48.00 Oz. R-12; 6.00 Oz. Mineral .....	59000
86-85	All Eng. - 44.00 Oz. R-12; 10.00 Oz. Mineral; w/ A6 Compressor .....	59000
	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral; w/ R4 Compressor .....	59000
84	6 Cyl. 4.1 Eng. ....	59000
	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.2 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
72-70	6 Cyl. 4.1 Eng. ....	59000

Continued on Next Page

# GMC LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>FULLSIZE PICKUP (Cont'd)</b>		
72-70	6 Cyl. 4.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
69	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	6 Cyl. 4.1 Eng. ....	<b>59000</b>
68	6 Cyl. 4.8 Eng. ....	<b>59000</b>
	6 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.5 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	6 Cyl. 4.8 Eng. ....	<b>59000</b>
67	6 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.4 Eng. ....	<b>59000</b>
	8 Cyl. 6.5 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	6 Cyl. 4.8 Eng. ....	<b>59000</b>
	6 Cyl. 5.0 Eng. ....	<b>59000</b>
66	8 Cyl. 4.6 Eng. ....	<b>59000</b>
	8 Cyl. 5.4 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	6 Cyl. 4.1 Eng. ....	<b>59000</b>
65	6 Cyl. 4.8 Eng. ....	<b>59000</b>
	6 Cyl. 5.0 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	6 Cyl. 5.0 Eng. ....	<b>59000</b>
<b>G SERIES FULLSIZE VAN / SAVANA</b>		
09	6 Cyl. 4.3 Eng. ....	<b>59007</b>
	8 Cyl. 4.8 Eng. ....	<b>59007</b>
	8 Cyl. 5.3 Eng. ....	<b>59007</b>
	8 Cyl. 6.0 Eng. ....	<b>59007</b>
	8 Cyl. 6.6 Eng. ....	<b>59007</b>
08-06	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	<b>59007</b>
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 11.00 Oz. PAG-46	<b>59007</b>
05-03	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	<b>59007</b>
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46	<b>59007</b>
02	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	<b>59003</b>
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 11.00 Oz. PAG-150	<b>59003</b>
01-00	All Eng.; w/o Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-150	<b>59003</b>
	All Eng.; w/ Rear AC - 72.00 Oz. R-134a; 11.00 Oz. PAG-150	<b>59003</b>
99-97	All Eng.; w/o Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-150	<b>59003</b>
	All Eng.; w/ Rear AC - 78.00 Oz. R-134a; 11.00 Oz. PAG-150	<b>59003</b>
96	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	<b>59003</b>
	All Eng.; w/ Rear AC - 78.00 Oz. R-134a; 11.00 Oz. PAG-150	<b>59003</b>
95-94	All Eng.; w/o Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-150	<b>59003</b>
	All Eng.; w/ Rear AC - 68.00 Oz. R-134a; 11.00 Oz. PAG-150	<b>59003</b>
93	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral	<b>59000</b>
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 11.00 Oz. Mineral	<b>59000</b>
92	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral	<b>59000</b>
	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral	<b>59000</b>
91-89	6 Cyl. 4.3 Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral; w/ R4 Compressor	<b>59000</b>
	6 Cyl. 4.3 Eng.; w/ Rear AC - 72.00 Oz. R-12; 9.00 Oz. Mineral; w/ R4 Compressor	<b>59000</b>
	8 Cyl. 5.0 Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral; w/ R4 Compressor	<b>59000</b>
	8 Cyl. 5.0 Eng.; w/ Rear AC - 72.00 Oz. R-12; 9.00 Oz. Mineral; w/ R4 Compressor	<b>59000</b>
	8 Cyl. 5.7 Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral; w/ R4 Compressor	<b>59000</b>
	8 Cyl. 5.7 Eng.; w/ Rear AC - 72.00 Oz. R-12; 9.00 Oz. Mineral; w/ R4 Compressor	<b>59000</b>
	8 Cyl. 6.2 Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral; w/ HR6/DA6 Compressor	<b>59000</b>
	8 Cyl. 6.2 Eng.; w/o Rear AC - 56.00 Oz. R-12; 10.00 Oz. Mineral; w/ A6 Compressor	<b>59000</b>
	8 Cyl. 6.2 Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral; w/ HR6/DA6 Compressor	<b>59000</b>

Continued on Next Page

# GMC LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>G SERIES FULLSIZE VAN / SAVANA (Cont'd)</b>		
91-89	8 Cyl. 6.2 Eng.; w/ Rear AC - 72.00 Oz. R-12; 13.00 Oz. Mineral; w/ A6 Compressor .....	59000
	8 Cyl. 7.4 Eng.; w/o Rear AC - 46.00 Oz. R-12; 10.00 Oz. Mineral; w/ A6 Compressor .....	59000
	8 Cyl. 7.4 Eng.; w/o Rear AC - 46.00 Oz. R-12; 8.00 Oz. Mineral; w/ R4 Compressor .....	59000
	8 Cyl. 7.4 Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral; w/ HR6/DA6 Compressor .....	59000
	8 Cyl. 7.4 Eng.; w/ Rear AC - 64.00 Oz. R-12; 13.00 Oz. Mineral; w/ A6 Compressor .....	59000
	8 Cyl. 7.4 Eng.; w/ Rear AC - 64.00 Oz. R-12; 9.00 Oz. Mineral; w/ R4 Compressor .....	59000
	8 Cyl. 7.4 Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral; w/ HR6/DA6 Compressor .....	59000
88	All Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral .....	59000
87-86	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral .....	59000
85	6 Cyl. 4.3 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.2 Eng. ....	59000
84-83	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.2 Eng. ....	59000
82-81	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
80	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
78-77	6 Cyl. 4.1 Eng. ....	59000
	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
76-75	8 Cyl. 6.6 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
74	8 Cyl. 6.6 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	6 Cyl. 4.8 Eng. ....	59000
73-70	8 Cyl. 5.7 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
69-68	8 Cyl. 5.7 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
67	8 Cyl. 5.0 Eng. ....	59000
	6 Cyl. 3.8 Eng. ....	59000
	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 4.6 Eng. ....	59000
	8 Cyl. 5.4 Eng. ....	59000
<b>P SERIES VAN</b>		
99-96	6 Cyl. 4.3 Eng. ....	59003
	8 Cyl. 5.7 Eng. ....	59003
	8 Cyl. 6.5 Eng. ....	59003
	8 Cyl. 7.4 Eng. ....	59003
95	6 Cyl. 4.3 Eng. ....	59003
	8 Cyl. 5.7 Eng. ....	59003
	8 Cyl. 6.5 Eng. ....	59007
94	8 Cyl. 7.4 Eng. ....	59002
	6 Cyl. 4.3 Eng. ....	59003
	8 Cyl. 5.7 Eng. ....	59003
	8 Cyl. 6.5 Eng. ....	59003
93	8 Cyl. 7.4 Eng. ....	59002
	6 Cyl. 4.3 Eng. ....	59000
	6 Cyl. 4.3 Eng. ....	59000

Continued on Next Page

# GMC LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>P SERIES VAN (Cont'd)</b>		
93	8 Cyl. 5.7 Eng. - w/ R12 .....	<b>59000</b>
	8 Cyl. 5.7 Eng. - w/ R134a .....	<b>59003</b>
	8 Cyl. 6.2 Eng. ....	<b>59000</b>
	8 Cyl. 7.4 Eng. ....	<b>59000</b>
<b>S15 JIMMY</b>		
01	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
00-99	All Eng. - 31.00 Oz. R-134a; 8.50 Oz. PAG-150 .....	<b>59003</b>
98-95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
94	All Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
92-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
88	All Eng. - 37.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
87-86	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
85	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
84	4 Cyl. 1.9 Eng. ....	<b>59000</b>
	4 Cyl. 2.0 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
83	6 Cyl. 2.8 Eng. ....	<b>59000</b>
<b>S15 PICKUP</b>		
04-99	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150; w/ V7 Compressor .....	<b>59003</b>
	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ HT6 Compressor .....	<b>59003</b>
98-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
88	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
	6 Cyl. 4.3 Eng. ....	<b>59000</b>
87-86	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
85	4 Cyl. 1.9 Eng. ....	<b>59000</b>
	4 Cyl. 2.2 Eng. ....	<b>59000</b>
	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
84	4 Cyl. 1.9 Eng. ....	<b>59000</b>
	4 Cyl. 2.2 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
83-82	6 Cyl. 2.8 Eng. ....	<b>59000</b>
<b>SAFARI</b>		
05-94	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	<b>59003</b>
93-92	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>
91-90	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>
89	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 9.00 Oz. Mineral .....	<b>59000</b>
88-86	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 48.00 Oz. R-12; 9.00 Oz. Mineral .....	<b>59000</b>
85	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 4.3 Eng. ....	<b>59000</b>
<b>SUBURBAN / FULLSIZE JIMMY / YUKON</b>		
09	8 Cyl. 4.8 Eng. Excl. Hybrid .....	<b>59007</b>
	8 Cyl. 5.3 Eng. Excl. Hybrid .....	<b>59007</b>
	8 Cyl. 6.0 Eng. Excl. Hybrid .....	<b>59007</b>
	8 Cyl. 6.2 Eng. Excl. Hybrid .....	<b>59007</b>
08	Excl. Hybrid; w/o Rear AC - 25.50 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
	Yukon Excl. Hybrid; w/ Rear AC - 40.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	<b>59007</b>
	Yukon XL Excl. Hybrid; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	<b>59007</b>
	Hybrid - Refer to OE Specifications .....	<b>59889</b>
07	All Eng.; w/o Rear AC - 25.50 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
	Yukon; w/ Rear AC - 40.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	<b>59007</b>
06-03	Yukon XL; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/o Rear AC - 25.50 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>

Continued on Next Page

# GMC LIGHT TRUCK

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>SUBURBAN / FULLSIZE JIMMY / YUKON (Cont'd)</b>		
06-03	Yukon; w/ Rear AC - 43.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
	Yukon XL; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
02	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	Yukon; w/ Rear AC - 42.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
	Yukon XL; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
01	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	Yukon; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
	Yukon XL; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-46 .....	59007
00-94	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng.; w/ Rear AC - 64.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	59003
93	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 11.00 Oz. Mineral .....	59000
92	All Eng.; w/o Rear AC - 44.80 Oz. R-12; 6.00 Oz. Mineral .....	59000
91-90	All Eng.; w/o Rear AC - 52.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 84.00 Oz. R-12; 11.00 Oz. Mineral .....	59000
89	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral .....	59000
88	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.2 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
87	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.2 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
86-84	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.2 Eng. ....	59000
	8 Cyl. 7.4 Eng. ....	59000
72-71	6 Cyl. 4.1 Eng. ....	59000
	6 Cyl. 4.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000

# HONDA

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>ACCORD</b>		
09-05	Excl. Hybrid - 19.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
	Hybrid - Refer to OE Specifications .....	59889
04-03	All Eng. - 19.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
02-94	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
93	All Eng. - 30.00 Oz. R-12; 4.50 Oz. Mineral .....	59000
92-90	All Eng. - 32.00 Oz. R-12; 4.00 Oz. Mineral .....	59000
89	All Eng. - 30.00 Oz. R-12; 5.75 Oz. Mineral .....	59000
88-87	All Eng. - 26.00 Oz. R-12; 7.50 Oz. Mineral .....	59000
86-85	All Eng. - 26.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
84-82	4 Cyl. 1.8 Eng. ....	59000
<b>CIVIC</b>		
09-06	Excl. Hybrid - 15.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
	Hybrid - Refer to OE Specifications .....	59889
05-02	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
01-96	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
95-94	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
93	All Eng. - 22.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
92	All Eng. - 23.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
91	All Eng. - 33.00 Oz. R-12; 4.00 Oz. Mineral; w/ Sanden Compressor .....	59000
	All Eng. - 33.00 Oz. R-12; 5.00 Oz. Mineral; w/ Matsushita Compressor .....	59000

Continued on Next Page

# HONDA

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CIVIC (Cont'd)</b>		
90	All Eng. - 31.00 Oz. R-12; 4.50 Oz. Mineral .....	<b>59000</b>
89	All Eng. - 31.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
88	All Eng. - 24.00 Oz. R-12; 7.50 Oz. Mineral; w/ Sanden Compressor .....	<b>59000</b>
	All Eng. - 34.00 Oz. R-12; 7.50 Oz. Mineral; w/ Matsushita Compressor .....	<b>59000</b>
87	All Eng. - 25.00 Oz. R-12; 7.50 Oz. Mineral .....	<b>59000</b>
86	All Eng. - 30.00 Oz. R-12; 7.50 Oz. Mineral .....	<b>59000</b>
85	All Eng. - 20.00 Oz. R-12; 7.50 Oz. Mineral .....	<b>59000</b>
84	4 Cyl. 1.3 Eng. ....	<b>59000</b>
<b>CIVIC DEL SOL</b>		
97-94	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 23.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
<b>CR-V</b>		
08-05	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
04	4 Cyl. 2.4 Eng. ....	<b>59007</b>
03-02	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
01-97	All Eng. - 25.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
<b>CRX</b>		
91-90	All Eng. - 32.00 Oz. R-12; 4.50 Oz. Mineral .....	<b>59000</b>
89-88	All Eng. - 32.00 Oz. R-12; 4.00 Oz. Mineral; w/ Sanden Compressor .....	<b>59000</b>
	All Eng. - 32.00 Oz. R-12; 5.00 Oz. Mineral; w/ Matsushita Compressor .....	<b>59000</b>
87	All Eng. - 30.00 Oz. R-12; 7.50 Oz. Mineral .....	<b>59000</b>
86	All Eng. - 20.00 Oz. R-12; 7.50 Oz. Mineral .....	<b>59000</b>
85	4 Cyl. 1.5 Eng. ....	<b>59000</b>
84	4 Cyl. 1.3 Eng. ....	<b>59000</b>
<b>ELEMENT</b>		
08-03	All Eng. - 18.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
<b>FIT</b>		
08-07	All Eng. - 16.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
<b>INSIGHT</b>		
06-00	All Eng. - 19.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	<b>59007</b>
<b>ODYSSEY</b>		
08-07	All Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
06-99	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
98-95	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 30.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	<b>59007</b>
<b>PASSPORT</b>		
02-94	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
<b>PILOT</b>		
08-03	All Eng. - 24.7-26.5 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
<b>PRELUDE</b>		
01-97	All Eng. - 26.50 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
96-95	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
94	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
	4 Cyl. 2.2 Eng. - w/ R12 .....	<b>59000</b>
	4 Cyl. 2.3 Eng. - w/ R12 .....	<b>59000</b>
92	All Eng. - 26.50 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
91	All Eng. - 32.00 Oz. R-12; 4.00 Oz. Mineral .....	<b>59000</b>
90	All Eng. - 32.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
89-88	All Eng. - 34.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
87-86	All Eng. - 30.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
85	All Eng. - 25.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
<b>RIDGELINE</b>		
08	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
07-06	All Eng. - 23.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
<b>S2000</b>		
08	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
07-06	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
05-00	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
<b>WAGOVAN</b>		
89-86	4 Cyl. 1.5 Eng. ....	<b>59000</b>



## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>H2</b>	
08-06	All Eng. - 25.50 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
05-03	All Eng. - 25.50 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
	<b>H3</b>	
08-06	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>

# HYUNDAI

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>ACCENT</b>	
09-08	4 Cyl. 1.6 Eng. ....	<b>59007</b>
07-06	All Eng. - 18.50 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
05-02	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
01-96	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
95	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	<b>59007</b>
	<b>AZERA</b>	
07	6 Cyl. 3.8 Eng. ....	<b>59007</b>
06	All Eng. - 18.50 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
	<b>ELANTRA</b>	
08	4 Cyl. 2.0 Eng. ....	<b>59007</b>
07	All Eng. - 18.50 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
06-01	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
00-96	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
95-94	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
93-92	All Eng. - 33.00 Oz. R-12; 4.00 Oz. Mineral .....	<b>59000</b>
	<b>ENTOURAGE</b>	
07	All Eng. - 18.50 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
	<b>EXCEL</b>	
94	All Eng. - 25.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 32.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
92-91	All Eng. - 33.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
90	All Eng. - 30.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
89-88	All Eng. - 35.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
87-86	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
	<b>SANTA FE</b>	
09-08	6 Cyl. 2.7 Eng. ....	<b>59007</b>
07	All Eng.; w/o Rear AC - 22.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 30.50 Oz. R-134a; 7.50 Oz. PAG-46 .....	<b>59007</b>
06-01	All Eng. - 22.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	<b>59007</b>
	<b>SCOUPE</b>	
95-94	All Eng. - 25.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 30.00 Oz. R-12; 3.00 Oz. Mineral .....	<b>59000</b>
92-91	All Eng. - 33.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	<b>SONATA</b>	
07	All Eng. ....	<b>59007</b>
06	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
05-01	All Eng. - 25.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
00-99	All Eng. - 25.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
98-96	All Eng. - 27.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
95	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
94-89	All Eng. - 33.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
	<b>TIBURON</b>	
08	4 Cyl. 2.0 Eng. ....	<b>59007</b>
	6 Cyl. 2.7 Eng. ....	<b>59007</b>
07	All Eng. ....	<b>59007</b>
06	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
05-01	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
00-99	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
98	4 Cyl. 2.0 Eng. ....	<b>59007</b>
97	4 Cyl. 1.8 Eng. ....	<b>59007</b>

Continued on Next Page

# HYUNDAI

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>TIBURON (Cont'd)</b>	
97	4 Cyl. 2.0 Eng. ....	<b>59007</b>
	<b>TUCSON</b>	
09	4 Cyl. 2.0 Eng. ....	<b>59007</b>
	6 Cyl. 2.7 Eng. ....	<b>59007</b>
08-07	All Eng. ....	<b>59007</b>
06-05	All Eng. - 19.00 Oz. R-134a; 4.50 Oz. PAG-46; w/ 10PA15C .....	<b>59007</b>
	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46; w/ 10PA17C .....	<b>59007</b>
	<b>VERA CRUZ</b>	
07	All Eng.; w/o Rear AC - 25.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 33.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
	<b>XG300</b>	
01	6 Cyl. 3.0 Eng. ....	<b>59007</b>
	<b>XG350</b>	
05-02	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>

# INFINITI

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
08	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
	<b>EX35</b>	
	<b>FX35</b>	
08-03	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
	<b>FX45</b>	
08-03	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
	<b>G20</b>	
02-99	All Eng. - 23.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
96-94	All Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
93-91	All Eng. - 29.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
	<b>G35</b>	
08-03	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
	<b>I30</b>	
01-98	All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
97-96	All Eng. - 25.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
	<b>I35</b>	
04-02	All Eng. - 18.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
	<b>J30</b>	
97-94	All Eng. - 28.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 26.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
	<b>M30</b>	
92-90	All Eng. - 35.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
	<b>M35</b>	
08-06	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
	<b>M45</b>	
08-03	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
	<b>Q45</b>	
06-02	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
01	All Eng. - 23.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
00-97	All Eng. - 25.50 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
96	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
95-94	All Eng. - 28.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 42.00 Oz. R-12; 10.00 Oz. Mineral .....	<b>59000</b>
92-90	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	<b>QX4</b>	
03-02	All Eng. - 16.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
01-97	All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
	<b>QX56</b>	
08-04	All Eng. - 40.00 Oz. R-134a; 10.00 Oz. PAG-100 .....	<b>59002</b>

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>AMIGO</b>		
00-99	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
98	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
94	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
93-91	All Eng. - 30.00 Oz. R-12; 6.00 Oz. Mineral .....	59000
90-89	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
<b>ASCENDER</b>		
08-06	All Eng.; w/o Rear AC - 30.50 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 42.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
05-03	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
<b>AXIOM</b>		
04-02	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
<b>HOMBRE</b>		
00-99	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
98-97	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
96	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
<b>I-MARK</b>		
89	All Eng. - 28.00 Oz. R-12; 6.50 Oz. Mineral .....	59000
88-86	4 Cyl. 1.5 Eng. ....	59000
85	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.8 Eng. ....	59000
<b>IMPULSE</b>		
92	All Eng. - 21.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
91-89	All Eng. - 35.00 Oz. R-12; 6.75 Oz. Mineral .....	59000
88	4 Cyl. 2.0 Eng. ....	59000
	4 Cyl. 2.3 Eng. ....	59000
87-85	4 Cyl. 1.9 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
<b>OASIS</b>		
99-96	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 30.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	59007
<b>PICKUP</b>		
08-06	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
95-94	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
93	All Eng. - 26.50 Oz. R-12; 6.00 Oz. Mineral .....	59000
92-89	All Eng. - 30.00 Oz. R-12; 6.00 Oz. Mineral .....	59000
88	4 Cyl. 2.3 Eng. ....	59000
	4 Cyl. 2.6 Eng. ....	59000
87-86	4 Cyl. 1.9 Eng. ....	59000
	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.3 Eng. ....	59000
<b>RODEO</b>		
04-02	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
01-94	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
93	All Eng. - 26.50 Oz. R-12; 5.00 Oz. Mineral .....	59000
92-91	All Eng. - 35.00 Oz. R-12; 6.00 Oz. Mineral .....	59000
<b>STYLUS</b>		
93-92	All Eng. - 21.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
91	All Eng. - 26.50 Oz. R-12; 6.75 Oz. Mineral .....	59000
<b>TROOPER</b>		
01-98	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
97-94	All Eng. - 26.50 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
93-92	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
91-89	All Eng. - 33.50 Oz. R-12; 5.00 Oz. Mineral .....	59000
88	All Eng. - 34.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
87	4 Cyl. 2.3 Eng. ....	59000
86	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.3 Eng. ....	59000
85	4 Cyl. 1.9 Eng. ....	59000
<b>VEHICROSS</b>		
01-99	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007

# JAGUAR

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>S-TYPE</b>		
08-03	All Eng. - 26.50 Oz. R-134a; 7.00 Oz. PAG-100 .....	<b>59002</b>
02-00	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	<b>59002</b>
<b>VANDEN PLAS</b>		
00-98	All Eng. - 40.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
97-94	6 Cyl. 4.0 Eng. ....	<b>59002</b>
93-90	6 Cyl. 4.0 Eng. ....	<b>59000</b>
<b>XJ12</b>		
96-95	All Eng. - 38.50 Oz. R-134a; 8.00 Oz. PAG-100 .....	<b>59002</b>
94	All Eng. - 44.00 Oz. R-134a; 6.50 Oz. PAG-100 .....	<b>59002</b>
<b>XJ6</b>		
97-95	All Eng. - 38.50 Oz. R-134a; 7.50 Oz. PAG-100 .....	<b>59002</b>
94	All Eng. - 40.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
93	All Eng. - 40.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
	6 Cyl. 4.0 Eng. - w/ R12 .....	<b>59000</b>
92-89	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
88	6 Cyl. 3.6 Eng. ....	<b>59000</b>
87	6 Cyl. 3.6 Eng. ....	<b>59000</b>
	6 Cyl. 4.2 Eng. ....	<b>59000</b>
86-84	6 Cyl. 4.2 Eng. ....	<b>59000</b>
<b>XJ8</b>		
06	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
02-01	All Eng. - 24.00 Oz. R-134a; 5.5-6.5 Oz. PAG-150 .....	<b>59003</b>
00-98	All Eng. - 26.50 Oz. R-134a; 6.75 Oz. PAG-150 .....	<b>59003</b>
<b>XJR</b>		
07-06	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
02-01	All Eng. - 24.00 Oz. R-134a; 5.5-6.5 Oz. PAG-150 .....	<b>59003</b>
00-98	All Eng. - 40.00 Oz. R-134a; 5.00 Oz. PAG-150 .....	<b>59003</b>
97-95	6 Cyl. 4.0 Eng. ....	<b>59002</b>
<b>XJRS</b>		
93	All Eng. - 40.00 Oz. R-134a; 5.00 Oz. PAG-150 .....	<b>59003</b>
<b>XJS</b>		
96-95	All Eng. - 40.00 Oz. R-134a; 6.50 Oz. PAG-150 .....	<b>59003</b>
94	All Eng. - 40.00 Oz. R-134a; 6.50 Oz. PAG-150 .....	<b>59003</b>
	6 Cyl. 4.0 Eng. - w/ R12 .....	<b>59000</b>
93	All Eng. - 40.00 Oz. R-134a; 6.50 Oz. PAG-150 .....	<b>59003</b>
92-90	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
89	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral; w/ Delco Compressor .....	<b>59000</b>
	All Eng. - 56.00 Oz. R-12; 6.50 Oz. Mineral; w/ Sanden Compressor .....	<b>59000</b>
88-84	12 Cyl. 5.3 Eng. ....	<b>59000</b>
<b>XK8</b>		
06	All Eng. - 25.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
02-01	All Eng. - 21.0-23.0 Oz. R-134a; 5.5-6.5 Oz. PAG-150 .....	<b>59003</b>
00-99	All Eng. - 26.50 Oz. R-134a; 6.50 Oz. PAG-150 .....	<b>59003</b>
98-97	All Eng. - 32.00 Oz. R-134a; 6.50 Oz. PAG-150 .....	<b>59003</b>
<b>XKR</b>		
06	All Eng. - 25.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
02-01	All Eng. - 21.0-23.0 Oz. R-134a; 5.5-6.5 Oz. PAG-150 .....	<b>59003</b>
<b>X-TYPE</b>		
05-02	All Eng. - 28.00 Oz. R-134a; 7.50 Oz. PAG-100 .....	<b>59002</b>

# JEEP

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CHEROKEE</b>		
01-00	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
99-97	All Eng. - 20.00 Oz. R-134a; 8.00 Oz. PAG-100 .....	<b>59002</b>
96-95	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100 .....	<b>59002</b>
94	All Eng. - 38.00 Oz. R-12; 4.50 Oz. Mineral .....	<b>59000</b>
	4 Cyl. 2.5 Eng. - w/ R134a .....	<b>59002</b>

Continued on Next Page

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CHEROKEE (Cont'd)</b>		
94	6 Cyl. 4.0 Eng. - w/ R134a .....	<b>59002</b>
93-90	All Eng. - 38.00 Oz. R-12; 4.50 Oz. Mineral .....	<b>59000</b>
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
88-86	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
85-84	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
83	6 Cyl. 4.2 Eng. ....	<b>59000</b>
<b>CJ SERIES</b>		
86-85	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 4.2 Eng. ....	<b>59000</b>
84-82	6 Cyl. 4.2 Eng. ....	<b>59000</b>
<b>COMANCHE</b>		
92-90	All Eng. - 38.00 Oz. R-12; 4.50 Oz. Mineral .....	<b>59000</b>
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
88-87	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 4.0 Eng. ....	<b>59000</b>
86	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
<b>COMMANDER</b>		
08-06	All Eng.; w/o Rear AC - 24.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 34.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	<b>59007</b>
<b>COMPASS</b>		
08-07	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
<b>GRAND CHEROKEE</b>		
08-05	All Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
04-02	All Eng. - 27.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
01-00	All Eng. - 24.00 Oz. R-134a; 5.75 Oz. PAG-100 .....	<b>59002</b>
99-98	All Eng. - 26.00 Oz. R-134a; 7.50 Oz. PAG-100 .....	<b>59002</b>
97-93	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-100 .....	<b>59002</b>
<b>GRAND WAGONEER</b>		
93	All Eng. - 28.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
91-89	All Eng. - 32.00 Oz. R-12; 4.50 Oz. Mineral .....	<b>59000</b>
88-87	8 Cyl. 5.9 Eng. ....	<b>59000</b>
86-84	6 Cyl. 4.2 Eng. ....	<b>59000</b>
<b>LIBERTY</b>		
08	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
07	All Eng. - 22.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
06-05	All Eng. ....	<b>59007</b>
04-02	All Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
<b>PATRIOT</b>		
08-07	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
<b>WAGONEER</b>		
90	All Eng. - 38.00 Oz. R-12; 4.50 Oz. Mineral .....	<b>59000</b>
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
88	6 Cyl. 4.0 Eng. ....	<b>59000</b>
87	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 4.0 Eng. ....	<b>59000</b>
86-84	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
83	6 Cyl. 4.2 Eng. ....	<b>59000</b>
<b>WRANGLER</b>		
08-07	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
06-05	4 Cyl. 2.4 Eng. ....	<b>59007</b>
	6 Cyl. 4.0 Eng. ....	<b>59007</b>
04-01	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
00	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
99-97	All Eng. - 20.00 Oz. R-134a; 8.00 Oz. PAG-100 .....	<b>59002</b>
95-94	All Eng. - 32.00 Oz. R-134a; 4.50 Oz. PAG-100 .....	<b>59002</b>
93-90	All Eng. - 32.00 Oz. R-12; 4.50 Oz. Mineral .....	<b>59000</b>
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
88-87	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 4.2 Eng. ....	<b>59000</b>

# KIA

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>AMANTI</b>	
08-04	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
	<b>OPTIMA</b>	
08-07	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
06	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
05-01	All Eng. - 22.0-24.0 Oz. R-134a; 5.00 Oz. PAG-46	59007
	<b>RIO / RIO5</b>	
08-07	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
06	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
05	All Eng. - 17.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
04-01	All Eng. - 22.0-24.0 Oz. R-134a; 5.00 Oz. PAG-46	59007
	<b>RONDO</b>	
07	All Eng. - 16.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	<b>SEDONA</b>	
07-06	All Eng. - 32.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
05-02	All Eng. - 34.4-36.1 Oz. R-134a; 7.00 Oz. PAG-46	59007
	<b>SEPHIA</b>	
01-98	All Eng. - 26.50 Oz. R-134a; 6.75 Oz. PAG-46	59007
97-94	All Eng. - 24.00 Oz. R-134a	59007
	<b>SORENTO</b>	
07	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
06-03	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	<b>SPECTRA / SPECTRA5</b>	
08-04	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
03-02	All Eng. - 22.0-24.0 Oz. R-134a; 6.00 Oz. PAG-46	59007
01-00	All Eng. - 22.9-26.5 Oz. R-134a; 6.00 Oz. PAG-46	59007
	<b>SPORTAGE</b>	
08-06	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
05	4 Cyl. 2.0 Eng.	59007
	6 Cyl. 2.7 Eng.	59007
02	4 Cyl. 2.0 Eng.	59002
01-95	All Eng. - 25.00 Oz. R-134a; PAG-100	59002

# LAND ROVER

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>DEFENDER SERIES</b>	
97	All Eng. - 32.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
95	All Eng. - 32.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
94-93	All Eng. - 38.00 Oz. R-12; 5.00 Oz. Mineral	59000
	<b>DISCOVERY</b>	
04-00	All Eng.; w/o Rear AC - 25.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
99-94	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 41.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
	<b>FREELANDER</b>	
02	All Eng. - 16.00 Oz. R-134a; -- Oz. PAG-46	59007
	<b>LR3</b>	
08-05	All Eng.; w/o Rear AC - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	<b>RANGE ROVER</b>	
08-06	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
05-02	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
01-00	All Eng. - 49.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
99	All Eng. - 41.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
98-97	All Eng. - 44.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
96	All Eng. - 32.00 Oz. R-134a; 5.00 Oz. PAG-46; Old Body Style	59007
	All Eng. - 44.00 Oz. R-134a; 5.00 Oz. PAG-46; New Body Style	59007
95	All Eng. - 32.00 Oz. R-134a; 5.00 Oz. PAG-46	59007

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
91-90	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral ..... <b>ES250</b>	<b>59000</b>
03-02	All Eng. - 19.00 Oz. R-134a; -- PAG-46 ..... <b>ES300</b>	<b>59007</b>
01-98	All Eng. - 26.5-30.0 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
97-94	All Eng. - 30.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 33.50 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
92	All Eng. - 35.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
06	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46 ..... <b>ES330</b>	<b>59007</b>
05-04	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
08-07	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 4.50 Oz. PAG-46 ..... <b>ES350</b>	<b>59007</b>
06	All Eng. - 17.00 Oz. R-134a; 5.00 Oz. PAG-46 ..... <b>GS300</b>	<b>59007</b>
05-02	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
01-98	All Eng. - 21.0-23.0 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
97-93	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
08-07	6 Cyl. 3.5 Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46 ..... <b>GS350</b>	<b>59007</b>
00-98	All Eng. - 21.0-23.0 Oz. R-134a; 7.00 Oz. PAG-46 ..... <b>GS400</b>	<b>59007</b>
07-06	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 ..... <b>GS430</b>	<b>59007</b>
05-01	All Eng. - 21.0-23.0 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
09-07	6 Cyl. 3.5 Eng. Hybrid - Refer to OE Specifications ..... <b>GS450</b>	<b>59889</b>
08-07	All Eng.; w/o Rear AC - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 ..... <b>GX470</b>	<b>59007</b>
06-03	All Eng.; w/ Rear AC - 26.00 Oz. R-134a; 5.00 Oz. PAG-46 ..... All Eng.; w/o Rear AC - 22.4-24.0 Oz. R-134a; 4.00 Oz. PAG-46 ..... All Eng.; w/ Rear AC - 28.1-28.9 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b> <b>59007</b> <b>59007</b>
08-06	6 Cyl. 2.5 Eng. - 16.00 Oz. R-134a; 7.00 Oz. PAG-46 ..... <b>IS250</b>	<b>59007</b>
05-03	6 Cyl. 3.0 Eng. .... <b>IS300</b>	<b>59007</b>
02-01	All Eng. - 23.00 Oz. R-134a; -- PAG-46 .....	<b>59007</b>
08-06	6 Cyl. 3.5 Eng. - 16.00 Oz. R-134a; 7.00 Oz. PAG-46 ..... <b>IS350</b>	<b>59007</b>
00-98	All Eng. - 22.9-26.5 Oz. R-134a; 7.75 Oz. PAG-46 ..... <b>LS400</b>	<b>59007</b>
97-94	All Eng. - 30.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 33.50 Oz. R-134a; 5.25 Oz. PAG-46 .....	<b>59007</b>
92-90	8 Cyl. 4.0 Eng. - w/ R12 ..... All Eng. - 37.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b> <b>59000</b>
06-03	All Eng.; w/o Rear AC - 22.0-24.0 Oz. R-134a; 4.50 Oz. PAG-46 ..... <b>LS430</b>	<b>59007</b>
02	All Eng.; w/ Rear AC - 30.0-33.5 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
01	All Eng.; w/o Rear AC - 22.0-24.0 Oz. R-134a; PAG-46 ..... All Eng.; w/ Rear AC - 30.0-33.5 Oz. R-134a; PAG-46 .....	<b>59007</b> <b>59007</b>
97-96	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46 ..... <b>LX450</b>	<b>59007</b>
06-98	All Eng. - 35.3-38.8 Oz. R-134a; 7.75 Oz. PAG-46 ..... <b>LX470</b>	<b>59007</b>
03-02	6 Cyl. 3.0 Eng. .... <b>RX300</b>	<b>59007</b>
01-99	All Eng. - 22.0-24.0 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
08-04	All Eng. - 22.0-24.0 Oz. R-134a; 4.00 Oz. PAG-46 ..... <b>RX330</b>	<b>59007</b>
08-07	All Eng. - 22.0-24.0 Oz. R-134a; 4.00 Oz. PAG-46 ..... <b>RX350</b>	<b>59007</b>

Continued on Next Page

# LEXUS

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>RX400</b>	
09-06	6 Cyl. 3.3 Eng. Hybrid - Refer to OE Specifications .....	<b>59889</b>
	<b>SC300</b>	
00-97	All Eng. - 32.0-34.0 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
96	All Eng. - 31.8-35.3 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
95-94	All Eng. - 30.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 33.50 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
92	All Eng. - 35.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
	<b>SC400</b>	
00-96	All Eng. - 33.50 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
95-94	All Eng. - 30.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 33.50 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
92	All Eng. - 35.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
	<b>SC430</b>	
06-02	All Eng. - 21.0-23.0 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>

# LINCOLN

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>AVIATOR</b>	
05-03	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	<b>59007</b>
	<b>BLACKWOOD</b>	
02	All Eng. - 37.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
	<b>CONTINENTAL</b>	
02-98	All Eng. - 38.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
97-95	All Eng. - 34.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
94	All Eng. - 40.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng.; w/ Rear AC - 40.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	All Eng.; w/o Rear AC - 40.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
92	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
91-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
88	6 Cyl. 3.8 Eng. ....	<b>59000</b>
87-86	8 Cyl. 5.0 Eng. ....	<b>59000</b>
85	6 Cyl. 2.4 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
82	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
81	8 Cyl. 5.0 Eng. ....	<b>59000</b>
80	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
79	8 Cyl. 6.6 Eng. ....	<b>59000</b>
78-77	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.5 Eng. ....	<b>59000</b>
76-74	8 Cyl. 7.5 Eng. ....	<b>59000</b>
	<b>LS</b>	
06-00	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	<b>MARK LIGHT TRUCK</b>	
08-06	All Eng. - 34.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
	<b>MARK SERIES</b>	
98-95	All Eng. - 34.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
94	All Eng. - 40.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng.; w/ Rear AC - 34.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/o Rear AC - 34.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng. - w/ R12 .....	--
92-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
88	All Eng. - 40.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
87-86	8 Cyl. 5.0 Eng. ....	<b>59000</b>
85	6 Cyl. 2.4 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
84-81	8 Cyl. 5.0 Eng. ....	<b>59000</b>

Continued on Next Page



## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>MARK SERIES (Cont'd)</b>		
80	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
79	8 Cyl. 6.6 Eng. ....	59000
78-77	8 Cyl. 6.6 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
76-72	8 Cyl. 7.5 Eng. ....	59000
<b>MKX</b>		
08-07	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
<b>MKZ</b>		
09	6 Cyl. 3.5 Eng. ....	59007
08-07	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
<b>NAVIGATOR</b>		
08	All Eng.; w/o Rear AC - 22.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
07	All Eng.; w/o Rear AC - 22.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 33.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
06	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 58.00 Oz. R-134a; 14.00 Oz. PAG-46 .....	59007
05-03	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 54.00 Oz. R-134a; 14.00 Oz. PAG-46 .....	59007
02-98	All Eng.; w/o Rear AC - 37.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 62.00 Oz. R-134a; 14.00 Oz. PAG-46 .....	59007
<b>TOWN CAR</b>		
08-06	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
05-03	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
02-98	All Eng. - 38.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
97	All Eng. - 34.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
96-95	All Eng. - 34.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
94	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 40.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
93	All Eng.; w/ Rear AC - 36.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
92-91	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
90-89	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
88	All Eng. - 52.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
87-86	All Eng. - 48.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
85	All Eng. - 52.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
84-82	8 Cyl. 5.0 Eng. ....	59000
<b>ZEPHYR</b>		
06	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007

# MAZDA

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>808</b>		
77-74	4 Cyl. 1.6 Eng. ....	59000
<b>COSMO</b>		
78-76	2 Cyl. 1.3 Eng. ....	59000
<b>RX-2</b>		
74-72	2 Cyl. 1.1 Eng. ....	59000
<b>RX-3</b>		
78-72	2 Cyl. 1.1 Eng. ....	59000
<b>RX-4</b>		
78-74	2 Cyl. 1.3 Eng. ....	59000
<b>323</b>		
94-93	All Eng. - 28.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
92-89	All Eng. - 27.00 Oz. R-12; 6.75 Oz. Mineral .....	59000
88	All Eng. - 27.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
87-86	All Eng. - 30.00 Oz. R-12; 7.75 Oz. Mineral .....	59000

Continued on Next Page

# MAZDA

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>626</b>		
02-98	All Eng. - 26.50 Oz. R-134a; 8.00 Oz. PAG-100 .....	<b>59002</b>
97-94	All Eng. - 25.00 Oz. R-134a; 8.00 Oz. PAG-100 .....	<b>59002</b>
93-89	All Eng. - 26.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
88	All Eng. - 37.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
87-86	All Eng. - 32.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
85	All Eng. - R-12; 7.75 Oz. Mineral .....	<b>59000</b>
84-79	4 Cyl. 2.0 Eng. ....	<b>59000</b>
<b>929</b>		
95-94	All Eng. - 28.00 Oz. R-134a; 7.50 Oz. PAG-100 .....	<b>59002</b>
93-92	All Eng. - 28.00 Oz. R-12; 6.50 Oz. Mineral .....	<b>59000</b>
91-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
88	All Eng. - 35.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
<b>CX-7</b>		
08-07	4 Cyl. 2.3 Eng. - 17.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
<b>CX-9</b>		
08-07	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-100 .....	<b>59002</b>
<b>GLC</b>		
85-81	4 Cyl. 1.5 Eng. ....	<b>59000</b>
80-79	4 Cyl. 1.4 Eng. ....	<b>59000</b>
78-77	4 Cyl. 1.3 Eng. ....	<b>59000</b>
<b>MAZDA 3</b>		
08-04	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
<b>MAZDA 5</b>		
08-06	All Eng. - 17.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
<b>MAZDA 6</b>		
08-06	All Eng. - 17.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
05-03	All Eng. - 16.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
<b>MIATA</b>		
08-06	All Eng. - 16.00 Oz. R-134a; 4.50 Oz. PAG-100 .....	<b>59002</b>
05-01	All Eng. - 14.00 Oz. R-134a; 5.00 Oz. PAG 100 .....	<b>59002</b>
00-99	All Eng. - 20.00 Oz. R-134a; 8.75 Oz. PAG-100 .....	<b>59002</b>
97-94	All Eng. - 21.00 Oz. R-134a; 8.75 Oz. PAG-100 .....	<b>59002</b>
93	All Eng. - 28.00 Oz. R-12; 6.50 Oz. Mineral .....	<b>59000</b>
92-90	All Eng. - 29.00 Oz. R-12; 6.50 Oz. Mineral .....	<b>59000</b>
<b>MILLENNIA</b>		
02-95	All Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
<b>MPV</b>		
06-03	All Eng.; w/o Rear AC - 21.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 28.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
02-00	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 30.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
98-97	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
96-95	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.25 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 8.75 Oz. PAG-46 .....	<b>59007</b>
94	All Eng.; w/o Rear AC - 37.00 Oz. R-134a; 8.75 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 44.00 Oz. R-134a; 8.75 Oz. PAG-46 .....	<b>59007</b>
93-91	All Eng.; w/o Rear AC - 43.00 Oz. R-12; 6.50 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 49.50 Oz. R-12; 6.50 Oz. Mineral .....	<b>59000</b>
90	All Eng.; w/o Rear AC - 42.00 Oz. R-12; 6.50 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 49.00 Oz. R-12; 6.50 Oz. Mineral .....	<b>59000</b>
89	4 Cyl. 2.6 Eng. ....	<b>59000</b>
	6 Cyl. 3.0 Eng. ....	<b>59000</b>
<b>MX-3</b>		
95-94	All Eng. - 26.50 Oz. R-134a; 6.25 Oz. PAG-100 .....	<b>59002</b>
93-92	All Eng. - 28.00 Oz. R-12; 4.50 Oz. Mineral .....	<b>59000</b>
<b>MX-6</b>		
97	All Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
96-94	All Eng. - 24.00 Oz. R-134a; 5.25 Oz. PAG-100 .....	<b>59002</b>
93-89	All Eng. - 26.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
88	All Eng. - 37.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>NAVAJO</b>		
94	All Eng.; w/ Rear AC - 28.00 Oz. R-134a; 10.00 Oz. PAG-100 .....	59002
	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	59002
93-91	All Eng. - 28.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
<b>PICKUP</b>		
08-06	All Eng. - 33.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
05-97	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
96-94	All Eng. - 22.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
93-92	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.6 Eng. ....	59000
91-90	B2600 .....	59000
	B2200 - 26.50 Oz. R-12; 8.00 Oz. Mineral .....	59000
89-87	B2600 .....	59000
	B2200 - 30.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
86	B2000 - 30.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
84-82	4 Cyl. 2.0 Eng. ....	59000
	4 Cyl. 2.2 Eng. ....	59000
81-79	4 Cyl. 2.0 Eng. ....	59000
78	4 Cyl. 1.8 Eng. ....	59000
77-76	2 Cyl. 1.3 Eng. ....	59000
<b>PROTEGE</b>		
03-01	4 Cyl. 1.6 Eng. ....	59002
	4 Cyl. 2.0 Eng. ....	59002
00-99	4 Cyl. 1.6 Eng. ....	59002
	4 Cyl. 1.8 Eng. ....	59002
98-95	4 Cyl. 1.5 Eng. ....	59002
	4 Cyl. 1.8 Eng. ....	59002
94-90	4 Cyl. 1.8 Eng. ....	59000
<b>PROTEGE</b>		
03-01	4 Cyl. 1.6 Eng. ....	59002
	4 Cyl. 2.0 Eng. ....	59002
00-99	4 Cyl. 1.6 Eng. ....	59002
	4 Cyl. 1.8 Eng. ....	59002
98-95	4 Cyl. 1.5 Eng. ....	59002
	4 Cyl. 1.8 Eng. ....	59002
94-90	4 Cyl. 1.8 Eng. ....	59000
<b>PROTEGE5</b>		
02	All Eng. - 18.50 Oz. R-134a; 5.00 Oz. PAG-100 .....	59002
<b>RX-7</b>		
95-94	All Eng. - 19.00 Oz. R-134a; 5.75 Oz. PAG-100 .....	59002
93	All Eng. - 22.00 Oz. R-12; 5.00 Oz. Mineral .....	59000
91-89	All Eng. - 29.00 Oz. R-12; 6.00 Oz. Mineral; w/ Denso Compressor .....	59000
	All Eng. - 29.00 Oz. R-12; 6.00 Oz. Mineral; w/ Sanden Compressor .....	59000
88-86	2 Cyl. 1.3 Eng. ....	59000
82-79	2 Cyl. 1.1 Eng. ....	59000
<b>RX-8</b>		
08-04	All Eng. - 16.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
<b>TRIBUTE</b>		
08	All Eng. - 25.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
06-01	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007

# MERCEDES-BENZ

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>220 SERIES</b>		
73-68	4 Cyl. 2.2 Eng. ....	59000
<b>230 SERIES</b>		
78-74	4 Cyl. 2.3 Eng. ....	59000
68-65	6 Cyl. 2.3 Eng. ....	59000

Continued on Next Page

# MERCEDES-BENZ

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>240 SERIES</b>	
83-76	4 Cyl. 2.4 Eng. ....	<b>59000</b>
	<b>280 SERIES</b>	
81-77	6 Cyl. 2.8 Eng. ....	<b>59000</b>
	<b>450 SERIES</b>	
80-73	8 Cyl. 4.5 Eng. ....	<b>59000</b>
	<b>190 SERIES</b>	
93-90	190E - 35.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
89	190D - 35.00 Oz. R-12; 7.50 Oz. Mineral .....	<b>59000</b>
	190E - 35.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
88	4 Cyl. 2.3 Eng. ....	<b>59000</b>
	5 Cyl. 2.5 Eng. ....	<b>59000</b>
	5 Cyl. 2.5 Eng. ....	<b>59000</b>
	5 Cyl. 2.5 Eng. ....	<b>59000</b>
	5 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.6 Eng. ....	<b>59000</b>
87	4 Cyl. 2.3 Eng. ....	<b>59000</b>
	5 Cyl. 2.5 Eng. ....	<b>59000</b>
	5 Cyl. 2.5 Eng. ....	<b>59000</b>
	5 Cyl. 2.5 Eng. ....	<b>59000</b>
	5 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.6 Eng. ....	<b>59000</b>
86	4 Cyl. 2.3 Eng. ....	<b>59000</b>
	5 Cyl. 2.5 Eng. ....	<b>59000</b>
	5 Cyl. 2.5 Eng. ....	<b>59000</b>
85	4 Cyl. 2.2 Eng. ....	<b>59000</b>
	4 Cyl. 2.3 Eng. ....	<b>59000</b>
84	4 Cyl. 2.3 Eng. ....	<b>59000</b>
	<b>260 SERIES</b>	
89-87	6 Cyl. 2.6 Eng. ....	<b>59000</b>
	<b>300 SERIES</b>	
93	300CE - 33.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
	300D - 33.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
	300E - 33.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
	300SD; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
	300SD; w/ Rear AC - 41.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
	300D - w/ R12 .....	<b>59000</b>
	300E - w/ R12 .....	<b>59000</b>
	300SL - w/ R12 .....	<b>59000</b>
	300TE - w/ R12 .....	<b>59000</b>
	300SE - w/ R12 .....	<b>59000</b>
	300CE - w/ R12 .....	<b>59000</b>
	300SD; w/o Rear AC - w/ R12 .....	<b>59000</b>
	300SL - w/ R134a .....	<b>59007</b>
	300TE - w/ R134a .....	<b>59007</b>
	300SE - w/ R134a .....	<b>59007</b>
92	300SL .....	<b>59000</b>
	300TE .....	<b>59000</b>
	300CE - 35.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
	300E - 35.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
	300SD; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
	300SD; w/ Rear AC - 41.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
	300D - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
	6 Cyl. 3.0 Eng. - w/ R12 .....	<b>59000</b>
	6 Cyl. 3.0 Eng. - w/ R134A .....	<b>59007</b>
91	300TE .....	<b>59000</b>
	300SL .....	<b>59000</b>
	300CE - 35.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
	300E - 35.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
	300D - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
	300SE - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
	300SEL - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
90	300TE .....	<b>59000</b>
	300SL .....	<b>59000</b>

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>300 SERIES (Cont'd)</b>		
90	300D .....	59000
	300CE - 35.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
	300E - 35.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
	300SE - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
	300SEL - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
89	300TE .....	59000
	300E - 35.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
	300CE - 35.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
	300SE - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
	300SEL - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
88-86	6 Cyl. 3.0 Eng. ....	59000
85-77	5 Cyl. 3.0 Eng. ....	59000
<b>350 SERIES</b>		
91	All Eng. - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
90	350SDL - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
<b>380 SERIES</b>		
85-81	8 Cyl. 3.8 Eng. ....	59000
<b>400 SERIES</b>		
93	400E - 33.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	400SEL; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	400SEL; w/ Rear AC - 41.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
92	400E; w/o Rear AC - 39.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
	400SE; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	400SE; w/ Rear AC - 41.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	400E; w/ Rear AC - 44.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
<b>420 SERIES</b>		
91-89	420SEL - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
88-86	8 Cyl. 4.2 Eng. ....	59000
<b>500 SERIES</b>		
93	500E - 33.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	500SEC; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	500SEL; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	500SEC; w/ Rear AC - 41.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	500SEL; w/ Rear AC - 41.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
92	500SL - w/ R134a .....	59007
	500E; w/o Rear AC - 39.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
	500SEL; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	500SEL; w/ Rear AC - 41.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	500E; w/ Rear AC - 44.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
91-84	500SL - w/ R12 .....	59000
	8 Cyl. 5.0 Eng. ....	59007
	8 Cyl. 5.0 Eng. ....	59000
<b>560 SERIES</b>		
91-90	560SEC - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
	560SEL - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
89	560SL .....	59000
	560SEC - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
88-86	560SEL - 46.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
	8 Cyl. 5.6 Eng. ....	59000
<b>600 SERIES</b>		
93	600SL; w/o Rear AC - 33.50 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
	600SEC; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	600SEL; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	600SEC; w/ Rear AC - 41.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
92	600SEL; w/ Rear AC - 41.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	600SEL; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
	600SEL; w/ Rear AC - 41.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
<b>C CLASS</b>		
07	6 Cyl. 3.5 Eng. ....	59007
06	6 Cyl. 3.5 Eng. ....	59007
	8 Cyl. 5.5 Eng. ....	59007
05	6 Cyl. 2.6 Eng. ....	59007
	6 Cyl. 3.2 Eng. ....	59007

Continued on Next Page

# MERCEDES-BENZ

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>C CLASS (Cont'd)</b>		
05	8 Cyl. 5.5 Eng. ....	59007
04	6 Cyl. 2.6 Eng. ....	59007
	6 Cyl. 3.2 Eng. ....	59007
03-01	All Eng. - 26.50 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
00-94	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
<b>CL CLASS</b>		
06	8 Cyl. 5.0 Eng. ....	59007
	8 Cyl. 5.5 Eng. ....	59007
05-01	All Eng.; w/ Rear AC - 33.50 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
00-98	All Eng.; w/o Rear AC - 39.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 41.50 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
<b>CLK CLASS</b>		
07-06	6 Cyl. 3.5 Eng. ....	59007
05	6 Cyl. 3.2 Eng. ....	59007
04-01	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
00-98	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
<b>E CLASS</b>		
06	6 Cyl. 3.2 Eng. ....	59007
	6 Cyl. 3.5 Eng. ....	59007
	8 Cyl. 5.0 Eng. ....	59007
	8 Cyl. 5.5 Eng. ....	59007
05-01	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
00-96	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
95-94	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
<b>G CLASS</b>		
06	8 Cyl. 5.0 Eng. ....	59007
05-03	8 Cyl. 5.0 Eng. ....	59007
	8 Cyl. 5.5 Eng. ....	59007
02	8 Cyl. 5.0 Eng. ....	59007
<b>ML CLASS</b>		
05-01	All Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
00-98	All Eng. - 27.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
<b>S CLASS</b>		
06	6 Cyl. 3.7 Eng. ....	59007
	8 Cyl. 4.3 Eng. ....	59007
	8 Cyl. 5.0 Eng. ....	59007
	8 Cyl. 5.5 Eng. ....	59007
05-01	All Eng.; w/o Rear AC - 33.50 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 37.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
00-94	All Eng.; w/o Rear AC - 39.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 41.50 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
<b>SL CLASS</b>		
05-01	All Eng. - 29.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
00-94	All Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
<b>SLK CLASS</b>		
04-01	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
00-98	All Eng. - 29.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007

# MERCURY

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>COMET</b>		
77-71	8 Cyl. 5.0 Eng. ....	59000
<b>LN7</b>		
83-82	4 Cyl. 1.6 Eng. ....	--
<b>ZEPHYR</b>		
82-80	8 Cyl. 4.2 Eng. ....	59000
79-78	8 Cyl. 5.0 Eng. ....	59000

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CAPRI</b>		
94	All Eng. - 25.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	59007
93-91	All Eng. - 25.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
86-83	6 Cyl. 3.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
82	8 Cyl. 5.0 Eng. ....	59000
<b>COLONY PARK</b>		
91-85	8 Cyl. 5.0 Eng. ....	59000
<b>COUGAR</b>		
02-00	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
99	All Eng. - 26.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	59007
97-95	All Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
94	All Eng. - 36.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	59007
93-89	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
88-87	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
86	All Eng. To 1/86 - 40.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	All Eng. From 1/86 - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
85-83	6 Cyl. 3.8 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
82	6 Cyl. 3.8 Eng. ....	59000
81	8 Cyl. 4.2 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
80	6 Cyl. 3.3 Eng. ....	59000
	8 Cyl. 4.2 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
79	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
78-77	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
76-74	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
73	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
72-71	8 Cyl. 5.8 Eng. ....	59000
70	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 7.0 Eng. ....	59000
<b>GRAND MARQUIS</b>		
09	8 Cyl. 4.6 Eng. ....	59007
08-06	All Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
05-97	All Eng. - 38.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
96-95	All Eng. - 38.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
94	All Eng. - 34.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
93	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	8 Cyl. 4.6 Eng. ....	59007
92	All Eng. - 36.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
91-89	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
88	All Eng. - 52.00 Oz. R-12; 13.00 Oz. Paraffin .....	--
87	All Eng. To 9/86 - 52.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
	All Eng. From 9/86 - 52.00 Oz. R-12; 13.00 Oz. Paraffin .....	--
86-85	All Eng. - 52.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
84-83	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
82	8 Cyl. 4.2 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
81	8 Cyl. 4.2 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
80-79	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.8 Eng. ....	59000
78	8 Cyl. 5.8 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000

Continued on Next Page

# MERCURY

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>GRAND MARQUIS (Cont'd)</b>		
78	8 Cyl. 7.5 Eng. ....	<b>59000</b>
77-75	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.5 Eng. ....	<b>59000</b>
<b>LYNX</b>		
87	4 Cyl. 1.9 Eng. ....	<b>59000</b>
	4 Cyl. 2.0 Eng. ....	<b>59000</b>
86	4 Cyl. 1.9 Eng. ....	--
	4 Cyl. 2.0 Eng. ....	--
85	4 Cyl. 1.6 Eng. ....	--
	4 Cyl. 1.9 Eng. ....	--
	4 Cyl. 2.0 Eng. ....	--
84	4 Cyl. 1.6 Eng. ....	--
	4 Cyl. 2.0 Eng. ....	--
83-82	4 Cyl. 1.6 Eng. ....	--
81	4 Cyl. 1.6 Eng. ....	<b>59000</b>
<b>MARAUDER</b>		
04-03	All Eng. - 38.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	<b>59007</b>
<b>MARINER</b>		
08	Excl. Hybrid - 25.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
07-06	4 Cyl. 2.3 Eng. Excl. Hybrid - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	6 Cyl. 3.0 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
05	4 Cyl. 2.3 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	6 Cyl. 3.0 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
<b>MARQUIS</b>		
85	8 Cyl. 5.0 Eng. ....	<b>59000</b>
84-83	6 Cyl. 3.8 Eng. ....	<b>59000</b>
82-81	8 Cyl. 4.2 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
80-79	8 Cyl. 5.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
78	8 Cyl. 5.8 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.5 Eng. ....	<b>59000</b>
77-75	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.5 Eng. ....	<b>59000</b>
<b>MILAN</b>		
09	4 Cyl. 2.3 Eng. ....	<b>59007</b>
08-06	6 Cyl. 3.0 Eng. ....	<b>59007</b>
	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
<b>MONARCH</b>		
80	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 4.2 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
79-78	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
75	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
<b>MONTEGO</b>		
07-05	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 38.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
76-75	8 Cyl. 5.8 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
74	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
73-71	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.8 Eng. ....	<b>59000</b>
<b>MONTEREY</b>		
07-04	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 53.00 Oz. R-134a; 12.00 Oz. PAG-46 .....	<b>59007</b>

Continued on Next Page



**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>MOUNTAINEER</b>		
08-06	All Eng.; w/o Rear AC - 31.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 47.00 Oz. R-134a; 16.00 Oz. PAG-46 .....	<b>59007</b>
05-02	All Eng.; w/o Rear AC - 34.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	<b>59007</b>
01-98	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
97	All Eng. - 22.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
<b>MYSTIQUE</b>		
00-95	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
<b>SABLE</b>		
05-96	All Eng. - 34.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
95-94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	6 Cyl. 3.0 Eng. ....	<b>59007</b>
92	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	6 Cyl. 3.0 Eng. ....	<b>59007</b>
91	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
90-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
88-86	All Eng. - 44.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
<b>TOPAZ</b>		
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 37.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
92-89	All Eng. - 36.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
88-87	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
86-84	4 Cyl. 2.3 Eng. ....	--
<b>TRACER</b>		
99	All Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
98	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
97	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
96-94	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 34.00 Oz. R-12; 7.75 Oz. Paraffin .....	--
92-91	All Eng. - 34.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
90-89	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Paraffin .....	--
88	All Eng. - 31.00 Oz. R-12; 10.00 Oz. Paraffin .....	--
87	4 Cyl. 1.6 Eng. ....	<b>59000</b>
<b>VILLAGER</b>		
02-00	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	<b>59002</b>
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 11.00 Oz. PAG-100 .....	<b>59002</b>
99	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 10.00 Oz. PAG-100 .....	<b>59002</b>
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 11.00 Oz. PAG-100 .....	<b>59002</b>
98	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 10.00 Oz. PAG-100 .....	<b>59002</b>
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 10.00 Oz. PAG-100 .....	<b>59002</b>
97-94	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	<b>59002</b>
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 10.00 Oz. PAG-100 .....	<b>59002</b>
93	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	All Eng.; w/ Rear AC - 56.00 Oz. R-12; 10.00 Oz. Paraffin .....	--

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>SCORPIO</b>		
89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
<b>XR4TI</b>		
89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>3000GT</b>		
99-94	All Eng. - 28.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. From 10/92 - 29.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
92	All Eng. To 9/92 - 34.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
91	All Eng. - 34.00 Oz. R-12; 8.50 Oz. Mineral .....	<b>59000</b>
<b>CORDIA</b>		
88-84	4 Cyl. 1.8 Eng. ....	<b>59000</b>
	4 Cyl. 2.0 Eng. ....	<b>59000</b>
<b>DIAMANTE</b>		
04-00	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	<b>59007</b>
99-97	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
96	All Eng. - 28.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
95-94	Sedan - 28.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
	Wagon - 28.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
93	Wagon - 28.00 Oz. R-12; 8.50 Oz. Mineral .....	<b>59000</b>
	Sedan - 38.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
92	All Eng. - 38.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
<b>ECLIPSE</b>		
08-06	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
05-00	All Eng. - 15.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	<b>59007</b>
99-95	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
94-90	All Eng. - 33.00 Oz. R-12; 6.50 Oz. Mineral .....	<b>59000</b>
<b>ENDEAVOR</b>		
08-04	All Eng. - 21.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	<b>59007</b>
<b>EXPO</b>		
95-94	All Eng. - 27.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
93-92	All Eng. - 30.00 Oz. R-12; 6.50 Oz. Mineral .....	<b>59000</b>
<b>EXPO LRV</b>		
94	4 Cyl. 2.4 Eng. ....	<b>59000</b>
<b>GALANT</b>		
08-06	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
05-00	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46 .....	<b>59007</b>
99-97	All Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
96-94	All Eng. - 24.00 Oz. R-134a; 8.75 Oz. PAG-46 .....	<b>59007</b>
93-89	All Eng. - 33.00 Oz. R-12; 8.75 Oz. Mineral .....	<b>59000</b>
87-86	4 Cyl. 2.4 Eng. ....	<b>59000</b>
<b>LANCER</b>		
08	All Eng. - 17.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
07-03	All Eng. - 18.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	<b>59007</b>
02	All Eng. - 18.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
<b>MIGHTY MAX</b>		
96-94	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
93-90	All Eng. - 30.00 Oz. R-12; 8.50 Oz. Mineral .....	<b>59000</b>
89-86	4 Cyl. 2.0 Eng. ....	<b>59000</b>
	4 Cyl. 2.6 Eng. ....	<b>59000</b>
<b>MIRAGE</b>		
02	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
01-97	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
96-94	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 30.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
92-89	All Eng. - 36.00 Oz. R-12; 8.06 Oz. Mineral .....	<b>59000</b>
88-85	4 Cyl. 1.5 Eng. ....	<b>59000</b>
	4 Cyl. 1.6 Eng. ....	<b>59000</b>
<b>MONTERO</b>		
06-02	All Eng.; w/o Rear AC - 21.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 27.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
01	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 33.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
00-94	All Eng. - 23.00 Oz. R-134a; 5.75 Oz. PAG-46 .....	<b>59007</b>
93-92	All Eng. - 28.00 Oz. R-12; 5.75 Oz. Mineral .....	<b>59000</b>
91-89	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
88-87	4 Cyl. 2.6 Eng. ....	<b>59000</b>

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>MONTERO SPORT</b>		
04-97	All Eng. - 24.00 Oz. R-134a; 8.75 Oz. PAG-46 .....	<b>59007</b>
<b>OUTLANDER</b>		
07-03	All Eng. - 19.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	<b>59007</b>
<b>PRECIS</b>		
93-90	All Eng. - 30.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
89	All Eng. - 35.00 Oz. R-12; 5.50 Oz. Mineral .....	<b>59000</b>
88-87	4 Cyl. 1.5 Eng. ....	<b>59000</b>
<b>RAIDER</b>		
08	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
07-06	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
<b>SIGMA</b>		
90	All Eng. - 32.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
89	All Eng. - 32.00 Oz. R-12; 8.75 Oz. Mineral .....	<b>59000</b>
<b>STARION</b>		
89	All Eng. - 29.00 Oz. R-12; 8.75 Oz. Mineral .....	<b>59000</b>
88-85	4 Cyl. 2.6 Eng. ....	<b>59000</b>
<b>TREDIA</b>		
88-85	4 Cyl. 1.8 Eng. ....	<b>59000</b>
	4 Cyl. 2.0 Eng. ....	<b>59000</b>
<b>VAN</b>		
90-87	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 4.00 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 52.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>

# NISSAN

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>200 SERIES</b>		
98-95	All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
88-87	4 Cyl. 2.0 Eng. ....	<b>59000</b>
	6 Cyl. 3.0 Eng. ....	<b>59000</b>
86-85	4 Cyl. 1.8 Eng. ....	<b>59000</b>
	4 Cyl. 2.0 Eng. ....	<b>59000</b>
<b>240 SERIES</b>		
98-95	All Eng. - 25.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
94	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
93-91	All Eng. - 32.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 35.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
<b>300 SERIES</b>		
96-94	All Eng. - 23.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
93-91	All Eng. - 30.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
90	All Eng. - 34.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
89	All Eng. - 38.50 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
86-85	All Eng. - 38.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
<b>350Z</b>		
08-07	All Eng. - 19.50 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
06-03	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
<b>720 PICKUP</b>		
86	All Eng. To 6/86 - 38.00 Oz. R-12; 8.50 Oz. Mineral .....	<b>59000</b>
85	All Eng. - 38.00 Oz. R-12; 8.50 Oz. Mineral .....	<b>59000</b>
<b>ALTIMA</b>		
09	Hybrid - Refer to OE Specifications .....	<b>59889</b>
08-07	Excl. Hybrid - 18.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
	Hybrid - Refer to OE Specifications .....	<b>59889</b>
06-02	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
01	All Eng. - 22.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
00-94	All Eng. - 26.50 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
93	All Eng. - 26.50 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
	4 Cyl. 2.4 Eng. - 26.50 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>

Continued on Next Page

# NISSAN

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>ARMADA</b>		
08-05	All Eng. - 40.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	<b>59007</b>
<b>AXXESS</b>		
90	All Eng. - 38.50 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
<b>D21 PICKUP</b>		
94	4 Cyl. 2.4 Eng. ....	<b>59000</b>
	6 Cyl. 3.0 Eng. ....	<b>59000</b>
93	All Eng. - 30.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
	4 Cyl. 2.4 Eng. - w/ R12 .....	<b>59000</b>
	6 Cyl. 3.0 Eng. - w/ R12 .....	<b>59000</b>
92-90	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
89-88	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
87	All Eng. - 38.50 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
86	All Eng. From 6/86 - 38.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
<b>FRONTIER</b>		
08	All Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
07-98	All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
<b>MAXIMA</b>		
08	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
07-05	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
04-02	All Eng. - 18.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
01-97	All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
96	All Eng. - 25.00 Oz. R-134a; 8.50 Oz. PAG-100 .....	<b>59002</b>
95	All Eng. - 29.00 Oz. R-134a; 8.50 Oz. PAG-100 .....	<b>59002</b>
94	All Eng. - 33.50 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
93	All Eng. - 33.50 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
	All Eng. - 33.50 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
92-91	All Eng. - 33.50 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 35.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
88-86	All Eng. - 38.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
85	All Eng. - 38.00 Oz. R-12; 9.00 Oz. Mineral .....	<b>59000</b>
<b>MURANO</b>		
07-03	All Eng. - 19.00 Oz. R-134a; 5.25 Oz. PAG-46 .....	<b>59007</b>
<b>PATHFINDER</b>		
08-06	All Eng.; w/o Rear AC - 19.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 30.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
05-02	All Eng. - 16.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
01-96	All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
95-94	All Eng. - 30.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
93	All Eng. - 30.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
	6 Cyl. 3.0 Eng. - w/ R12 .....	<b>59000</b>
92-89	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
88-87	4 Cyl. 2.4 Eng. ....	<b>59000</b>
	6 Cyl. 3.0 Eng. ....	<b>59000</b>
<b>PICKUP</b>		
97-94	All Eng. - 30.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
<b>PULSAR NX / NX</b>		
93-91	All Eng. - 26.50 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
90	4 Cyl. 1.6 Eng. ....	<b>59000</b>
89-88	4 Cyl. 1.6 Eng. ....	<b>59000</b>
	4 Cyl. 1.8 Eng. ....	<b>59000</b>
87	All Eng. - 38.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
86	4 Cyl. 1.6 Eng. ....	<b>59000</b>
	4 Cyl. 1.6 Eng. ....	<b>59000</b>
85	4 Cyl. 1.6 Eng. ....	<b>59000</b>
<b>QUEST</b>		
08	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-100 .....	<b>59002</b>
07-04	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100 .....	<b>59002</b>
02-01	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	<b>59002</b>
	All Eng.; w/ Rear AC - 54.00 Oz. R-134a; 11.00 Oz. PAG-100 .....	<b>59002</b>
00-94	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	<b>59002</b>
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 11.00 Oz. PAG-100 .....	<b>59002</b>
93	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 7.00 Oz. Paraffin .....	--
	All Eng.; w/ Front & Rear AC - 56.00 Oz. R-12; 10.00 Oz. Paraffin .....	--

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>ROGUE</b>	
08	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59002
	<b>SENTRA</b>	
08-07	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
06-00	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
99-94	All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
93-91	All Eng. - 26.50 Oz. R-12; 6.75 Oz. Mineral	59000
90-89	All Eng. - 33.50 Oz. R-12; 6.75 Oz. Mineral	59000
88	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral	59000
87	All Eng. - 38.00 Oz. R-12; 6.75 Oz. Mineral	59000
86	All Eng. - 35.00 Oz. R-12; 5.00 Oz. Mineral	59000
85	All Eng. - 35.00 Oz. R-12; 5.10 Oz. Mineral	59000
	<b>STANZA</b>	
92-91	All Eng. - 30.00 Oz. R-12; 6.75 Oz. Mineral	59000
90	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral	59000
89	All Eng. - 38.50 Oz. R-12; 6.75 Oz. Mineral	59000
88	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral	59000
87	Wagon - 38.50 Oz. R-12; 5.00 Oz. Mineral Coupe Sedan - 38.50 Oz. R-12; 6.75 Oz. Mineral	59000
86-85	4 Cyl. 2.0 Eng.	59000
	<b>TITAN</b>	
08-04	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
	<b>VERSA</b>	
10-07	4 Cyl. 1.8 Eng.	59007
	<b>XTERRA</b>	
08-07	All Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-100	59002
06-00	All Eng. - 25.00 Oz. R-134a; 7.00 Oz. PAG-100	59002

# OLDSMOBILE

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>OMEGA</b>	
84-82	4 Cyl. 2.5 Eng.	59000
	6 Cyl. 2.8 Eng.	59000
74	6 Cyl. 4.1 Eng.	59000
73	6 Cyl. 4.1 Eng.	59000
	8 Cyl. 5.7 Eng.	59000
	<b>98 / 98 REGENCY</b>	
99-96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95-94	All Eng. - 39.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-91	All Eng. - 29.00 Oz. R-12; 8.00 Oz. Mineral	59000
90-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral	59000
88	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral	59000
87-85	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral	59000
84	8 Cyl. 5.0 Eng.	59000
73-72	8 Cyl. 5.7 Eng.	59000
	8 Cyl. 7.5 Eng.	59000
71-68	8 Cyl. 7.5 Eng.	59000
67-65	8 Cyl. 7.0 Eng.	59000
64-63	8 Cyl. 6.5 Eng.	59000
	<b>ACHIEVA</b>	
98-95	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
94	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-92	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral	59000
	4 Cyl. 2.3 Eng.	59003
	6 Cyl. 3.3 Eng.	59003
	<b>ALERO</b>	
04-02	All Eng. - 22.00 Oz. R-134a; 9.00 Oz. PAG-46	59003
01-99	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150	59003

Continued on Next Page

# OLDSMOBILE

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>AURORA</b>		
03	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
02-01	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
99-95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
<b>BRAVADA</b>		
04-02	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
01-99	All Eng. - 31.00 Oz. R-134a; 8.50 Oz. PAG-150 .....	<b>59003</b>
98-96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
94	All Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
	6 Cyl. 4.3 Eng. ....	<b>59000</b>
93	All Eng. - 37.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
92-91	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
<b>CALAIS / CUTLASS CALAIS</b>		
91-87	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
86	All Eng. - 36.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
85	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 3.0 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
<b>CIERA / CUTLASS CIERA</b>		
96-94	4 Cyl. 2.2 Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
	6 Cyl. 3.1 Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
93	All Eng. - 38.00 Oz. R-12; 9.00 Oz. Mineral .....	<b>59000</b>
92	All Eng. - 38.00 Oz. R-12; 9.00 Oz. Mineral .....	<b>59000</b>
	All Eng. - 38.00 Oz. R-12; 9.00 Oz. Mineral .....	<b>59000</b>
91-85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
<b>CUTLASS / CUTLASS SUPREME</b>		
99-98	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
97	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
96-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93-92	All Eng. - 36.00 Oz. R-12; 9.00 Oz. Mineral .....	<b>59000</b>
91-89	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
88	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
87-86	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
85	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
84	8 Cyl. 5.0 Eng. ....	<b>59000</b>
73-72	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 7.5 Eng. ....	<b>59000</b>
71-70	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 7.5 Eng. ....	<b>59000</b>
69	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
68	8 Cyl. 5.7 Eng. ....	<b>59000</b>
<b>DELTA 88 CUSTOM CRUISER / CUSTOM CRUISER</b>		
92-91	All Eng. - 49.50 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 56.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
88-86	8 Cyl. 5.0 Eng. ....	<b>59000</b>
85	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
73	8 Cyl. 5.7 Eng. ....	<b>59000</b>
<b>DELTA 88 SEDAN</b>		
99-98	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
97-96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
95-94	All Eng. - 39.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93-92	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
91-90	All Eng. - 38.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
89	All Eng. - 46.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
88	All Eng. - 53.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
87-86	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
85	All Eng. - 46.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
84	6 Cyl. 3.8 Eng. ....	<b>59000</b>

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>DELTA 88 SEDAN (Cont'd)</b>		
84	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
73-68	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
67-65	8 Cyl. 7.0 Eng. ....	59000
<b>FIRENZA</b>		
88	4 Cyl. 2.0 Eng. ....	59000
87	4 Cyl. 2.0 Eng. ....	59000
	6 Cyl. 2.8 Eng. ....	59000
86-85	4 Cyl. 1.8 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
	6 Cyl. 2.8 Eng. ....	59000
84-83	4 Cyl. 1.8 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
82	4 Cyl. 1.8 Eng. ....	59000
<b>INTRIGUE</b>		
02-98	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	59003
<b>LSS</b>		
99-96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
<b>SILHOUETTE</b>		
04-01	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
00-98	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	59003
97	6 Cyl. 3.4 Eng. ....	59003
96-94	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	59003
93	All Eng.; w/o Rear AC - 42.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	59003
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	59003
	6 Cyl. 3.1 Eng. - w/ R12 .....	59000
	6 Cyl. 3.8 Eng. - w/ R12 .....	59000
92	All Eng.; w/o Rear AC - 51.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 67.00 Oz. R-12; 11.00 Oz. Mineral .....	59000
91	All Eng.; w/o Rear AC - 51.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
90	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
<b>TORONADO</b>		
92-89	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
88-86	6 Cyl. 3.8 Eng. ....	59000
85	8 Cyl. 5.0 Eng. ....	59000
	8 Cyl. 5.7 Eng. ....	59000
84	6 Cyl. 4.1 Eng. ....	59000
	8 Cyl. 5.0 Eng. ....	59000
72-71	8 Cyl. 7.5 Eng. ....	59000

# PEUGEOT

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>405</b>		
91-89	All Eng. - 53.00 Oz. R-12; 6.75 Oz. Mineral .....	59000
<b>505</b>		
91-89	All Eng. - 35.00 Oz. R-12; 6.75 Oz. Mineral .....	59000

# PLYMOUTH

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>SAPORO</b>		
83-81	4 Cyl. 2.6 Eng. ....	59000
<b>TRAILDUSTER</b>		
81	8 Cyl. 5.2 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000
<b>VOLARE</b>		
80	6 Cyl. 3.7 Eng. ....	59000
	8 Cyl. 5.2 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000
<b>ACCLAIM</b>		
95-94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46 .....	59007
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
90-89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
<b>BREEZE</b>		
00	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
99	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
98	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
97-96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
<b>CARAVELLE</b>		
88-86	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
85	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.6 Eng. ....	59000
<b>COLT</b>		
94-93	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.8 Eng. ....	59000
92	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.5 Eng. ....	59000
91	4 Cyl. 2.0 Eng. ....	59000
	4 Cyl. 1.5 Eng. ....	59000
90	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.6 Eng. ....	59000
89	4 Cyl. 1.8 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
88-87	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
86-85	4 Cyl. 1.5 Eng. ....	59000
	4 Cyl. 1.6 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
<b>CONQUEST</b>		
86-85	4 Cyl. 2.6 Eng. ....	59000
<b>GRAN FURY</b>		
89-84	8 Cyl. 5.2 Eng. ....	59000
83-81	6 Cyl. 3.7 Eng. ....	59000
	8 Cyl. 5.2 Eng. ....	59000
80	6 Cyl. 3.7 Eng. ....	59000
	8 Cyl. 5.2 Eng. ....	59000
	8 Cyl. 5.9 Eng. ....	59000
<b>HORIZON</b>		
90-89	4 Cyl. 2.2 Eng. ....	59000
88	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
87	All Eng. - 34.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
86-84	4 Cyl. 1.6 Eng. ....	59000
	4 Cyl. 2.2 Eng. ....	59000
83-81	4 Cyl. 2.2 Eng. ....	59000
79-78	4 Cyl. 1.7 Eng. ....	59000
<b>LASER</b>		
94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46 .....	59007
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
90	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
<b>NEON</b>		
01-00	All Eng. - 27.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	59007
99	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	59007

Continued on Next Page



## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>NEON (Cont'd)</b>		
98-97	All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	59007
96-95	All Eng. - 29.00 Oz. R-134a; 4.75 Oz. PAG-46 .....	59007
<b>PROWLER</b>		
00	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
99-97	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
<b>RELIANT</b>		
89	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.5 Eng. ....	59000
88-86	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
85	All Eng. - 37.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
84-81	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.6 Eng. ....	59000
<b>SUNDANCE</b>		
94	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.5 Eng. ....	59000
	6 Cyl. 3.0 Eng. ....	59000
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
90-89	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.5 Eng. ....	59000
88-87	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
<b>TURISMO</b>		
85-83	4 Cyl. 1.6 Eng. ....	59000
<b>VOYAGER / GRAND VOYAGER</b>		
00-96	All Eng.; w/o Rear AC - 34.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007
95-94	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007
93	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 50.00 Oz. R-134a; 13.00 Oz. PAG-46 .....	59007
	4 Cyl. 2.5 Eng. - w/ R12 .....	59000
	6 Cyl. 3.0 Eng. - w/ R12 .....	59000
	6 Cyl. 3.3 Eng. - w/ R12 .....	59000
92	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 8.75 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
	All Eng.; w/ Rear AC - 44.00 Oz. R-12; 13.00 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng.; w/ Rear AC - 44.00 Oz. R-12; 13.00 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
91-90	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 8.75 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
	All Eng.; w/ Rear AC - 43.00 Oz. R-12; 13.00 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng.; w/ Rear AC - 43.00 Oz. R-12; 13.00 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
89	All Eng.; w/o Rear AC - 38.00 Oz. R-12; 7.25 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng.; w/o Rear AC - 38.00 Oz. R-12; 8.75 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
	All Eng.; w/ Rear AC - 43.00 Oz. R-12; 13.00 Oz. Mineral; w/ Fixed Displacement Compressor .....	59000
	All Eng.; w/ Rear AC - 43.00 Oz. R-12; 13.00 Oz. Mineral; w/ Variable Displacement Compressor .....	59000
88	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
87-86	All Eng.; w/o Rear AC - 38.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
85-84	4 Cyl. 2.2 Eng. ....	59000
	4 Cyl. 2.6 Eng. ....	59000

# PONTIAC

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CATALINA</b>		
73-70	8 Cyl. 5.7 Eng. ....	59000
	8 Cyl. 6.6 Eng. ....	59000
	8 Cyl. 7.5 Eng. ....	59000
69-68	8 Cyl. 6.6 Eng. ....	59000
	8 Cyl. 7.0 Eng. ....	59000

Continued on Next Page

# PONTIAC

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>J2000</b>		
84-83	4 Cyl. 1.8 Eng. ....	<b>59000</b>
	4 Cyl. 2.0 Eng. ....	<b>59000</b>
82	4 Cyl. 1.8 Eng. ....	<b>59000</b>
<b>PHOENIX</b>		
84-82	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
<b>VENTURA</b>		
73-72	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
71	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
<b>6000</b>		
91-88	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
87-86	STE - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
	Excl. STE - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
84-82	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
<b>AZTEK</b>		
05-01	All Eng. - 27.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	<b>59007</b>
<b>BONNEVILLE</b>		
05-02	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
01-98	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
97-96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
95-94	All Eng. - 39.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93-91	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
88-87	All Eng. - 53.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
86	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	6 Cyl. 4.3 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
85-84	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
73-71	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.5 Eng. ....	<b>59000</b>
70	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.5 Eng. ....	<b>59000</b>
69-68	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.0 Eng. ....	<b>59000</b>
<b>FIERO</b>		
88-86	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
85	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
84	4 Cyl. 2.5 Eng. ....	<b>59000</b>
<b>FIREBIRD</b>		
02-98	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
97	6 Cyl. 3.8 Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
	8 Cyl. 5.7 Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
96	6 Cyl. 3.8 Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
	8 Cyl. 5.7 Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
95-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
	6 Cyl. 3.4 Eng. - w/ R12 .....	<b>59000</b>
	8 Cyl. 5.7 Eng. - w/ R12 .....	<b>59000</b>
92-89	All Eng. - 36.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
88-87	6 Cyl. 2.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
86	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
85-83	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>FIREBIRD (Cont'd)</b>		
85-83	8 Cyl. 5.0 Eng. ....	<b>59000</b>
82	4 Cyl. 2.5 Eng. ....	<b>59000</b>
73-71	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
70-68	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.5 Eng. ....	<b>59000</b>
	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
67	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.3 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
<b>G5</b>		
08-07	All Eng. - 14.50 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
<b>G6</b>		
08-05	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
<b>GRAND AM</b>		
05-02	4 Cyl. 2.2 Eng. - 35.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
	6 Cyl. 3.4 Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
01-99	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
98-95	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
94	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
93	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
92	All Eng. - 42.50 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
91-88	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
87-86	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
85	4 Cyl. 2.5 Eng. ....	<b>59000</b>
	6 Cyl. 3.0 Eng. ....	<b>59000</b>
<b>GRAND PRIX</b>		
08-06	6 Cyl. 3.8 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
	8 Cyl. 5.3 Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
05	6 Cyl. 3.8 Eng. - 37.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
	8 Cyl. 5.3 Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
04	All Eng. - 37.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
03-98	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
96-95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
	6 Cyl. 3.1 Eng. - w/ R12 .....	<b>59000</b>
	6 Cyl. 3.4 Eng. - w/ R12 .....	<b>59000</b>
93-92	All Eng. - 36.00 Oz. R-12; 9.00 Oz. Mineral .....	<b>59000</b>
91-88	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
87-86	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	6 Cyl. 4.3 Eng. ....	<b>59000</b>
85	8 Cyl. 5.0 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
84	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
73-70	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
69-68	8 Cyl. 7.5 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.0 Eng. ....	<b>59000</b>
<b>GTO</b>		
06-04	All Eng. - 29.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	<b>59007</b>
<b>LEMANS</b>		
93-88	All Eng. - 35.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
73-70	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.5 Eng. ....	<b>59000</b>
69-68	6 Cyl. 4.1 Eng. ....	<b>59000</b>

Continued on Next Page

# PONTIAC

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>LEMANS (Cont'd)</b>		
69-68	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
	8 Cyl. 7.0 Eng. ....	<b>59000</b>
<b>MONTANA</b>		
07-01	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
00-99	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	<b>59003</b>
<b>PARISIENNE</b>		
86-85	All Eng. - 60.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
84	6 Cyl. 3.8 Eng. ....	<b>59000</b>
	8 Cyl. 5.0 Eng. ....	<b>59000</b>
<b>SAFARI</b>		
89-87	8 Cyl. 5.0 Eng. ....	<b>59000</b>
<b>SOLSTICE</b>		
09	4 Cyl. 2.0 Eng. ....	<b>59007</b>
	4 Cyl. 2.4 Eng. ....	<b>59007</b>
08	All Eng. - 16.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
07-06	All Eng. - 26.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
<b>SUNBIRD</b>		
94	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
93-88	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
87	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral .....	<b>59000</b>
86-85	4 Cyl. 1.8 Eng. ....	<b>59000</b>
	4 Cyl. 2.0 Eng. ....	<b>59000</b>
<b>SUNFIRE</b>		
05-03	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
02	4 Cyl. 2.2 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46; w/ CVC6 Compressor .....	<b>59007</b>
	4 Cyl. 2.2 Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150; w/ V5 Compressor .....	<b>59003</b>
	4 Cyl. 2.4 Eng. - 21.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
01-95	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150 .....	<b>59003</b>
<b>TEMPEST</b>		
70	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
69	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
68	6 Cyl. 4.1 Eng. ....	<b>59000</b>
	8 Cyl. 5.7 Eng. ....	<b>59000</b>
	8 Cyl. 6.6 Eng. ....	<b>59000</b>
<b>TORRENT</b>		
09	6 Cyl. 3.4 Eng. ....	<b>59007</b>
08-06	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
<b>TRANS SPORT</b>		
98-97	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	<b>59003</b>
96	6 Cyl. 3.4 Eng. ....	<b>59003</b>
95	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-150 .....	<b>59003</b>
94	6 Cyl. 3.1 Eng. ....	<b>59003</b>
	6 Cyl. 3.8 Eng. ....	<b>59003</b>
93-92	6 Cyl. 3.1 Eng. ....	<b>59000</b>
	6 Cyl. 3.8 Eng. ....	<b>59000</b>
91-90	6 Cyl. 3.1 Eng. ....	<b>59000</b>
<b>VIBE</b>		
08-04	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
03	All Eng. - 23.00 Oz. R-12; 4.00 Oz. Mineral .....	<b>59007</b>

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>911 SERIES</b>		
07-05	All Eng.; AWD - 30.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; RWD - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
04-01	All Eng. - 31.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	59007
00-99	All Eng. - 28.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	59007
98-93	All Eng. - 29.50 Oz. R-134a; 4.75 Oz. PAG-46 .....	59007
92-90	All Eng. - 33.00 Oz. R-12; 3.50 Oz. Mineral .....	59000
89	All Eng. - 33.00 Oz. R-12; 4.00 Oz. Mineral .....	59000
<b>924 SERIES</b>		
88-87	All Eng. - 30.00 Oz. R-12; 7.25 Oz. Mineral .....	59000
78	4 Cyl. 2.0 Eng. ....	59000
<b>928 SERIES</b>		
95-93	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46 .....	59007
91-89	All Eng. - 33.50 Oz. R-12; 9.00 Oz. Mineral .....	59000
<b>944 SERIES</b>		
91-89	All Eng. - 33.50 Oz. R-12; 5.75 Oz. Mineral .....	59000
88-85	4 Cyl. 2.5 Eng. ....	59000
<b>968 SERIES</b>		
95-93	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
92	All Eng. - 33.50 Oz. R-12; 5.75 Oz. Mineral .....	59000
<b>BOXSTER</b>		
07-06	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
05-97	All Eng. - 30.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	59007
<b>CAYENNE</b>		
06	All Eng.; w/o Rear AC - 25.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 37.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	59007
05-04	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 39.00 Oz. R-134a; 12.00 Oz. PAG-46 .....	59007

# RENAULT

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>ALLIANCE</b>		
87	4 Cyl. 1.4 Eng. ....	59000
	4 Cyl. 1.7 Eng. ....	59000
	4 Cyl. 2.0 Eng. ....	59000
86-85	4 Cyl. 1.4 Eng. ....	59000
	4 Cyl. 1.7 Eng. ....	59000
<b>ENCORE</b>		
86-85	4 Cyl. 1.4 Eng. ....	59000
	4 Cyl. 1.7 Eng. ....	59000

# SAAB

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>900 SERIES</b>		
98-97	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-100; w/ Sanden Compressor .....	59002
	All Eng. - 25.50 Oz. R-134a; 6.75 Oz. PAG-100; w/ Seiko Seiki Compressor .....	59002
96-94	All Eng. - 25.50 Oz. R-134a; 6.75 Oz. PAG-100 .....	59002
93	4 Cyl. 2.0 Eng. ....	59000
	4 Cyl. 2.1 Eng. ....	59000
92-89	All Eng. - 35.00 Oz. R-12; 5.75 Oz. Mineral .....	59000
88-86	4 Cyl. 2.0 Eng. ....	59000
<b>9000 SERIES</b>		
98	4 Cyl. 2.3 Eng. ....	59002
97-95	4 Cyl. 2.3 Eng. ....	59002

Continued on Next Page

# SAAB

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>9000 SERIES (Cont'd)</b>		
97-95	6 Cyl. 3.0 Eng. ....	<b>59002</b>
94	4 Cyl. 2.3 Eng. ....	<b>59002</b>
93	4 Cyl. 2.3 Eng. ....	<b>59000</b>
92	All Eng.; w/o Rear AC - 39.00 Oz. R-12; 5.50 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 48.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
91-89	All Eng. - 39.00 Oz. R-12; 5.50 Oz. Mineral .....	<b>59000</b>
88-86	4 Cyl. 2.0 Eng. ....	<b>59000</b>
<b>9-3</b>		
09	4 Cyl. 2.0 Eng. ....	<b>59007</b>
	6 Cyl. 2.8 Eng. ....	<b>59007</b>
08-03	All Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
02-99	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
<b>9-5</b>		
09	4 Cyl. 2.3 Eng. ....	<b>59007</b>
08	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
07-99	All Eng. - 31.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
<b>9-7</b>		
08-05	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-100 .....	<b>59007</b>

# SATURN

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>AURA</b>		
08-07	Excl. Hybrid - 17.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
<b>ION</b>		
07-05	All Eng. - 14.50 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
04-03	All Eng. - 14.50 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59002</b>
<b>L SERIES</b>		
05-02	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-100 .....	<b>59002</b>
<b>LS SERIES</b>		
01-00	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-100 .....	<b>59002</b>
<b>LW SERIES</b>		
04-01	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-100 .....	<b>59002</b>
00	4 Cyl. 2.2 Eng. ....	<b>59002</b>
<b>OUTLOOK</b>		
08-07	All Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46 .....	<b>59007</b>
<b>RELAY</b>		
07	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
06-05	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
<b>SC SERIES</b>		
02-01	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
00	4 Cyl. 1.9 Eng. ....	<b>59003</b>
99-97	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
96-94	All Eng. - 24.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
93-91	All Eng. - 36.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
<b>SKY</b>		
09	4 Cyl. 2.0 Eng. ....	<b>59007</b>
	4 Cyl. 2.4 Eng. ....	<b>59007</b>
08-07	All Eng. - 16.00 Oz. R-134a; 4.50 Oz. PAG-100 .....	<b>59002</b>
<b>SL SERIES</b>		
02-97	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
96-94	All Eng. - 24.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
93-91	All Eng. - 36.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
<b>SW SERIES</b>		
01-97	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
96-94	All Eng. - 24.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
93	All Eng. - 36.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>VUE</b>	
07	4 Cyl. 2.2 Eng. ....	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59002
	6 Cyl. 3.5 Eng.; w/ Rear AC - 38.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59002
06-04	4 Cyl. 2.2 Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	59002
	6 Cyl. 3.5 Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	59002
03-02	4 Cyl. 2.2 Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	59002
	6 Cyl. 3.0 Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	59002

# SCION

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>TC</b>	
10-09	4 Cyl. 2.4 Eng. ....	59007
08-05	All Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46 .....	59007
	<b>XA</b>	
06-04	All Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46 .....	59007
	<b>XB</b>	
08-04	All Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46 .....	59007

# STERLING

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>827</b>	
91-90	All Eng. - 36.00 Oz. R-12; 5.00 Oz. Mineral .....	59000

# SUBARU

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>BAJA</b>	
06-03	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	59002
	<b>BRAT</b>	
87-86	All Eng. - 28.00 Oz. R-12; 5.50 Oz. Mineral w/ Matsushita Compressor .....	59000
	All Eng. - 28.00 Oz. R-12; 6.50 Oz. Mineral w/ Hitachi Compressor .....	59000
	<b>FORESTER</b>	
07-02	All Eng. - 23.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	59002
01-98	All Eng. - 23.00 Oz. R-134a; 5.25 Oz. PAG-100 .....	59002
	<b>IMPREZA</b>	
07	4 Cyl. 2.5 Eng. ....	59002
06-02	All Eng. - 19.50 Oz. R-134a; 5.00 Oz. PAG-100 .....	59002
01-97	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	59002
96-94	All Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-100 .....	59002
93	All Eng. - 26.50 Oz. R-12; 6.00 Oz. Mineral .....	59000
	<b>IMPREZA OUTBACK</b>	
01	4 Cyl. 2.2 Eng. ....	59002
00	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-100 .....	59002
99-96	4 Cyl. 2.2 Eng. ....	59002
95	4 Cyl. 1.8 Eng. ....	59002
	<b>LEGACY</b>	
04-01	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-100 .....	59002
00-99	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-100 .....	59002
98-94	All Eng. - 26.50 Oz. R-134a; 5.50 Oz. PAG-100 .....	59002

Continued on Next Page

# SUBARU

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>LEGACY (Cont'd)</b>		
93-92	All Eng. - 24.00 Oz. R-12; 5.00 Oz. Mineral; w/ Zexel Compressor .....	<b>59000</b>
	All Eng. - 24.00 Oz. R-12; 8.00 Oz. Mineral; w/ Calsonic Compressor .....	<b>59000</b>
91-90	All Eng. - 24.00 Oz. R-12; 5.00 Oz. Mineral; w/ Diesel Kiki Compressor .....	<b>59000</b>
	All Eng. - 24.00 Oz. R-12; 8.00 Oz. Mineral; w/ Calsonic Compressor .....	<b>59000</b>
<b>LEGACY OUTBACK</b>		
99	4 Cyl. 2.5 Eng. ....	<b>59002</b>
98-96	All Eng. - 24.00 Oz. R-134a; 5.25 Oz. PAG-100 .....	<b>59002</b>
95	All Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
<b>LOYALE</b>		
93-90	All Eng. To 3/92 - 28.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
	All Eng. From 3/92 - 30.00 Oz. R-12; 4.75 Oz. Mineral .....	<b>59000</b>
<b>OUTBACK</b>		
04-01	All Eng. - 25.00 Oz. R-134a; 4.00 Oz. PAG-100 .....	<b>59002</b>
00	4 Cyl. 2.5 Eng. ....	<b>59007</b>
<b>SEDAN, COUPE, WAGON</b>		
89	All Eng. ....	<b>59000</b>
	HL/GL/GL10 - 28.00 Oz. R-12; 5.00 Oz. Mineral; w/ Hitachi Compressor .....	<b>59000</b>
	HL/GL/GL10 - 30.00 Oz. R-12; 4.75 Oz. Mineral; w/ Panasonic Compressor .....	<b>59000</b>
88-85	All Eng. - 28.00 Oz. R-12; 4.00 Oz. Mineral .....	<b>59000</b>
<b>SVX</b>		
96-93	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-100 .....	<b>59002</b>
92	All Eng. - 23.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
<b>XT</b>		
91-89	All Eng. - 28.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
88	4 Cyl. 1.8 Eng. ....	<b>59000</b>
	6 Cyl. 2.7 Eng. ....	<b>59000</b>
87-85	4 Cyl. 1.8 Eng. ....	<b>59000</b>

# SUZUKI

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>AERIO</b>		
07-02	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
<b>ESTEEM</b>		
02-96	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
<b>FORENZA</b>		
08	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
07-04	All Eng. - 22.00 Oz. R-134a; 7.50 Oz. PAG-150 .....	<b>59003</b>
<b>GRAND VITARA</b>		
08-06	6 Cyl. 2.7 Eng. - 21.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
05	6 Cyl. 2.5 Eng.; w/o Rear AC - 16.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
04	6 Cyl. 2.5 Eng.; w/o Rear AC - 16.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
	6 Cyl. 2.7 Eng.; w/o Rear AC - 23.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
	6 Cyl. 2.7 Eng.; w/ Rear AC - 30.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
03	All Eng.; w/o Rear AC - 17.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 28.00 Oz. R-134a; 12.00 Oz. PAG-46 .....	<b>59007</b>
02-01	All Eng.; w/o Rear AC - 17.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 28.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
00-99	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
<b>RENO</b>		
08-05	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
<b>SAMURAI</b>		
95-94	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46 .....	<b>59007</b>
93-89	All Eng. - 18.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
88-87	All Eng. - 28.00 Oz. R-12; 4.00 Oz. Mineral .....	<b>59000</b>
86	4 Cyl. 1.3 Eng. ....	<b>59000</b>
<b>SIDEKICK</b>		
98-94	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
93-89	All Eng. - 21.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>

Continued on Next Page



**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>SWIFT</b>	
01	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. -- .....	<b>59007</b>
00-94	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46 .....	<b>59007</b>
93-89	All Eng. - 18.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
	<b>VERONA</b>	
06-04	All Eng. - 25.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
	<b>VITARA</b>	
03	4 Cyl. 2.0 Eng. ....	<b>59007</b>
02-99	All Eng. - 16.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
	<b>X-90</b>	
98-96	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. -- .....	<b>59007</b>
	<b>XL-7</b>	
07	6 Cyl. 3.6 Eng.; w/o Rear AC - 21.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
	6 Cyl. 3.6 Eng.; w/ Rear AC - 29.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>
06-05	6 Cyl. 2.7 Eng.; w/o Rear AC - 21.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
	6 Cyl. 2.7 Eng.; w/ Rear AC - 29.00 Oz. R-134a; 6.75 Oz. PAG-46 .....	<b>59007</b>

**TOYOTA**

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	<b>4RUNNER</b>	
08-06	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
05-03	All Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
02-01	All Eng. - 25.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
00-96	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
95-94	All Eng. - 25.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
93-91	All Eng. - 30.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 29.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
88	4 Cyl. 2.4 Eng. ....	<b>59000</b>
	6 Cyl. 3.0 Eng. ....	<b>59000</b>
87-84	4 Cyl. 2.4 Eng. ....	<b>59000</b>
	<b>AVALON</b>	
09	6 Cyl. 3.5 Eng. ....	<b>59007</b>
08-05	All Eng. - 19.50 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
04-01	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
00-95	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
	<b>CAMRY</b>	
10	6 Cyl. 3.5 Eng. ....	<b>59007</b>
09	Hybrid - Refer to OE Specifications .....	<b>59889</b>
	4 Cyl. 2.4 Eng. ....	<b>59007</b>
	6 Cyl. 3.5 Eng. ....	<b>59007</b>
08-07	Excl. Hybrid - 18.00 Oz. R-134a; 6.00 Oz. PAG-46 .....	<b>59007</b>
	Hybrid - Refer to OE Specifications .....	<b>59889</b>
06-04	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
03-02	All Eng. - 19.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
01	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
00-97	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
96-94	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 33.50 Oz. R-12; 7.25 Oz. Mineral .....	<b>59000</b>
92	All Eng. - 35.00 Oz. R-12; 7.25 Oz. Mineral .....	<b>59000</b>
91	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 27.00 Oz. R-12; 7.50 Oz. Mineral .....	<b>59000</b>
88-87	All Eng. - 27.00 Oz. R-12; 8.75 Oz. Mineral .....	<b>59000</b>
86-85	All Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral .....	<b>59000</b>
84	4 Cyl. 1.8 Eng. ....	<b>59000</b>
	4 Cyl. 2.0 Eng. ....	<b>59000</b>
83	4 Cyl. 2.0 Eng. ....	<b>59000</b>
	<b>CELICA</b>	
05-00	All Eng. - 16.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
99-94	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>

Continued on Next Page

# TOYOTA

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>CELICA (Cont'd)</b>		
93	All Eng. - 25.50 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
92-91	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 27.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
88-87	All Eng. - 27.00 Oz. R-12; 8.75 Oz. Mineral .....	<b>59000</b>
86	4 Cyl. 2.0 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
85	All Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral .....	<b>59000</b>
<b>COROLLA</b>		
10-09	4 Cyl. 1.8 Eng. ....	<b>59007</b>
07-05	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
04-03	All Eng. - 18.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
02-01	All Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
00-99	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
98-96	All Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
95-94	All Eng. - 26.50 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 26.50 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
92-91	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 27.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
88	All Eng. - 27.00 Oz. R-12; 7.50 Oz. Mineral .....	<b>59000</b>
87	All Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral .....	<b>59000</b>
86	All Eng. - 27.00 Oz. R-12; 8.75 Oz. Mineral .....	<b>59000</b>
85	All Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral .....	<b>59000</b>
84-83	4 Cyl. 1.6 Eng. ....	<b>59000</b>
<b>CRESSIDA</b>		
92-89	All Eng. - 30.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
88-87	6 Cyl. 2.8 Eng. ....	<b>59000</b>
86	All Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral .....	<b>59000</b>
85-82	6 Cyl. 2.8 Eng. ....	<b>59000</b>
<b>ECHO</b>		
05-00	All Eng. - 16.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
<b>FJ CRUISER</b>		
08-07	6 Cyl. 4.0 Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
<b>HIGHLANDER</b>		
09-08	6 Cyl. 3.3 Eng. Hybrid - Refer to OE Specifications .....	<b>59889</b>
07-06	Excl. Hybrid - 23.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
	Hybrid - Refer to OE Specifications .....	<b>59889</b>
05	All Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
04-01	All Eng. - 24.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
<b>LAND CRUISER</b>		
06-01	All Eng.; w/o Rear AC - 24.00 Oz. R-134a; -- PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 38.00 Oz. R-134a; -- PAG-46 .....	<b>59007</b>
00-98	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 7.25 Oz. PAG-46 .....	<b>59007</b>
	All Eng.; w/ Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	<b>59007</b>
97-94	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
92-91	All Eng. - 33.50 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 32.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
86-83	6 Cyl. 4.2 Eng. ....	<b>59000</b>
<b>MATRIX</b>		
09	4 Cyl. 1.8 Eng. ....	<b>59007</b>
08-05	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
04-03	All Eng. - 18.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
<b>MR2</b>		
05-00	All Eng. - 18.00 Oz. R-134a; -- PAG-46 .....	<b>59007</b>
95-94	All Eng. - 25.50 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 30.00 Oz. R-12; 7.25 Oz. Mineral .....	<b>59000</b>
92-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral .....	<b>59000</b>
89	All Eng. - 29.00 Oz. R-12; 8.75 Oz. Mineral .....	<b>59000</b>
88-85	4 Cyl. 1.6 Eng. ....	<b>59000</b>
<b>MR2 SPYDER</b>		
88-85	4 Cyl. 1.6 Eng. ....	<b>59000</b>

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>PASEO</b>		
98-96	All Eng. - 21.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
95-94	All Eng. - 25.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
93	All Eng. - 26.50 Oz. R-12; 7.00 Oz. Mineral .....	59000
	4 Cyl. 1.5 Eng. ....	59007
92	All Eng. - 28.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
<b>PICKUP - STANDARD</b>		
95	All Eng. - 20.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
94	All Eng. - 26.50 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	4 Cyl. 2.4 Eng. - w/ R12 .....	59000
	6 Cyl. 3.0 Eng. - w/ R12 .....	59000
93	All Eng. - 29.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
92-91	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
90-89	All Eng. - 29.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
88-87	All Eng. - 27.00 Oz. R-12; 7.50 Oz. Mineral .....	59000
86-85	All Eng. - 26.00 Oz. R-12; 7.50 Oz. Mineral .....	59000
84	4 Cyl. 2.4 Eng. ....	59000
<b>PREVIA</b>		
97-94	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 41.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
93	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 7.75 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 42.50 Oz. R-12; 7.75 Oz. Mineral .....	59000
92-91	All Eng.; w/o Rear AC - 35.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
	All Eng.; w/ Rear AC - 44.00 Oz. R-12; 7.75 Oz. Mineral .....	59000
<b>PRIUS</b>		
09	4 Cyl. 1.5 Eng. - Refer to OE Specifications .....	59889
08-04	4 Cyl. 1.5 Eng. - 17.00 Oz. R-134a; 4.00 Oz. Hybrid Ester .....	59889
03-01	4 Cyl. 1.5 Eng. - 19.00 Oz. R-134a; 4.00 Oz. Hybrid Ester .....	59889
<b>RAV4</b>		
08-07	All Eng. - 16.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	59007
06-01	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
00-96	All Eng. - 25.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
<b>SEQUOIA</b>		
07	8 Cyl. 4.7 Eng. ....	59007
06-01	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; PAG-46 .....	59007
	All Eng.; w/ Rear AC - 39.00 Oz. R-134a; PAG-46 .....	59007
<b>SIENNA</b>		
08-05	All Eng. - 28.50 Oz. R-134a; 4.50 Oz. PAG-46 .....	59007
04-01	All Eng. - 38.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
00-98	All Eng. - 28.00 Oz. R-134a; 7.25 Oz. PAG-46 .....	59007
<b>SOLARA</b>		
08	4 Cyl. 2.4 Eng. ....	59007
07-04	All Eng. - 21.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
03-01	All Eng. - 28.00 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
00-99	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46 .....	59007
<b>SUPRA</b>		
98-96	All Eng. - 25.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	59007
95-94	All Eng. - 25.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
93	6 Cyl. 3.0 Eng. ....	59000
92-89	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral .....	59000
88	6 Cyl. 3.0 Eng. ....	59000
87	All Eng. - 26.00 Oz. R-12; 8.80 Oz. Mineral .....	59000
86	6 Cyl. 3.0 Eng. ....	59000
80-79	6 Cyl. 2.6 Eng. ....	59000
<b>T100</b>		
98-93	All Eng. - 23.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	59007
<b>TACOMA</b>		
08-05	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
04-01	All Eng. - 23.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	59007
00-97	All Eng. - 21.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	59007
96-95	All Eng. - 21.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
<b>TERCEL</b>		
98	All Eng. - 16.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
97-95	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007

Continued on Next Page

# TOYOTA

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>TERCEL (Cont'd)</b>		
94	All Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 26.50 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
92	All Eng. - 28.00 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
91	All Eng. - 26.50 Oz. R-12; 7.00 Oz. Mineral .....	<b>59000</b>
90-89	All Eng. - 27.00 Oz. R-12; 7.75 Oz. Mineral .....	<b>59000</b>
88-87	All Eng. - 27.00 Oz. R-12; 8.50 Oz. Mineral .....	<b>59000</b>
86-85	All Eng. - 26.00 Oz. R-12; 8.50 Oz. Mineral .....	<b>59000</b>
84	4 Cyl. 1.5 Eng. ....	<b>59000</b>
<b>TUNDRA</b>		
07-06	4 Door - 21.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
	2 Door - 23.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
05-04	4 Door - 20.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
	2 Door - 27.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
03-00	All Eng. - 22.00 Oz. R-134a; 7.75 Oz. PAG-46 .....	<b>59007</b>
<b>VAN / VAN WAGON</b>		
89-86	All Eng.; w/o Rear AC - 25.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
	All Eng.; w/ Rear AC - 50.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
85-84	4 Cyl. 2.0 Eng. ....	<b>59000</b>
<b>YARIS</b>		
08-07	All Eng. - 14.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>

# VOLKSWAGEN

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>BEETLE</b>		
08-01	All Eng. - 26.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
00-98	All Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
<b>CABRIO</b>		
02-01	All Eng. - 27.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
00-95	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
<b>CABRIOLET</b>		
93-86	All Eng. - 32.00 Oz. R-12; 4.75 Oz. Mineral .....	<b>59000</b>
85	4 Cyl. 1.8 Eng. ....	<b>59000</b>
<b>CORRADO</b>		
94	All Eng. - 35.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
	All Eng. - 35.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
92-90	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral .....	<b>59000</b>
<b>EOS</b>		
08-07	All Eng. - 19.50 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
<b>EOS</b>		
08-07	All Eng. - 19.50 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
<b>EUROVAN</b>		
03-02	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 4.50 Oz. PAG-150 .....	<b>59003</b>
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
01-93	All Eng.; w/o Rear AC - 33.50 Oz. R-134a; 4.50 Oz. PAG-150 .....	<b>59003</b>
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-150 .....	<b>59003</b>
<b>FOX</b>		
93-89	All Eng. - 38.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
88	All Eng. - 40.00 Oz. R-12; Mineral .....	<b>59000</b>
87	4 Cyl. 1.8 Eng. ....	<b>59000</b>
<b>GOLF</b>		
08-07	4 Cyl. 2.0 Eng. ....	<b>59007</b>
06-05	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	<b>59007</b>
04-01	All Eng. - 27.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
00-99	All Eng. - 26.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	<b>59007</b>
98-94	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>
93	All Eng. - 28.00 Oz. R-12; 4.00 Oz. Mineral .....	<b>59000</b>
	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	<b>59007</b>

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>GOLF (Cont'd)</b>		
92-89	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral .....	59000
88	4 Cyl. 1.6 Eng. ....	59000
	4 Cyl. 1.8 Eng. ....	59000
87-86	4 Cyl. 1.6 Eng. ....	59000
	4 Cyl. 1.8 Eng. - 40.00 Oz. R-12; 4.50 Oz. Mineral .....	59000
85	4 Cyl. 1.6 Eng. ....	59000
	4 Cyl. 1.8 Eng. ....	59000
<b>JETTA</b>		
08-06	All Eng. - 19.50 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
05	Excl. Wagon - 19.50 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
	Wagon - 28.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
04-01	All Eng. - 27.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	59007
00-99	All Eng. - 26.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	59007
98-94	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
93	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
	4 Cyl. 2.0 Eng. - w/ R12 .....	59000
92-89	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral .....	59000
88-86	4 Cyl. 1.6 Eng. ....	59000
	4 Cyl. 1.8 Eng. - 40.00 Oz. R-12; 4.50 Oz. Mineral .....	59000
85	4 Cyl. 1.6 Eng. ....	59000
	4 Cyl. 1.8 Eng. ....	59000
<b>PASSAT</b>		
08-05	All Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46 .....	59007
04	All Eng. - 20.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
03-98	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46 .....	59007
97-95	All Eng. - 33.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
94	All Eng. - 40.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
93	All Eng. - 40.00 Oz. R-134a; 4.00 Oz. PAG-46 .....	59007
	6 Cyl. 2.8 Eng. - w/ R12 .....	59000
92-90	All Eng. - 40.00 Oz. R-12; 4.00 Oz. Mineral .....	59000
<b>PHAETON</b>		
06-04	All Eng. - 22.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
<b>RABBIT</b>		
08-06	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-46 .....	59007
<b>SCIROCCO</b>		
89	All Eng. - 40.00 Oz. R-12; 4.75 Oz. Mineral .....	59000
88-85	4 Cyl. 1.8 Eng. ....	59000
<b>TOUAREG</b>		
08-04	All Eng.; w/o Rear AC - 26.00 Oz. R-134a; 7.00 Oz. PAG-46 .....	59007
	All Eng.; w/ Rear AC - 39.00 Oz. R-134a; 10.00 Oz. PAG-46 .....	59007
<b>VANAGON</b>		
91-89	All Eng. - 51.00 Oz. R-12; 8.00 Oz. Mineral .....	59000
88-86	4 Cyl. 2.1 Eng. ....	59000

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>260 SERIES</b>		
79-76	6 Cyl. 2.7 Eng. ....	59000
<b>240 SERIES</b>		
93	All Eng. - 26.50 Oz. R-134a; 7.50 Oz. PAG-46 .....	59007
92-91	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral .....	59000
90-87	All Eng. - 46.00 Oz. R-12; 6.75 Oz. Mineral .....	59000
86	All Eng. - 46.00 Oz. R-12; 10.00 Oz. Mineral; w/ York Compressor .....	59000
	All Eng. - 46.00 Oz. R-12; 6.75 Oz. Mineral; w/ Diesel Kiki Compressor .....	59000
85	4 Cyl. 2.1 Eng. ....	59000
	4 Cyl. 2.3 Eng. - 46.00 Oz. R-12; 10.00 Oz. Mineral .....	59000

Continued on Next Page

## Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>740 SERIES</b>		
92	All Eng. - 40.00 Oz. R-12; 4.50 Oz. Mineral; w/ SD5 Compressor .....	<b>59000</b>
	All Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral; w/ Zexel Compressor .....	<b>59000</b>
	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral; w/ SD7 Compressor .....	<b>59000</b>
91	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral; w/ SD5 Compressor .....	<b>59000</b>
	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral; w/ Zexel Compressor .....	<b>59000</b>
	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral; w/ SD7 Compressor .....	<b>59000</b>
90-89	All Eng. - 41.50 Oz. R-12; 10.00 Oz. Mineral; w/ York Compressor .....	<b>59000</b>
	All Eng. - 41.50 Oz. R-12; 4.50 Oz. Mineral; w/ SD5 Compressor .....	<b>59000</b>
	All Eng. - 41.50 Oz. R-12; 4.50 Oz. Mineral; w/ SD7 Compressor .....	<b>59000</b>
	All Eng. - 41.50 Oz. R-12; 6.00 Oz. Mineral; w/ R4 Compressor .....	<b>59000</b>
88-87	All Eng. - 41.50 Oz. R-12; 6.75 Oz. Mineral; w/ Diesel Kiki Compressor .....	<b>59000</b>
	All Eng. - 46.00 Oz. R-12; 6.75 Oz. Mineral .....	<b>59000</b>
86	4 Cyl. 2.3 Eng. - 46.00 Oz. R-12; 10.00 Oz. Mineral; w/ York Compressor .....	<b>59000</b>
	4 Cyl. 2.3 Eng. - 46.00 Oz. R-12; 6.75 Oz. Mineral; w/ Diesel Kiki Compressor .....	<b>59000</b>
85	6 Cyl. 2.4 Eng. ....	<b>59000</b>
	4 Cyl. 2.3 Eng. ....	<b>59000</b>
85	6 Cyl. 2.4 Eng. ....	<b>59000</b>
	4 Cyl. 2.3 Eng. ....	<b>59000</b>
<b>760 SERIES</b>		
90-89	All Eng. - 41.50 Oz. R-12; 10.00 Oz. Mineral; w/ York Compressor .....	<b>59000</b>
	All Eng. - 41.50 Oz. R-12; 4.50 Oz. Mineral; w/ SD5 Compressor .....	<b>59000</b>
	All Eng. - 41.50 Oz. R-12; 4.50 Oz. Mineral; w/ SD7 Compressor .....	<b>59000</b>
	All Eng. - 41.50 Oz. R-12; 6.00 Oz. Mineral; w/ R4 Compressor .....	<b>59000</b>
	All Eng. - 41.50 Oz. R-12; 6.75 Oz. Mineral; w/ Diesel Kiki Compressor .....	<b>59000</b>
88-86	4 Cyl. 2.3 Eng. ....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
85	4 Cyl. 2.3 Eng. ....	<b>59000</b>
	6 Cyl. 2.4 Eng. ....	<b>59000</b>
84	6 Cyl. 2.8 Eng. ....	<b>59000</b>
	6 Cyl. 2.4 Eng. ....	<b>59000</b>
<b>780 SERIES</b>		
91	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral; w/ SD5 Compressor .....	<b>59000</b>
	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral; w/ Zexel Compressor .....	<b>59000</b>
	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral; w/ SD7 Compressor .....	<b>59000</b>
90-89	All Eng. - 41.50 Oz. R-12; 10.00 Oz. Mineral; w/ York Compressor .....	<b>59000</b>
	All Eng. - 41.50 Oz. R-12; 4.50 Oz. Mineral; w/ SD5 Compressor .....	<b>59000</b>
	All Eng. - 41.50 Oz. R-12; 4.50 Oz. Mineral; w/ SD7 Compressor .....	<b>59000</b>
	All Eng. - 41.50 Oz. R-12; 6.00 Oz. Mineral; w/ R4 Compressor .....	<b>59000</b>
88-87	All Eng. - 41.50 Oz. R-12; 6.75 Oz. Mineral; w/ Diesel Kiki Compressor .....	<b>59000</b>
	6 Cyl. 2.8 Eng. ....	<b>59000</b>
<b>850 SERIES</b>		
97-96	All Eng. - 32.00 Oz. R-134a; 5.50 Oz. PAG-150; w/ Seiko Seiki Compressor .....	<b>59003</b>
	All Eng. - 36.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
95-93	All Eng. - 36.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
<b>940 SERIES</b>		
95-94	All Eng. - 33.50 Oz. R-134a; 4.50 Oz. PAG-150; w/ SD5 Compressor .....	<b>59003</b>
	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-150; w/ Seiko Seiki Compressor .....	<b>59003</b>
	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-150; w/ SD7 Compressor .....	<b>59003</b>
93	All Eng. - 33.50 Oz. R-134a; 4.50 Oz. PAG-150; w/ SD5 Compressor .....	<b>59003</b>
	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-150; w/ Seiko Seiki Compressor .....	<b>59003</b>
	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-150; w/ SD7 Compressor .....	<b>59003</b>
92	4 Cyl. 2.3 Eng. - w/ R12 .....	<b>59000</b>
	All Eng. - 40.00 Oz. R-12; 4.50 Oz. Mineral; w/ SD5 Compressor .....	<b>59000</b>
91	All Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral; w/ Zexel Compressor .....	<b>59000</b>
	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral; w/ SD7 Compressor .....	<b>59000</b>
	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral; w/ SD5 Compressor .....	<b>59000</b>
91	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral; w/ Zexel Compressor .....	<b>59000</b>
	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral; w/ SD7 Compressor .....	<b>59000</b>
<b>960 SERIES</b>		
97-96	All Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-150; w/ SD7 Compressor .....	<b>59003</b>
95-93	All Eng. - 32.00 Oz. R-134a; 4.50 Oz. PAG-150; w/ SD5 Compressor .....	<b>59003</b>
	All Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-150; w/ Seiko Seiki Compressor .....	<b>59003</b>
	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ SD7 Compressor .....	<b>59003</b>
92	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral; w/ SD5 Compressor .....	<b>59000</b>

Continued on Next Page

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>960 SERIES (Cont'd)</b>		
92	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral; w/ Zexel Compressor .....	<b>59000</b>
	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral; w/ SD7 Compressor .....	<b>59000</b>
<b>C70</b>		
06	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	<b>59002</b>
04-02	All Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
01-98	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
<b>S40</b>		
06-05	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	<b>59002</b>
04-01	All Eng. - 30.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
00	All Eng. - 31.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
<b>S60</b>		
07	5 Cyl. 2.4 Eng. ....	<b>59007</b>
	5 Cyl. 2.5 Eng. ....	<b>59007</b>
06-01	All Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
<b>S70</b>		
00-98	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-150 .....	<b>59003</b>
<b>S80</b>		
06-02	All Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
01-99	All Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
<b>S90</b>		
98	All Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-150 .....	<b>59003</b>
<b>V40</b>		
04-00	All Eng. - 32.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
<b>V50</b>		
06-05	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	<b>59002</b>
<b>V70</b>		
06-01	All Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
00-98	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-100 .....	<b>59002</b>
<b>V90</b>		
98	All Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-150 .....	<b>59003</b>
<b>XC70</b>		
06-03	All Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
<b>XC90</b>		
06-03	All Eng.; w/o Rear AC - 35.00 Oz. R-134a; 6.00 Oz. PAG-100 .....	<b>59002</b>
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 7.00 Oz. PAG-100 .....	<b>59002</b>

**Compressor / System Refrigerant & Lubricant Specs**

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
<b>GV</b>		
91-89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>
<b>GVX</b>		
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral .....	<b>59000</b>