

ELECTRONIC REQUIREMENTS

1. High-resolution PDF documents are required.

Files should be 300 dpi, press optimized, converted to CMYK with all fonts embedded.

A client-supplied proof is preferred but not required. *(Native files that created the ad may be submitted along with the PDF, as a back-up. No Windows files will be accepted.)*

Email the PDF file to

publisher@diversityjournal.com

or upload your ad to our website:

www.diversityjournal.com/upload

2. If sending digital files and proof via trackable mail service, please send to:

Profiles in Diversity Journal
Gemini Towers 1 #600
1991 Crocker Road
Westlake, OH 44145
440-892-0444

3. For questions regarding the *PDJ* digital specs, please contact our Publisher, James Rector at 440-892-0444.

4. Special Positions Available:
 - Adjacent to Table of Contents page
 - Adjacent to Editor's/Publisher's Column
 - Adjacent to major feature intro page

PRINT AD DIMENSIONS


Keep live matter 1/8" from top and bottom trim edge and 1/2 from outer trim edges.



trim: 8.5" x 11"

bleed: add 1/8" on all sides


FULL PAGE ADS ARE
GENERALLY POSITIONED
ON RIGHT-HAND PAGES.



each page trim:
8.5" x 11"


bleed: add 1/8" on all sides

If possible, keep 'live' and
important text 1/2 inch
away from center gutter on
each page




Half page
(Horz)

non-bleed: 7.75" X 4.75"
trim: 8.5" x 5.375"
bleed: 8.75" x 5.5"



Half
page
(Vert)

3.75" X 9.75"
4" x 11"
4.25" x 11.5"



Quarter
page

non-bleed only:
3.75" x 4.75"

WEB AD DIMENSIONS

Banner Ad: 728x90



Rectangular Ad: 450x300



Square Ad: 300x300

