

MSA-1805098
CONTRACT NO. DE-AC06-09RL14728

ATTACHMENT

**Contract Deliverable CD0076
December 2018**

**HANFORD SEISMIC REPORT FOR FISCAL YEAR 2018
(OCTOBER 2017-SEPTEMBER 2018)
HNF-61610 REVISION 1**

Consisting of 39 pages,
including this cover page

Hanford Seismic Report for Fiscal Year 2018 (October 2017 – September 2018)

Prepared for the U.S. Department of Energy
Assistant Secretary for Environmental Management

Contractor for the U.S. Department of
Energy under Contract DE-AC06-09RL14728



Box 650
Richland, Washington 99352

Hanford Seismic Report for Fiscal Year 2018 (October 2017 – September 2018)

A. Wright and P. Bodin

University of Washington, Pacific Northwest Seismic Network

Prepared for Mission Support Alliance

Date Published
October 2018

Prepared for the U.S. Department of
Energy Assistant Secretary for
Environmental Management

Contractor for the U.S. Department of
Energy under Contract DE-AC06-09RL14728



**P.O. Box 650
Richland, Washington 99352**

APPROVED

By Julia Raymer at 11:30 am, Dec 26, 2018

Release Approval

Date

Approved for Public Release
Further Dissemination Unlimited

TRADEMARK DISCLAIMER

Reference herein to any specific commercial product, process, or service by tradename, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

This report has been reproduced from the best available copy.

Printed in the United States of America

Executive Summary

The Pacific Northwest Seismic Network (PNSN) and Mission Support Alliance (MSA) continue to provide uninterrupted collection of high-quality raw and processed seismic data from the Hanford Seismic Network (HSN). The HSN includes both onsite and offsite [Eastern Washington Regional Sub-Network (EWRSN)] stations that are operated for the U.S. Department of Energy and its contractors. The team is responsible for identifying and locating sources of seismic activity that might affect the Hanford Site, monitoring changes in the historical pattern of seismic activity surrounding the Hanford Site, and monitoring ground motion to provide data to constrain studies of earthquake effects on the Hanford Site. Seismic data are compiled, archived, and published for use by the Hanford Site for waste management, natural phenomena hazards assessments, and engineering design and construction. In addition, the team works with the Hanford Site Emergency Services Organization to provide assistance in the event of a significant earthquake on the Hanford Site. The HSN and the EWRSN together consist of 41 individual sensor sites and 14 radio relay sites maintained by the PNSN.

During FY2018, seismic activity was relatively quiet throughout eastern Washington. 413 earthquakes were cataloged in the region, of which about 31% (127) took place on or in the immediate vicinity of the Hanford Site. While no damaging earthquakes took place in the region, a handful of notable or significant earthquakes illustrated interesting features of regional seismotectonics. Several earthquakes took place in the historically active area of Entiat and Chelan. Within the vicinity of the Hanford Site, there was typical swarm-type activity, most strongly observed in the Coyote Rapids Swarm Area.

Abbreviations and Acronyms

ANSS	Advanced National Seismic System
AQMS	ANSS Quake Management System
BB	Broad Band (type of seismic station)
BPA	Bonneville Power Administration
CRBG	Columbia River Basalt Group
Dmin	Minimum distance (closest distance from an earthquake epicenter to a station)
DOE	U.S. Department of Energy
Etyp	Event type
EWRSN	Eastern Washington Regional Sub-Network
FY	Fiscal year
g	Typical value of gravitational acceleration at Earth's surface (~978 cm/sec/sec)
GPS	Global Positioning System
HLSMP	Hanford Lifecycle Seismic Monitoring Program
HSN	Hanford Seismic Network
Lat	Latitude
Lon	Longitude
Km	Kilometer
M _d	Coda-Duration Magnitude
M _L	Local Magnitude
Mag	Magnitude of earthquake
MMI	Modified Mercalli Intensity
MOD	Velocity model
Mtyp	Magnitude type
NS/NP	Number of stations/number of phases
PNSN	Pacific Northwest Seismic Network
Q	Quality factor (of earthquake location)
Rms	Root Mean Square (error of earthquake location)
RSLW	Lower Rattlesnake (Mountain) data acquisition/telemetry site
SMA	Strong Motion Accelerometer (type of seismic station)
USGS	U.S. Geological Survey
UTC	Coordinated Universal Time
UW	University of Washington
WSUR	Washington State University Richland

Table of Contents

Executive Summary	i
Abbreviations and Acronyms.....	ii
1.0 Introduction.....	1
1.1 Mission	1
1.2 History of Monitoring Seismic Activity at Hanford.....	1
1.3 Documentation and Reports	2
2.0 Geology and Tectonic Analysis	3
2.1 Earthquake Stratigraphy	3
2.2 Geologic Structure Beneath the Monitored Area	3
2.3 Tectonic Pattern.....	4
3.0 Network Operations	7
3.1 Seismic Station Overview	7
3.2 Strong Motion Accelerometer Stations	12
3.2.1 Strong Motion Station Location	12
3.2.2 Strong Motion Station Design	12
3.2.3 Strong Motion Operational Characteristics	13
3.2.4 New Strong Motion and Broadband Installations	13
3.3 Data Analysis	13
4.0 Earthquake Catalog.....	15
4.1 Velocity Models	15
4.2 Earthquake Magnitudes.....	15
4.3 Quality Factors	16
4.4 FY 2018 Earthquake Catalog for Eastern Washington	17
5.0 Discussion of Seismic Activity – FY 2018.....	27
5.1 Summary	27
6.0 Status of Monitoring	29
7.0 References.....	30

Figures

Figure 2.1.	Tectonic Features of the Hanford Site within Eastern Washington.....	6
Figure 3.1.	Hanford Seismic Network Onsite Stations	9
Figure 3.2.	Hanford Seismic Network Stations of the Eastern Washington Region Sub- Network.....	11
Figure 5.1.	Hanford and Regional Epicenters of Earthquakes Recorded during FY 2018	28
Figure 6.1	Illustration of Upgraded Station Capabilities.....	29

Tables

Table 2.1.	Thicknesses of Stratigraphic Units in the Monitoring Area.....	4
Table 3.1.	Hanford Seismic Network Onsite Stations	8
Table 3.2.	Hanford Seismic Network Offsite Stations.....	10
Table 4.1.	Velocity Model for Eastern Washington.....	15
Table 5.1.	Depth Distribution of Eastern Washington Earthquakes for FY 2018	27
Table 5.2.	Earthquake Counts for FY 2018 for Earthquakes near the Hanford Site.....	27

1.0 Introduction

This annual report documents the locations, magnitudes, and seismic interpretations of earthquakes recorded for the Hanford monitoring region of south-central Washington during the fiscal year (FY) 2018 (October 2017 through September 2018). The Mission Support Alliance (MSA), Safety and Health Program Support (SHPS) program manages seismic monitoring for the Hanford Site with the monitoring work being performed under a sub-contract with the University of Washington (UW), PNSN.

1.1 Mission

The mission of the Hanford Lifecycle Seismic Monitoring Program (HLSMP) is to maintain seismic stations, report data from measured events, and to provide assistance in the event of an earthquake. This mission supports the U.S. Department of Energy (DOE) and the other Hanford Site contractors in their compliance with DOE Order 420.1C, Chapter IV, Section 3.e, "Seismic Detection," and DOE Order G 420.1-1A, Section 5.4.8, "Design for Emergency Preparedness and Emergency Communications." DOE Order 420.1C requires facilities or sites with hazardous materials to maintain instrumentation or other means to detect and record the occurrence and severity of seismic events. The HLSMP maintains the seismic network located on and around the Hanford Site. The data collected from the seismic network can be used to support facility or site operations to protect the public, workers, and the environment from the impact of seismic events.

In addition, the HLSMP provides an uninterrupted collection of high-quality raw seismic data from the HSN and the EWRSN and provides interpretations of seismic events from the Hanford Site and the vicinity. The program locates and identifies sources of seismic activity, monitors changes in the historical pattern of seismic activity, and builds a "local" earthquake database (processed data) that is permanently archived. The focus of this report is the precise location of earthquakes and explosions proximal to or on the Hanford Site, specifically, between 46°-47° north latitudes (LAT) and between 119°-120° west longitudes (LON). Data from the EWRSN and other seismic networks in the Northwest provide the HLSMP with necessary regional input for the seismic hazards analysis at the Hanford Site. These seismic data are used to support Hanford Site contractors for waste management activities, natural phenomena hazards assessments, and engineering design and construction.

1.2 History of Monitoring Seismic Activity at Hanford

The U.S. Geological Survey (USGS) under a contract with the U.S. Atomic Energy Commission initiated monitoring seismic activity at the Hanford Site in 1969. In 1975, the UW assumed responsibility for the network and subsequently expanded it. In 1979, the Basalt Waste Isolation Project (BWIP) became responsible for collecting seismic data for the Hanford Site as part of site characterization activities. Rockwell Hanford Operations, followed by Westinghouse Hanford Company (WHC), operated the local network, and were the contract technical advisors for the EWRSN operated and maintained by UW. Funding ended for BWIP in December 1988; the seismic program (including the UW contract) was transferred to the WHC Environmental Division. Maintenance responsibilities for the EWRSN also were assigned to WHC, who made major upgrades to EWRSN sites. Effective October 1, 1996, all seismic assessment activities were transferred to the Pacific Northwest National Laboratory (PNNL).

The Hanford Strong Motion Accelerometer (SMA) network was constructed during 1997, becoming operational in May 1997. It was shut down in FY 1998 due to lack of funding but became operational again in FY 1999 and has operated continuously since that time. During the third quarter of FY2011, operations of the seismic monitoring networks were assumed by HLSMP.

1.3 Documentation and Reports

The HLSMP issues quarterly reports of local activity, an annual catalog of earthquake activity in southeastern Washington, and special-interest bulletins on local seismic events. This includes information and special reports as requested by DOE and Hanford Site contractors. Earthquake information provided in these reports is subject to revision as new information becomes available. An archive of all cataloged seismic event locations and magnitudes and related waveform data from the HLSMP is maintained by PNSN on computer servers at the UW. Continuous waveform data and associated station metadata from all available seismic stations is permanently archived at the Incorporated Research Institutions in Seismology (IRIS) seismic data archive in Seattle, with backup copies at IRIS facilities in Seattle and in Boulder, Colorado.

2.0 Geology and Tectonic Analysis

The Hanford Site lies within the Columbia Basin, an intermontane basin between the Cascade Range and the Rocky Mountains filled with Cenozoic volcanic rocks and sediments. This basin forms the northern part of the Columbia Plateau physiographic province (Fenneman 1931) and the Columbia River flood-basalt province (Reidel et al. 1989). In the central and western parts of the Columbia Basin, the Columbia River Basalt Group (CRBG) overlies Tertiary continental sedimentary rocks and is overlain by late Tertiary, Quaternary fluvial, and glaciofluvial deposits (Campbell 1989; Reidel et al. 1989, 1994; DOE 1988). In the eastern part, little or no sediment separates the basalt and underlying crystalline basement, and a thin (<10 m) veneer of eolian sediments overlies the basalt (Reidel et al. 1989, 1994).

The Columbia Basin has two structural subdivisions or sub provinces—the Yakima Fold Belt and the Palouse Slope. The Yakima Fold Belt includes the western and central parts of the Columbia Basin and is a series of anticlinal ridges and synclinal valleys with major thrust faults typically along the northern flanks (Figure 2.1) (Reidel and Fecht 1994a, 1994b). The Palouse Slope is the eastern part of the basin and is less deformed than the Yakima Fold Belt, with only a few faults and low-amplitude long-wavelength folds on an otherwise gently westward dipping paleoslope.

2.1 Earthquake Stratigraphy

Seismic studies at the Hanford Site have shown that the earthquake activity is related to crustal stratigraphy (large groupings of rock types) (Rohay et al. 1985; DOE 1988). The main geologic units important to earthquakes at the Hanford Site and the surrounding area are

- Miocene Columbia River Basalt Group
- Sub-basalt sediments of Paleocene, Eocene, Oligocene, and Early Miocene age
- Precambrian and Paleozoic cratonic basement
- Mesozoic accreted terranes forming the basement west of the craton margin

2.2 Geologic Structure Beneath the Monitored Area

Between the late 1950s and the mid-1980s, deep boreholes were drilled for hydrocarbon exploration in the Columbia Basin. These boreholes provided accurate measurements of the physical properties of the Columbia River Basalt Group (CRBG) and the pre-basalt sediments (Reidel et al. 1989, 1994), but the thickness of the sub-basalt sediments and nature of the basement are still poorly understood. Table 2.1, derived from Reidel et al. (1994), was developed for the geologic interpretation in this report. The thicknesses of these units are variable across the monitored area. Table 2.1 summarizes the approximate thickness at the borders of the monitored area.

Table 2.1. Thicknesses of Stratigraphic Units in the Monitoring Area

(from Reidel *et al.*, 1994)

Stratigraphy	North	South	East	West
Columbia River Basalt Group (includes suprabasalt sediments)	3.0 km	4.5 km	2.2 km	4.2 km
Pre-basalt sediments	3.0 km	>4.5 km	0	>6.0 km

The thickness of the basalt and the sub-basalt sediments varies because of different tectonic environments. The western edge of the North American craton (late Precambrian/Paleozoic continental margin and Precambrian craton) is located in the eastern portion of the monitored area (Reidel *et al.* 1994). The stratigraphy on the craton consists of CRBG overlying basement; the basement is continental crustal rock that underlies much of western North America. The stratigraphy west of the craton consists of 4 to 5 km of CRBG overlying up to 6 km of pre-basalt sediments. This in turn overlies accreted terranes of Mesozoic age. The area west of the craton was subsiding during the Eocene and Oligocene, accumulating great thickness of pre-CRBG sediments. Continued subsidence in this area during the Miocene resulted in thicker CRBG compared to that on the craton. Subsidence continues today but at a greatly reduced rate (Reidel *et al.*, 1994).

2.3 Tectonic Pattern

Studies have concluded that earthquakes can occur in the following six different tectonic environments (earthquake sources) at the Hanford Site (Geomatrix 1996):

Major Geologic Structures. Reverse/thrust faults in the CRBG associated with major anticlinal ridges such as Rattlesnake Mountain, Yakima Ridge, and Umtanum Ridge could produce some of the largest earthquakes.

Secondary Faults. These faults are typically smaller (1 to 20 km in length) than the main reverse/ thrust faults that occur along the major anticlinal ridges (up to 100 km in length). Secondary faults can be segment boundaries (tear faults) and small faults of any orientation that formed along with the main structure.

Swarm Areas. Small geographic areas produce clusters of events (swarms); usually located in synclinal valleys not known to contain any mapped geologic faults. These clusters consist of a series of small shocks with no outstanding principal event. Swarms occur over a period of days or months, and the events may number into the hundreds and then quit, only to start again later. This differs from the sequence of foreshocks, mainshock, and trailing-off aftershocks that have the same epicenter or are associated with the same fault system. In the past, swarms were thought to occur only in the CRBG. Most swarm areas are in the basalt, but swarm events also appear to occur in all geologic layers. However, typically a swarm event at a specific time is usually restricted to one layer. It is traditional to regard swarms as occurring within one of seven earthquake swarm areas in the HSN area. The Saddle Mountains, Wooded Island, Wahluke, Coyote Rapids, and Horse Heaven Hills swarm areas are typically active at one time or another during the year. The other earthquake swarm areas are active less frequently. There is, however, no compelling theory to suggest a generative mechanism active within these swarm areas. They are deduced purely empirically, are rather conjectural, and will likely be updated or reconfigured as new swarm areas develop.

Entire Columbia Basin. The entire basin, including the Hanford Site, could produce a "floating" earthquake. A floating earthquake is one that, for seismic design purposes, can happen anywhere in a tectonic province and is not associated with any known geologic structure. Seismic interpretation classifies it as a random event for purposes of seismic design and vibratory ground motion studies.

Basement Source Structures. Studies (Geomatrix 1996) suggest that major earthquakes can originate in tectonic structures in the basement. Because little is known about geologic structures in the basement beneath the Hanford

Site, earthquakes cannot be directly tied to a mapped fault. Earthquakes occurring in the basement without known sources are treated as random events.

Cascadia Subduction Zone. This source has been postulated to be capable of producing a magnitude 9 earthquake. Because this source is along the western boundary of Washington State and outside the HSN, the Cascadia subduction zone is not an earthquake source that is monitored at the Hanford Site, so subduction zone earthquakes are not reported here. Because any earthquake along the Cascadia subduction zone can have a significant impact on the Hanford Site or can be felt like the February 2001 Nisqually earthquake, UW monitors and reports on this earthquake source for the DOE. Ground motion from any moderate or larger Cascadia subduction zone earthquake is detected by Hanford SMAs and reported.




Figure 2.1. Tectonic Features of the Hanford Site within Eastern Washington

(from Rohay et al., 2010b)

3.0 Network Operations

3.1 Seismic Station Overview

The seismic network consists of three types of earthquake sensors—short-period seismometers, broadband seismometers, and strong motion accelerometers (SMAs).

Short-period seismometers are very sensitive passive sensors (they do not use external electric power) designed primarily to detect micro earthquakes. While most short-period stations have a single component, sensitive only to the vertical motion of the ground, several HLSMP short-period stations record the ground in three orthogonal directions. In a regional network like the HLSMP networks, the time of arrival of waves, and the signal duration derived from short-period stations are used to determine the locations and magnitudes of seismic events; the polarities of ground motions may be used to constrain estimates of the geometry of fault that ruptured in an earthquake.

Broadband seismometers are active sensors (they use electricity to power advanced electronic circuitry that is integral to the sensor) that faithfully record ground motions over a wide frequency range. The data they produce are acquired digitally with 24-bit dynamic range; a broadband system will therefore stay "on-scale" over a much broader range of ground motions than a short-period sensor. In addition to locations and magnitudes derived from signal durations, details of the observed waveforms are used to reveal the source processes of small to moderately large earthquakes. HLSMP broadband stations are all 3-component.


Both short-period and broad-band sensors will ultimately "clip", or fail to record properly, if subjected to more than moderate levels of shaking (well below damaging levels). SMA stations, however, are designed to measure even the damaging ground motions from larger earthquakes. They are 3-component stations and must be carefully and strongly anchored to the ground so that the details of ground shaking up to 2g (twice the vertical acceleration of gravity) are accurately recorded. In addition to helping to characterize the earthquake source, they are critically important in measuring the ground motions that impact a particular site. They aid in determining what the built environment has been exposed to for earthquake response activities and engineers and others use them in designing appropriate structures. Because of their importance to seismic monitoring on the Hanford Site, the distribution, design, and operations of SMA stations within the HLSMP is discussed separately in Section 3.2. Moreover, several HLSMP stations are now capable of recording 4 channels of seismic data. These sites will record 3 orthogonal components of strong motion and a vertical component of high-gain short period motion. The high-gain data is used to detect and locate earthquakes too small to generate ground motions above the strong-motion channels' noise level.

We further divide the seismic stations supported by MSA into two geographic sub-networks for discussion: HSN, which are sites located on the Hanford Site itself, and the EWRSN, which includes sites that surround the Hanford Site.

Combined, the HSN and the EWRSN include 41 stations. Most stations reside in remote locations and require solar panels and batteries for power. The HSN includes 18 stations (Table 3.1 and Figure 3.1), and the EWRSN consists of 23 stations (Table 3.2 and Figure 3.2).

Table 3.1. Hanford Seismic Network Onsite Stations

Station	Latitude	Longitude	Elevation (m)	Station Name
Strong Motion Accelerometer, 3-Channel Station				
H2E	46.5578	-119.5345	210	200 East Area (SMA)
H2W	46.5517	-119.6453	201	200 West Area (SMA)
H3A	46.3632	-119.2775	119	300 Area (SMA)
H4A	46.4377	-119.3557	171	400 Area (SMA)
6-Channel Station				
GBB	46.6087	-119.6290	185	Gable Butte
H2O	46.3956	-119.4241	175	Water Station
MDW	46.6130	-119.7622	330	Midway
SN12	46.4648	-119.6552	267	Snively Ranch
WA2	46.7552	-119.5668	244	Wahluke Slope
4-Channel Station				
H1K	46.6447	-119.5929	152	100 K Area (SMA)
HGBL	46.5982	-119.4610	330	Gable Mountain
HWIW	46.4292	-119.2888	128	Wooded Island
GRUT	46.5512	-119.5102	219	Wet-Grout Plant
MJ2	46.5574	-119.3601	146	May Junction Two
3-Channel Station (Broadband)				
LIGO	46.4617	-119.4177	158	LIGO Observatory
Single Channel Analog (Short Period)				
BEN	46.5186	-119.7185	335	Benson Ranch
LOC	46.7169	-119.4320	210	Locke Island
RSW	46.3944	-119.5925	1045	Rattlesnake Mountain



Legend


Station Type

- | | |
|--|--|
| ▲ Broadband | △ Broadband Other Contributor |
| ■ Strong Motion | ■ Strong Motion Other Contributor |
| + Short Period | |

Figure 3.1. Hanford Seismic Network Onsite Stations

Table 3.2. Hanford Seismic Network Offsite Stations

Station	Latitude	Longitude	Elevation (m)	Station Name
Strong Motion Accelerometer, 3-Channel Station				
DDRF	46.4911	-119.0595	233	Didier Farms
PHIN	45.8950	-119.9280	227	Phinney Hill
3-Channel Weak Motion Analog (Short Period)				
FHE	46.9518	-119.4981	455	Frenchman Hills East
6-Channel				
CCRK	46.5585	-119.8548	561	Cold Creek
EPH2	47.3562	-119.5972	661	Ephrata
LNO	45.8717	-118.2862	771	Linton Mountain Oregon
MANO	46.9511	-120.7247	1200	Manatash Ridge Observatory
MOX	46.5772	-120.2993	501	Moxee City
OT3	46.6689	-119.2341	322	Othello 3
PRO	46.2125	-119.6868	553	Prosser
YPT	46.0487	-118.9634	325	Yellepit
Single-Channel Analog (Short Period)				
BRV	46.4852	-119.9923	920	Black Rock Valley
BVW	46.8108	-119.8835	670	Beverly
CRF	46.8249	-119.3881	189	Corfu
ELL	46.9095	-120.5675	789	Ellensburg
ET4	46.5634	-118.9451	236	Eltopia 4
NAC	46.7330	-120.8249	728	Naches
OD2	47.388	-118.7108	553	Odessa 2
PAT2	45.8836	-119.7578	259	Paterson 2
RED	46.2974	-119.4388	330	Red Mountain
TRW	46.2921	-120.5431	723	Toppenish Ridge
VT2	46.9672	-120.0003	385	Vantage 2
WRD	46.9699	-119.1460	375	Warden



Legend

Station Type

- | | |
|--|--|
| ▲ Broadband | △ Broadband Other Contributor |
| ■ Strong Motion | ■ Strong Motion Other Contributor |
| + Short Period | |

Figure 3.2. Hanford Seismic Network Stations of the Eastern Washington Region Sub-Network

The EWRSN is used by the HLSMP for two major reasons. A large earthquake located in the Pacific Northwest outside of Hanford could produce significant ground motion and damage to structures at the Hanford Site. For example, the magnitude 7.0 earthquake that occurred in 1872 near Chelan/Entiat or other earthquakes located in

the region (e.g., eastern Cascade mountain range) could have such an effect. The EWRSN would provide valuable information to help determine the impacts of such an event. Additionally, the characterization of seismicity throughout the surrounding areas, as required for the Probabilistic Seismic Hazard Analysis, supports facility safety assessments at the Hanford Site. Both the HSN and the EWRSN are fully integrated within the Pacific Northwest Seismic Network managed by the University of Washington.

The HSN and EWRSN networks have 122 combined data channels because the 4 three-component seismometer sites (FHE, DDRF, LIGO, and PHIN), the 13 six-component sites (CCRK, EPH2, GBB, H2O, LNO, MANO, MDW, MOX, OT3, PRO, SNI2, WA2, and YPT) and 9 other sites in the HSN (H1K, H2E, H2W, H3A, H4A, MJ2, GRUT, HGBL, and HWIW) require additional data channels at each station. The tri-axial stations record motion in the vertical, north-south horizontal, and east-west horizontal directions. Fourteen radio telemetry relay sites are used by both sub-networks to transmit seismogram data continuously to the PNSN in Seattle, Washington, for processing and archiving.

3.2 Strong Motion Accelerometer Stations

3.2.1 Strong Motion Station Location

SMA provided ground motion observations critical to understand the impacts of strong ground shaking that affect the Hanford Site itself. The Hanford SMA network consists of 16 free-field SMA stations (see Figure 3.1; Table 3.1). SMAs are located in the 200 East and 200 West Areas, in the 100-K Area adjacent to the K Basins, in the 400 Area near the former Fast Flux Test Facility, and at the south end of the 300 Area.

The locations of SMA stations were chosen based on two criteria: 1) density of workers and 2) sites of hazardous facilities (Moore and Reidel 1996). The 200 East and 200 West Areas contain single-shell and double-shell tanks in which high-level radioactive wastes from past processing of fuel rods are stored. In addition, the Canister Storage Facility (holding encapsulated spent fuel rods) and the new Waste Treatment and Immobilization Plant being constructed are both located in the 200 East Area. The 100-K Area contained the K Basins, where spent fuel rods from the N Reactor were stored prior to encapsulation. The now inactive Fast Flux Test Facility is located in the 400 Area.

3.2.2 Strong Motion Station Design

All free-field SMA stations consist of a four-panel solar array and two 30-gallon galvanized drums that contain equipment. Each panel has a maximum 42-watt output. The two drums are set in the ground such that the base of each drum is about 1 m below the ground surface. One drum houses only the SMA; the other drum, which is connected via a sealed conduit to the SMA drum, contains the batteries. Cellular modems provide communication from all five SMAs. The enclosure serves as a junction box for all cabling that is routed through conduit inside and outside the equipment drums. The antenna for the cell modem is mounted on top of the enclosure. The enclosure permits quick access to check battery conditions and a connection directly to the RS-232 port of the SMA without removing the drum lids. However, with continuous data telemetry via cell modem, most interrogation of the system is accomplished remotely.

Four of the SMA stations are three-component units consisting of vertical, north-south horizontal, and east-west horizontal seismometers manufactured by Nanometrics, Inc., and known as the Titan system. Each Titan unit contains a digital recorder, a data storage unit, and a Global Positioning System (GPS) receiver with the equipment housed in a watertight box. Five sites (H1K, HWIW, HGBL, GRUT, and MJ2) have 3 SMA channels and are supplemented by a high-gain vertical component.

The cell modem system provides the Internet address connection to access the system. Stations can be monitored from any computer with appropriate access, and data are continuously telemetered to UW. The data also can be

downloaded directly at each site, via a built-in cable connection at the enclosure in case of communication failure. The GPS receiver provides timing of the ground motions accurate to several microseconds, coordinated to Universal Coordinated Time (UTC). The GPS receiver antenna is mounted on the enclosure at the rear of the solar array. The GPS receiver is activated internally approximately every 4 hours and checks the "location of the instrument" and the time. The SMA records any differences between the internal clock and the GPS time. Any corrections to the internal timing are made automatically. Typically, the greatest correction recorded is approximately 4 milliseconds (ms).

The combined operations, data recording, data interpretation, and maintenance facility is located in the PNSN offices at the UW in Seattle.

3.2.3 Strong Motion Operational Characteristics

Signals from the three-channel SMA stations use an 18-bit digitizer with data sampled at 200 samples/s. Data are sent continuously in real-time to the PNSN offices at the UW in Seattle. This permits the recording of ground motion data for smaller, non-damaging earthquakes that can be useful in estimating impacts of larger earthquakes. It also helps confirm the correct operation of the instruments.

For security and robustness, the Titan also stores triggered event files. When one of the accelerometer channels exceeds the trigger threshold (0.02%g), the recorders save information within the data buffers on memory cards within the Titan. Data recording begins 10 s before the actual trigger time, continues until the trigger threshold is no longer exceeded, and ends with an additional 40 s of data. The files created by a triggered event can be retrieved and examined by HLSMP staff, in the event of telemetry failure. The retrieval can be accomplished either remotely when telemetry is re-established, or manually by a technician traveling to the site.

Data from the SMA channels of the 4-channel stations are treated in a similar fashion. The primary difference is that the data from these channels (as well as the vertical high-gain channel) are digitized with 24-bit resolution.

3.2.4 New Strong Motion and Broadband Installations

In an effort to improve and upgrade network stations, new instruments were installed at many existing stations. At the end of FY2017, six stations had been replaced with the new equipment (WA2, CCRK, EPH2, LNO, OT3, and YPT). Seven more were installed in FY2018 (GBB, H2O, MDW, SNI2, MOX, PRO, MANO). Tables 3.1 and 3.2 and Figures 3.1 and 3.2 reflect the upgrades. The new equipment is a Centaur digital recorder that acquires 6-channels of data produced by a posthole-installed sensor, the Trillium Cascadia. The Trillium Cascadia combines strong-motion and broadband data. There are 3 channels of a Titan SMA and 3 channels of a TrilliumCompact BB instrument. The data quality of these new installations and benefit to our network will be discussed more in section 6.0 of this report.

3.3 Data Analysis

Signals from the seismometers are monitored in real time for changes in signal amplitudes and frequency that are expected from earthquakes. The seismic network is subdivided into spatial groupings of stations that are monitored for nearly simultaneous amplitude changes, triggering a permanent recording of the events. The groupings and associated weighting schemes are designed to allow very small seismic events to be recorded and to minimize false triggers. Events are classified as local (south-central Washington near the Hanford Site), regional (western United States and Canada), and teleseisms (from farther distances around the world). Local and regional events are usually earthquakes, but quarry and mining explosions also are recorded. Quarry and mining explosions usually can be identified from wave characteristics and the time of occurrence and may be confirmed with local government agencies and industries. Frequently, military exercises at the U.S. Army Yakima Training Center produce a series of acoustic shocks that trigger the recording system. Sonic booms and thunder also produce acoustic signals that may trigger the recording system. All data, whether triggered or not, is saved in a

permanent seismic data archive at the Seattle-based IRIS data management center, and is available for download and analysis.

The HLSMP uses Earthworm, an automated computer-based software system developed by the U.S. Geological Survey (USGS) and used throughout the region by the Pacific Northwest Seismic Network at the UW, to acquire seismic data and automatically detect and locate events. We currently run Earthworm Versions 7.4 through 7.6 on a variety of computer servers. Redundant Earthworm systems run continuously at the PNSN. If one fails, a second one serves as a "backup." Two complete systems are located in different buildings on separate computer servers with redundant power supplies, backed up by different uninterruptable power supplies and a diesel-powered electric generator capable of powering the network until refueling is needed. Seismic data from triggered events are collected on a SUN workstation (Sun Microsystems, Santa Clara, California) for assessment by HLSMP staff. This information is evaluated to determine if the event is "false" (for example, due to a sonic boom) or is an earthquake or ground-surface or underground blast. Earthquake events are evaluated to determine epicenter locations, focal depths, and magnitudes (Section 4).

Data from HLSMP-operated seismic stations are combined at the UW analysis center with seismic data from regional seismic stations operated by other entities and contributed in real-time to PNSN. The earthquake locations and ground motion we report in this catalog include these valuable contributed data. This contributed data improves the accuracy of the seismic products we provide at Hanford, and adds to the robustness of the entire network in the event that any particular portion of the network suffers temporary data loss from environmental or other causes.

4.0 Earthquake Catalog

Within the Advanced National Seismic System (ANSS) Quake Management System (AQMS) seismic network processing software, an interactive program called Jiggle is used to manually review and revise automatic phase arrival picks and signal durations, as well as their polarities, uncertainties and quality factors. Arrival and duration times and uncertainties are used as input to an earthquake location program (Klein, 2002) to compute locations and magnitudes of the seismic events. Resulting locations for local earthquakes (46°-47° north latitude, 119°-120° west longitude) are reported in Table 4.1. Additional seismic events located outside the reporting region for this report are also evaluated. These surrounding events are not reported in this document, but are used as a check to confirm that the HSN and EWRSN are functioning properly (*e.g.*, quality checks on data recording). All processing results are available through the PNSN at www.pnsn.org.

4.1 Velocity Models

Earthquake location uses the arrival times of seismic phases at seismic stations and a model of the seismic wave speeds of crustal rocks of eastern Washington called a "velocity model" (MOD), to solve for the most likely location for the earthquake source. AQMS divides the eastern Washington region into 4 sub-regions. The velocity models for each sub-region were developed using available geologic information and calibrated from seismic data recorded from accurately located earthquake and blast events in eastern Washington. Time corrections (delays) are incorporated into the velocity models to account for significant deviations in station elevations or stations situated on sedimentary layers. Station delays also are determined empirically from accurately located earthquakes and blast events in the region.

Table 4.1. Velocity Model for Eastern Washington
(from Rohay et al. 1985)

Depth to Top of Layer (km)	Layer	Velocity (km/s)
0.0	Saddle Mountains and Wanapum Basalts and intercalated Ellensburg Formation	3.7
0.4	Grande Ronde Basalt and pre-basalt sediments	5.2
8.5	Basement, Layer 1	6.1
13.0	Basement, layer 2	6.4
23.0	Sub-basement	7.1
38.0	Mantle	7.9

4.2 Earthquake Magnitudes

AQMS computes several different magnitude estimates (M_{typ}) for earthquakes. Table 4.1 shows the analyst-preferred value of either: 1) the coda-duration magnitude (M_d), or 2) the local magnitude (M_L) (Richter 1958). We report the median magnitude provided by all stations contributing estimates for an event.

The coda duration magnitude is based on a relationship developed for Washington State by Crosson (1972), modified for application within the AQMS software. The formula we use for M_d is:

$$M_d = -1.61 + 2.82 \log(D) - 2.46$$

Where D is the duration of the observed event (in seconds), starting from the P-wave arrival. Many earthquakes yield magnitude determinations that are very small ($M_d < 0$) and highly uncertain. Earthquakes with magnitudes (M_d) smaller than 3.0 are defined as "minor." Coda-duration magnitudes for events classified as explosions are reported although they may be biased by a prominent surface wave that extends the apparent duration in a way inconsistent with coda-length measurement.

M_L is computed from the maximum amplitudes of the signals on the horizontal components recording an event, filtered to mimic the instrument response of a Wood-Anderson torsion seismograph. The formula is:

$$M_L = \log(A) - \log(A_0) + S$$

Where A is the average zero-to-peak amplitude of the two horizontal components at a station after they have been converted to pseudo-Wood-Anderson traces. $\log(A_0)$ is a distance correction, for which we use the Jennings and Kanamori (1983) values, and S is a site correction term that accounts for differences in local geological conditions amongst stations.

The choice of preferred magnitude type involves some subjectivity, as the relative strength of each depends on conditions that differ from event to event. In general, M_L is preferred for an event that is well recorded on a sufficient number of suitable channels. [This is because there may be subjectivity in determining the durations used by the M_d algorithm (although AQMS does this in a largely automatic, and hence objective, way), and because the determination of the duration is biased by background noise levels.] In practice, this usually means that M_L is preferred for earthquakes sufficiently large to be observed at several regional broadband stations (CCRK, DDRF, PHIN, HAWA), or approximately M2.5. Although occasionally smaller earthquakes yield robust M_L estimates, depending on the background noise level at the time of the earthquake. M_d , on the other hand can be obtained from smaller earthquakes, even if the recording should "clip." For earthquakes larger than about M4.5, only the M_L should be used. The two magnitude scales are defined to be consistent for the events for which they overlap.

4.3 Quality Factors

Table 4.1 tabulates a two-letter **Quality factor (Q)** for each event that indicates the general reliability of the solution (**A** is best quality, **D** is worst). The first letter of the quality code is a measure of the hypocenter quality based primarily on arrival time residuals. For example, quality **A** requires a root-mean-square residual (**RMS**) less than 0.15 s, while a **RMS** of 0.5 s or more is **D** quality (other estimates of the location uncertainty also affect this quality parameter). The second letter of the quality code is related to the spatial distribution of stations that contribute to the event location, including the number of stations (**NS**), the number of p-wave and s-wave phases (**NP**), the largest gap in event-station azimuth distribution (**GAP**), and the closest distance from the epicenter to a station (**Dmin** – **not shown**). Quality **A** requires a solution with $NP > 8$, $GAP < 90^\circ$, and $Dmin < 5$ km (or the hypocenter depth if it is greater than 5 km). If $NP \leq 5$, $GAP > 180^\circ$, or $Dmin > 50$ km, the solution is assigned Quality **D**. Uncertainties associated with estimated depths depend upon the number of stations and number of phase measurements (NS/NP) utilized by the HypoInverse location program. If the number of phases exceeds 10 measurements, the depth estimate is considered reliable. In this case, the second letter in the quality evaluation is either "A" or "B" (cf. Table 4.1). For example, the number of phase measurements from earthquakes ultimately classified as "deep" events typically falls within the 10-20 measurement range; these depth estimates are considered reliable. However, the number of phase measurements from earthquakes classified as "shallow" or "intermediate" may be less than 10 readings; in this case the depth estimate is less certain and the event could be classified as occurring in the CRBG or pre-basalt layers.

4.4 FY 2018 Earthquake Catalog for Eastern Washington

October 2017												
Day	Time	Lat	Lon	Depth	Mag	Mtyp	NS/NP	Gap	Rms	Q	Mod	Type
03	23:10:40	48.2590	-120.6095	5.5	1.9	MI	016/019	170	0.22	BC	C3	eq
03	23:15:35	48.2753	-120.6167	6.9	1.9	MI	020/025	172	0.33	CC	C3	eq
05	21:08:06	47.3922	-117.8172	-0.5*	2.3	MI	011/014	199	0.47	CD	N3	px
07	02:22:30	47.8053	-120.7420	9.1	0.8	Md	004/006	174	0.05	AC	C3	eq
07	17:00:50	47.0503	-120.7120	-0.9*	1.9	MI	016/017	112	0.13	CC	C3	px
12	19:03:58	46.1618	-120.5448	13.8	2.3	MI	019/022	88	0.21	BB	E3	eq
12	19:04:48	46.1558	-120.5402	12.9	3.4	MI	034/042	56	0.27	BB	E3	eq
12	19:09:37	46.1655	-120.5495	14.4	1.5	MI	014/017	132	0.19	BB	E3	eq
12	19:22:11	46.1585	-120.5330	13.9	2.0	MI	031/039	43	0.28	BB	E3	eq
12	19:38:54	46.1655	-120.5195	14.6	1.5	Md	007/010	127	0.25	BB	E3	eq
12	20:30:32	46.1690	-120.5380	15.9	1.6	MI	012/015	116	0.47	CB	E3	eq
12	22:06:03	46.1710	-120.5257	15.4	1.6	Md	005/008	143	0.19	BC	E3	eq
13	00:07:49	46.1578	-120.5238	12.6	1.9	MI	019/022	56	0.22	BB	E3	eq
13	04:33:19	46.1598	-120.5500	14.5	2.6	MI	031/037	74	0.20	BB	E3	eq
13	05:03:45	46.1895	-120.6423	12.6	1.6	Md	005/008	149	0.03	AC	E3	eq
14	06:33:30	46.1637	-120.5357	11.2	1.6	MI	019/023	73	0.36	CB	E3	eq
14	13:25:13	46.1703	-120.5192	14.3	0.9	MI	008/007	86	0.07	AB	E3	eq
16	05:23:18	46.6093	-119.8518	7.1	0.6	MI	009/014	171	0.14	AC	E3	eq
16	11:31:18	46.5730	-119.5290	25.6	0.5	MI	012/021	163	0.19	BC	E3	eq
16	13:01:00	46.5743	-119.5325	23.6	0.8	MI	009/013	203	0.20	BD	E3	eq
17	14:57:41	46.1430	-120.7023	10.5	3.0	MI	025/033	57	0.24	BC	C3	eq
17	15:03:20	46.1522	-120.7340	4.1	1.5	MI	010/013	84	1.72	DC	C3	eq
17	16:00:33	46.1415	-120.7072	11.3	2.5	MI	022/029	55	0.28	BB	C3	eq
18	20:21:35	45.9055	-119.3110	-0.3*	1.9	MI	011/011	175	0.09	CC	E3	px
20	07:25:27	47.6873	-120.3335	7.1	0.7	MI	006/009	114	0.13	BB	N3	eq
20	18:11:09	46.2915	-118.0050	-0.2*	2.1	MI	013/019	300	0.53	DD	E3	px
22	08:56:52	46.5857	-119.8653	7.6	1.4	MI	014/022	140	0.10	AC	E3	eq
24	20:32:04	47.7408	-120.2998	0.3*	0.1	Md	003/005	142	0.02	CD	N3	eq
28	22:02:08	47.6758	-120.1372	2.2	1.4	MI	010/011	72	0.09	BC	N3	eq
November 2017												
03	21:11:37	46.9605	-119.0868	-0.3*	1.3	MI	012/012	151	0.20	CC	E3	px
04	00:10:42	45.5330	-120.2940	-0.4*	1.5	MI	009/014	257	0.65	DD	E3	px
04	09:59:54	46.6988	-121.0498	1.4	1.8	MI	025/027	129	0.18	BC	C3	eq
07	08:11:14	47.6610	-120.2857	2.5	1.2	MI	012/014	84	0.08	AB	N3	eq
09	21:53:06	45.9467	-119.9313	-0.5*	2.0	MI	008/012	119	0.21	CB	E3	px
15	00:36:18	47.3683	-117.9167	-0.4*	2.4	MI	014/017	130	0.33	CD	N3	px
15	02:07:22	45.4813	-117.6460	7.3	2.6	MI	008/009	128	0.37	CD	N3	eq
16	21:10:23	46.2960	-118.0078	-0.5*	2.3	MI	015/018	228	0.23	CD	E3	px
17	17:52:41	45.4332	-120.0563	-0.3*	2.2	MI	007/008	346	0.46	DD	E3	px
18	01:41:24	47.6628	-120.4813	0.1*	1.0	MI	007/009	108	0.14	CC	N3	eq
21	05:50:44	46.8647	-119.0547	5.4	0.7	MI	018/023	140	0.25	BC	E3	eq
21	16:29:38	46.6838	-121.0780	1.4*	0.9	MI	010/015	152	0.37	CC	C3	eq
21	23:48:22	46.6865	-121.0752	0.1*	1.1	MI	009/015	150	0.42	CC	C3	eq
22	07:47:34	48.6248	-119.8865	-0.3	1.7	MI	011/017	133	0.42	CD	N3	eq
22	19:44:26	45.9002	-119.3095	-0.3*	1.7	MI	013/016	210	0.12	CD	E3	px
26	07:55:02	46.9407	-120.8045	0.5*	0.7	Md	006/008	112	0.18	CC	C3	eq
26	09:10:43	46.9532	-119.8565	9.3	1.1	MI	018/020	69	0.12	AB	E3	eq
28	00:38:15	44.0820	-121.2057	-1.8*	1.5	MI	011/014	223	0.33	CD	E3	px
29	23:44:29	47.8242	-119.8008	-1.0*	0.9	Md	007/007	108	0.19	CC	N3	px
30	01:08:57	46.7077	-121.0590	0.7	1.2	MI	023/028	127	0.26	BC	C3	eq
30	12:17:36	46.6787	-121.0800	0.2	1.1	MI	027/033	131	0.41	CC	C3	eq
December 2017												
01	07:14:01	46.7032	-121.0585	1.6	1.2	MI	016/018	151	0.18	BC	C3	eq
01	12:23:57	46.9545	-119.8328	8.0	1.8	MI	035/039	39	0.11	AB	E3	eq

02	05:31:23	47.6780	-120.3307	-0.7*	0.3	Md	006/008	97	0.06	CB	N3	eq
02	17:01:16	47.6685	-120.3432	-0.5*	1.2	MI	010/011	89	0.08	CB	N3	eq
04	03:00:11	47.6453	-121.4280	9.2	1.3	MI	009/013	117	0.11	BC	C3	eq
04	08:59:08	46.7005	-119.5965	0.2*	-0.0	Md	003/005	243	0.05	CD	E3	eq
04	19:15:27	44.9998	-117.8682	-1.2*	1.7	MI	006/007	109	0.13	CC	E3	px
06	23:41:59	44.5578	-117.4017	-1.1*	1.9	MI	006/007	202	0.70	DD	E3	px
07	10:20:47	46.2517	-118.0432	0.2	1.4	MI	010/012	220	0.46	DD	E3	eq
07	21:54:29	47.3148	-119.9142	-0.8*	1.4	MI	008/010	128	0.34	CC	N3	px
07	22:14:37	46.9003	-120.0255	-0.4*	1.3	MI	009/008	228	0.26	CD	E3	px
08	08:10:00	46.6060	-119.8430	6.5	0.8	MI	013/018	163	0.08	AC	E3	eq
08	19:21:03	47.6468	-121.4245	7.5	1.2	MI	010/013	141	0.09	AC	C3	eq
10	03:50:19	47.5038	-119.8192	10.2	1.1	MI	014/015	158	0.13	AC	N3	eq
12	13:19:01	46.8652	-121.0445	1.8	2.2	MI	022/026	110	0.14	AC	C3	eq
12	17:17:06	47.6592	-120.1415	-0.4*	0.9	MI	005/007	176	0.07	CC	N3	eq
13	17:57:14	47.6732	-120.1072	5.6	1.2	MI	009/013	147	0.09	AC	N3	eq
14	00:46:55	47.6970	-120.3197	3.6	2.3	MI	017/016	68	0.08	AB	N3	eq
14	04:18:49	47.7008	-120.3205	-0.6*	0.6	MI	005/007	126	0.03	CC	N3	eq
14	21:00:07	47.3068	-119.9252	-0.9*	1.5	Md	006/008	115	0.24	CC	N3	px
15	22:15:44	44.9557	-117.0848	7.5*	2.4	MI	004/005	242	0.19	CD	N3	eq
15	22:16:16	44.9722	-117.1008	3.8*	2.6	MI	004/006	236	0.20	CD	N3	eq
17	06:18:54	44.9222	-117.0907	13.7	2.0	MI	004/007	251	0.31	CD	N3	eq
18	20:06:35	46.4323	-119.0020	-0.2*	1.0	MI	009/010	247	0.13	CD	E3	px
18	20:15:24	46.4395	-119.0178	-0.2*	1.2	MI	007/007	241	0.08	CD	E3	px
18	23:56:12	47.7055	-120.3007	8.6	0.7	Md	006/008	102	0.13	BB	N3	eq
19	22:06:40	45.3018	-119.5813	-1.3*	2.4	Md	004/004	296	0.86	DD	N3	px
20	03:53:18	46.6105	-119.8472	6.4	1.3	MI	015/014	167	0.06	AC	E3	eq
20	20:14:26	47.6403	-121.3830	5.7	1.3	MI	009/014	110	0.26	BC	C3	eq
20	23:46:57	47.6853	-120.3258	-1.3	1.2	MI	009/012	98	0.08	AB	N3	eq
22	12:33:40	47.7357	-120.2987	-0.6*	1.1	MI	007/010	123	0.07	CC	N3	eq
24	06:26:25	46.6022	-119.8642	6.3	1.1	MI	011/017	95	0.07	AB	E3	eq
28	01:13:05	46.4567	-119.7440	14.5	0.5	MI	007/010	204	0.08	AD	E3	eq
28	06:54:05	46.6110	-119.8423	6.8	0.9	MI	013/017	162	0.07	AC	E3	eq
28	07:59:35	46.6115	-119.8398	6.4	0.5	MI	012/016	96	0.05	AB	E3	eq
28	11:24:20	46.6808	-121.0682	4.6	1.2	MI	017/021	135	0.28	BC	C3	eq
28	23:08:59	46.6982	-121.0583	1.3	2.7	MI	031/034	77	0.16	BC	C3	eq
29	12:58:44	46.6928	-121.0768	9.4*	1.0	MI	011/014	176	0.23	CC	C3	eq
30	04:38:14	46.1653	-120.5428	13.5	2.5	MI	018/024	131	0.23	BB	E3	eq
30	04:38:34	46.1540	-120.5427	19.6	4.1	Md	010/015	140	0.30	CC	E3	eq
30	05:16:36	46.1948	-120.6372	12.4	1.1	MI	008/012	147	0.16	BC	E3	eq

January 2018

01	08:03:02	46.5312	-119.6690	0.2*	-0.3	Md	004/007	253	0.75	DD	E3	eq
01	12:47:30	46.6115	-119.8495	6.2	0.7	MI	006/008	169	0.09	AC	E3	eq
01	12:50:06	46.6103	-119.8478	6.8	1.4	MI	024/030	89	0.07	AA	E3	eq
01	22:33:49	47.6945	-120.3567	0.3*	0.3	Md	005/007	125	0.06	CB	N3	eq
02	03:59:26	46.6870	-121.0633	3.5	1.4	MI	022/026	145	0.21	BC	C3	eq
04	12:05:32	46.0283	-118.7325	18.1	2.0	MI	022/025	85	0.22	BA	E3	eq
04	21:02:59	46.6083	-119.8400	6.1	1.1	MI	012/016	160	0.08	AC	E3	eq
05	03:38:59	46.6097	-119.8415	6.5	0.5	MI	006/008	161	0.05	AC	E3	eq
05	11:46:34	46.6077	-119.8420	6.7	0.9	MI	011/014	88	0.08	AA	E3	eq
05	12:51:27	46.6108	-119.8430	6.6	0.7	MI	010/013	164	0.06	AC	E3	eq
05	13:02:51	46.6070	-119.8455	6.7	0.5	MI	005/006	165	0.02	BC	E3	eq
06	10:34:10	46.6135	-119.8382	5.9	0.6	MI	009/011	160	0.06	AC	E3	eq
07	15:48:47	46.2100	-119.0645	12.6	1.2	MI	014/016	149	0.13	AC	E3	eq
11	05:00:11	46.6127	-119.8450	6.6	1.2	MI	017/025	89	0.07	AA	E3	eq
11	09:14:39	46.6118	-119.8447	6.7	1.6	MI	027/032	53	0.06	AA	E3	eq
11	09:20:02	46.6098	-119.8463	6.5	2.2	MI	036/036	53	0.07	AA	E3	eq
11	10:03:04	46.6112	-119.8447	6.8	1.6	MI	020/026	89	0.05	AA	E3	eq
11	10:09:08	46.6107	-119.8443	6.6	1.0	MI	013/019	88	0.06	AA	E3	eq

12	10:48:12	46.6097	-119.8460	6.6	1.9	MI	030/033	53	0.07	AA	E3	eq
12	11:04:07	46.6098	-119.8457	6.4	1.3	MI	017/021	88	0.06	AA	E3	eq
12	11:08:19	46.6090	-119.8423	6.6	0.6	MI	010/014	163	0.05	AC	E3	eq
12	11:21:21	46.6107	-119.8398	6.2	0.5	MI	005/006	160	0.04	AC	E3	eq
14	09:52:19	46.6032	-119.8635	6.3	0.7	MI	009/014	185	0.19	BD	E3	eq
17	17:15:32	47.7028	-120.1138	1.7	0.7	Md	006/010	190	0.14	BD	N3	eq
17	20:14:36	46.6130	-119.8423	6.2	1.2	MI	016/020	97	0.09	AB	E3	eq
17	22:47:06	44.3543	-121.0735	-1.7*	2.2	MI	008/010	97	0.18	CD	E3	px
18	11:23:30	46.8180	-119.3248	4.1	0.6	MI	007/012	119	0.14	AB	E3	eq
23	16:34:02	47.6870	-120.3003	5.2	0.8	MI	006/010	109	0.15	BB	N3	eq
25	10:35:19	46.6085	-119.8448	6.6	0.9	MI	016/025	88	0.07	AA	E3	eq
26	09:44:31	46.6112	-119.8472	6.7	1.8	MI	028/039	53	0.07	AA	E3	eq
27	11:16:10	47.6610	-120.2308	-0.5*	1.3	MI	010/012	80	0.08	CC	N3	eq
28	18:13:40	47.6488	-120.1068	6.5	1.3	MI	009/010	96	0.08	AB	N3	eq
29	21:07:02	46.6125	-119.8433	6.7	1.9	MI	020/028	89	0.07	AA	E3	eq
31	19:04:48	46.6105	-119.8393	6.5	0.6	MI	009/010	160	0.06	AC	E3	eq
February 2018												
01	09:03:50	46.6055	-119.8468	6.7	1.1	MI	012/019	134	0.08	AB	E3	eq
02	02:38:25	46.6212	-119.8608	6.3	1.4	MI	015/020	94	0.09	AB	E3	eq
02	21:20:58	46.9917	-120.4005	-0.8*	1.5	MI	015/019	94	0.32	CC	E3	px
03	01:06:05	47.3937	-117.9383	-0.4*	2.3	MI	015/022	159	0.42	CD	N3	px
03	13:01:45	46.6820	-120.9067	7.2	1.0	MI	007/011	149	0.08	AC	C3	eq
03	21:52:47	46.6080	-119.8475	6.5	1.5	MI	018/026	89	0.08	AA	E3	eq
04	20:26:42	46.6095	-119.8477	6.7	1.1	MI	010/015	89	0.07	AA	E3	eq
05	01:25:03	47.7077	-120.0475	4.0	1.8	MI	016/013	90	0.08	AB	N3	eq
05	03:44:26	46.8178	-119.5413	13.4	0.8	MI	014/016	110	0.10	AB	E3	eq
06	08:04:39	46.6057	-119.8423	6.1	0.8	MI	010/015	162	0.08	AC	E3	eq
06	23:26:22	44.0287	-121.4348	-1.6*	1.6	MI	008/008	145	0.65	DC	E3	px
07	04:06:04	47.1292	-121.0845	4.4	1.3	MI	014/018	124	0.14	AC	C3	eq
09	18:55:18	46.2907	-119.6688	-0.3*	1.7	MI	008/008	130	0.24	CB	E3	px
09	20:26:26	46.1405	-119.2007	-0.3*	1.8	MI	013/018	164	0.12	CC	E3	px
10	06:43:02	46.8413	-119.7430	2.8	1.9	MI	020/025	110	0.11	AC	E3	eq
13	09:42:30	47.7345	-120.2042	-0.1*	0.9	MI	007/009	112	0.05	CC	N3	eq
13	20:43:32	46.1508	-119.1068	-0.3*	1.6	MI	011/011	144	0.10	CC	E3	px
13	21:17:43	46.5032	-120.8605	-0.7*	0.9	MI	005/007	233	0.64	DD	C3	px
18	04:07:49	46.4677	-119.4365	16.9	0.7	MI	013/016	82	0.08	AA	E3	eq
19	03:31:29	45.9182	-120.1412	18.3	2.3	MI	025/037	61	0.22	BA	E3	eq
19	07:01:16	46.1130	-119.6407	19.8	1.2	MI	013/019	163	0.10	AC	E3	eq
19	07:27:56	46.7272	-120.6945	15.1	1.5	MI	021/023	87	0.15	BA	E3	eq
19	12:35:54	46.5813	-119.8622	7.4	0.9	MI	014/020	87	0.08	AA	E3	eq
21	12:04:25	46.6133	-119.7945	7.6	0.6	MI	008/011	189	0.05	AD	E3	eq
22	10:20:44	47.1743	-117.1952	-0.3*	2.2	MI	013/013	274	2.93	DD	N3	px
23	20:27:09	46.1483	-119.2342	-0.3*	1.3	MI	013/014	170	0.21	CC	E3	px
26	10:40:50	46.4483	-119.5935	17.2	1.7	MI	037/043	82	0.08	AA	E3	eq
28	15:30:17	47.7158	-120.3073	-0.5*	0.6	MI	005/006	136	0.05	CC	N3	eq
March 2018												
01	22:08:58	46.1512	-119.1288	-0.3*	1.6	MI	009/010	149	0.12	CC	E3	px
02	19:47:01	48.2713	-119.9428	0.5*	1.4	MI	013/019	90	0.27	CC	N3	eq
04	11:47:30	47.7532	-120.0298	2.8	0.8	MI	008/009	105	0.05	AB	N3	eq
05	00:43:01	46.6105	-119.8458	6.6	0.7	MI	013/018	88	0.06	AA	E3	eq
06	05:43:51	47.7433	-120.0663	2.8	0.8	MI	009/011	80	0.06	AB	N3	eq
06	19:43:14	44.4760	-120.2707	-1.2*	2.7	MI	009/009	311	0.30	DD	N3	px
06	21:07:19	46.1557	-119.2622	-0.3*	1.2	Md	008/008	235	0.56	DD	E3	px
06	23:09:30	47.9973	-119.8832	-1.2*	1.4	Md	006/007	175	0.06	CC	N3	px
07	00:57:50	44.0117	-121.2427	-1.5*	1.8	MI	015/014	147	0.29	CC	N3	px
07	18:06:01	46.6083	-119.8432	6.4	1.1	MI	011/016	133	0.04	AB	E3	eq
07	21:54:51	48.0002	-119.8832	-1.0*	1.3	MI	006/008	178	0.09	CC	N3	px
09	14:07:57	46.6092	-119.8460	6.6	1.0	MI	012/018	133	0.07	AB	E3	eq

09	21:13:18	46.6170	-120.4980	-0.6*	1.7	MI	009/009	153	0.41	CC	E3	px
10	23:02:41	46.2078	-120.3663	13.1	1.0	MI	010/013	84	0.20	BB	E3	eq
11	13:15:59	47.6880	-120.0437	7.6	2.8	MI	027/018	50	0.11	AA	N3	eq
12	09:48:26	46.7248	-120.8198	10.7	1.0	MI	011/014	117	0.22	BB	C3	eq
13	22:25:06	48.0938	-121.2790	-1.2*	1.9	MI	009/010	131	0.25	CC	C3	px
14	06:03:27	46.2635	-119.2610	0.5*	1.2	MI	018/023	165	0.12	CC	E3	eq
14	09:05:12	46.2482	-119.2528	1.1	1.4	MI	015/019	274	0.10	AD	E3	eq
14	20:01:30	47.5050	-120.2925	-0.9*	0.9	MI	007/007	121	0.04	CC	N3	px
14	23:45:22	44.2893	-121.3422	-1.5*	2.1	MI	009/008	326	0.25	CD	N3	px
15	01:33:25	46.2462	-119.2183	1.0*	0.7	MI	007/010	265	0.18	CD	E3	eq
23	20:02:17	47.3362	-117.8493	-0.5*	2.1	MI	013/018	135	0.60	DD	N3	px
26	01:31:42	46.7128	-118.8835	-0.3*	0.9	MI	011/013	200	0.15	CD	E3	px
26	07:36:04	46.7110	-118.9047	-0.3*	0.9	MI	011/014	192	0.17	CD	E3	px
27	02:43:51	46.6060	-119.8437	6.5	1.2	MI	015/022	88	0.08	AA	E3	eq
29	07:15:55	46.2552	-119.2815	6.0	0.4	MI	007/009	277	0.17	BD	E3	eq
29	09:22:50	46.2797	-119.2388	0.2*	0.9	MI	012/014	278	0.12	CD	E3	eq
29	10:17:10	46.2657	-119.2642	0.6*	0.9	MI	013/018	170	0.19	CC	E3	eq
29	22:37:25	45.8283	-120.8175	-0.5*	2.4	Md	006/009	204	0.71	DD	C3	px
30	20:47:20	47.3167	-117.8195	-0.5*	2.2	MI	010/012	207	0.68	DD	N3	px
April 2018												
02	20:51:42	47.6965	-120.2617	4.5	1.0	MI	007/009	119	0.06	AC	N3	eq
02	21:33:43	46.3288	-119.6618	-0.5*	1.7	MI	011/010	233	0.06	CD	E3	px
02	21:36:07	46.2713	-119.4725	-0.4*	0.7	Md	007/006	285	0.03	CD	E3	px
03	11:14:13	47.6570	-120.0940	5.6	0.6	MI	006/010	169	0.12	AC	N3	eq
04	06:08:33	48.8623	-120.9642	9.1*	2.5	MI	014/019	90	0.38	CD	C3	eq
06	04:22:10	46.9647	-121.2493	0.9	1.8	MI	022/024	90	0.24	BC	C3	eq
06	18:56:48	46.2372	-119.4630	-0.5*	0.2	Md	007/008	230	0.06	CD	E3	px
06	19:10:12	46.6442	-120.4680	-0.7*	1.1	Md	006/008	122	0.41	CC	E3	px
09	15:06:01	46.8328	-120.4287	13.7	1.3	MI	014/016	59	0.21	BB	E3	eq
09	19:32:38	48.8510	-120.9443	9.0*	2.1	MI	010/016	92	0.44	CD	C3	eq
09	22:17:35	46.6095	-119.8465	6.6	1.7	MI	018/022	53	0.07	AA	E3	eq
10	01:18:04	47.0580	-121.3237	9.5	1.0	MI	011/016	162	0.14	BC	C3	eq
11	13:08:18	48.1477	-120.5890	7.3	1.1	MI	005/008	292	0.04	AD	C3	eq
11	20:55:56	45.4945	-117.2258	3.1*	1.6	MI	004/006	186	0.07	CD	C3	eq
13	04:31:56	46.8140	-120.9998	0.3*	1.2	MI	009/012	133	0.36	CC	C3	eq
13	09:32:12	47.7515	-120.5578	5.8	0.8	MI	006/008	195	0.05	AD	C3	eq
13	10:27:21	48.9340	-119.6257	-0.2	1.6	MI	009/010	141	0.18	BC	N3	eq
16	09:47:14	47.6938	-120.0765	4.1	0.9	MI	009/009	108	0.06	AB	N3	eq
18	11:34:15	47.6637	-120.1848	4.7	0.4	MI	004/006	163	0.05	AC	N3	eq
19	01:13:51	46.4000	-119.1757	0.3*	0.5	MI	008/010	228	0.29	CD	E3	eq
19	23:17:39	47.7957	-120.6075	-1.0*	2.1	Md	006/008	234	0.29	CD	C3	px
20	00:45:22	47.3532	-117.8973	-0.4*	2.3	MI	017/023	163	0.38	CD	N3	px
20	18:10:59	46.6850	-120.4502	-0.6*	1.9	MI	007/008	190	0.39	CD	E3	px
22	12:00:57	47.2222	-120.5118	2.3	2.7	MI	027/033	71	0.24	BC	N3	eq
23	04:44:58	46.4083	-120.5932	16.3	1.1	MI	011/010	171	0.06	AC	E3	eq
23	23:22:41	46.6068	-119.8078	8.4	0.7	MI	006/012	224	0.08	AD	E3	eq
24	09:44:23	48.2952	-118.4022	0.4*	1.7	MI	012/014	174	0.34	CD	N3	eq
24	20:38:52	48.3393	-118.3535	-0.3	2.2	MI	011/015	261	0.50	DD	N3	eq
25	00:15:12	48.3612	-118.3160	-0.4	1.9	MI	010/013	185	0.57	DD	N3	eq
25	01:59:37	46.6132	-119.8503	6.9	0.5	MI	006/008	170	0.07	AC	E3	eq
25	02:09:34	46.6128	-119.8460	6.3	0.8	MI	014/018	89	0.08	AA	E3	eq
25	02:10:44	46.6105	-119.8465	6.5	0.7	MI	013/018	88	0.08	AA	E3	eq
26	18:32:00	47.3748	-117.8190	-0.5*	2.0	MI	011/013	136	0.48	CD	N3	px
26	21:51:40	46.5980	-119.8035	7.7	0.9	MI	013/015	124	0.08	AB	E3	eq
26	22:39:51	46.5995	-119.8043	7.7	1.5	MI	018/024	79	0.07	AA	E3	eq
26	23:13:58	46.5980	-119.8013	7.8	0.8	MI	010/014	122	0.06	AB	E3	eq
26	23:14:18	46.6012	-119.7997	8.3	0.2	Md	004/006	203	0.02	BD	E3	eq
27	00:08:52	46.5962	-119.8022	7.6	1.5	MI	017/025	82	0.08	AA	E3	eq

27	10:54:55	46.5852	-119.8455	6.6	0.7	MI	014/018	85	0.08	AA	E3	eq
28	04:03:15	48.5695	-120.2937	2.9	1.7	MI	012/017	102	0.48	CD	C3	eq
29	17:55:56	47.2467	-120.7440	-0.9	3.3	MI	037/032	50	0.20	BD	C3	eq
29	20:45:14	47.2273	-120.7473	3.8	1.0	MI	003/004	233	0.01	CD	C3	eq
30	23:37:07	47.8338	-120.8513	-1.1*	1.7	MI	007/006	112	0.05	CC	C3	px
May 2018												
02	15:03:59	46.6052	-119.8447	6.5	0.9	MI	011/017	164	0.10	AC	E3	eq
03	22:24:23	46.4062	-119.1888	0.4*	0.7	MI	008/012	221	0.13	CD	E3	eq
04	18:07:17	46.4025	-119.1783	0.3*	0.9	MI	013/015	197	0.11	CD	E3	eq
04	18:17:18	46.4065	-119.1790	-0.1	1.9	MI	030/034	79	0.12	AB	E3	eq
05	02:04:02	44.0272	-121.2450	-1.6*	1.2	MI	014/015	177	0.29	CC	E3	px
06	00:18:11	46.8762	-119.3650	0.2*	0.7	MI	006/009	137	0.20	CC	E3	eq
06	00:19:14	47.6583	-120.2377	-0.1*	0.7	MI	007/010	108	0.10	CB	N3	eq
07	11:00:16	47.6927	-120.4148	-1.2	1.1	MI	010/013	110	0.58	DC	N3	eq
08	19:11:27	47.6968	-120.0182	1.5	1.8	Md	010/012	87	0.08	AA	N3	eq
08	22:04:00	46.2483	-119.3915	-0.2*	1.3	MI	010/011	240	0.33	CD	E3	px
08	23:23:15	46.7222	-121.0685	0.7*	0.8	MI	009/012	135	0.32	CC	C3	eq
09	16:54:46	46.2782	-118.0208	-0.6*	1.8	MI	016/022	138	0.35	CC	E3	px
10	05:53:16	46.6990	-121.0640	4.5	1.8	MI	025/032	97	0.23	BC	C3	eq
12	01:06:07	46.7143	-121.0605	2.1	2.3	MI	023/024	95	0.18	BC	C3	eq
13	22:23:39	47.6555	-120.1805	-0.3*	1.5	MI	009/011	94	0.11	CC	N3	eq
14	07:12:47	47.6502	-120.1667	-0.4*	0.9	Md	006/010	137	0.12	CC	N3	eq
14	07:27:16	47.6533	-120.1727	-0.6*	1.9	MI	012/016	78	0.14	CC	N3	eq
18	23:54:19	47.4152	-117.8950	-0.5*	2.3	MI	010/013	201	0.77	DD	N3	px
19	15:02:19	46.6103	-119.8447	6.8	1.7	MI	020/026	88	0.07	AA	E3	eq
19	15:05:51	46.6092	-119.8422	6.6	0.8	MI	012/017	162	0.06	AC	E3	eq
20	17:31:31	47.7575	-120.3558	8.5*	0.7	Md	003/004	195	0.05	DD	N3	eq
21	06:25:17	46.1760	-120.5365	17.8	1.5	Md	011/015	268	0.41	CD	E3	eq
26	00:09:09	47.5622	-119.8227	8.0*	0.5	Md	004/005	183	0.08	DD	N3	eq
30	23:55:04	47.5730	-120.3465	0.2*	1.6	MI	013/015	94	0.09	CC	N3	eq
31	11:54:32	46.6057	-119.8423	6.5	1.2	MI	013/019	132	0.08	AB	E3	eq
June 2018												
01	15:21:18	46.6067	-119.8450	6.6	1.6	MI	021/030	88	0.07	AA	E3	eq
02	01:58:19	46.6088	-119.8502	6.8	2.3	MI	026/031	95	0.08	AB	E3	eq
02	02:01:04	46.6107	-119.8428	6.5	0.8	MI	014/018	88	0.07	AA	E3	eq
02	02:04:53	46.6075	-119.8363	6.5	0.7	MI	009/012	216	0.09	AD	E3	eq
02	02:07:04	46.6112	-119.8398	6.3	0.8	MI	011/016	132	0.07	AB	E3	eq
02	02:35:43	46.6067	-119.8477	6.8	2.1	MI	028/037	93	0.08	AB	E3	eq
02	10:17:04	46.6088	-119.8457	6.7	1.5	MI	019/026	53	0.07	AA	E3	eq
03	03:43:53	46.6232	-119.5083	-0.2	0.7	Md	009/011	93	0.09	AB	E3	eq
03	04:06:49	46.6053	-119.8407	6.5	0.7	MI	005/006	160	0.05	AC	E3	eq
04	04:44:37	46.6073	-119.8423	6.4	1.0	MI	010/017	162	0.06	AC	E3	eq
05	00:09:32	47.3670	-117.9060	-0.4*	2.3	MI	010/013	131	0.23	CD	N3	px
06	20:13:43	45.9018	-119.3007	-0.3*	2.0	MI	014/019	175	0.20	CC	E3	px
08	16:07:23	46.7887	-118.8717	-0.3*	1.7	MI	008/008	200	0.15	CD	E3	px
11	22:35:49	47.7080	-120.0335	1.4	1.3	MI	009/011	88	0.05	AB	N3	eq
12	06:34:51	47.6855	-120.2430	1.1	0.8	MI	008/010	134	0.06	BC	N3	eq
13	22:45:48	46.4110	-119.2748	-0.1	1.6	MI	014/016	88	0.07	AA	E3	eq
15	06:05:11	47.7455	-120.0957	4.3	1.1	MI	009/016	81	0.08	AB	N3	eq
15	18:16:29	46.2753	-119.6200	-0.4*	0.9	MI	008/008	169	0.07	CC	E3	px
16	02:28:43	46.6505	-120.5355	12.2	0.8	MI	007/010	112	0.51	DB	E3	eq
16	02:36:10	46.6167	-120.5172	15.9	1.3	MI	019/029	112	0.22	BB	E3	eq
16	03:58:35	46.6290	-120.5408	13.2	0.5	MI	005/007	118	0.21	BB	E3	eq
16	09:40:20	46.6357	-120.5273	13.8	0.7	MI	006/008	170	0.17	BC	E3	eq
16	09:54:44	46.6168	-120.5132	15.3	1.2	MI	018/026	111	0.15	BB	E3	eq
17	05:24:31	46.6158	-120.5152	16.4	1.3	MI	016/020	111	0.22	BB	E3	eq
18	19:35:26	47.8303	-117.4165	-0.6*	1.6	MI	004/006	210	0.21	CD	N3	px
19	04:38:53	47.6757	-120.2507	3.8	0.2	Md	005/007	131	0.15	BB	N3	eq

19	21:02:14	47.8262	-120.7797	2.8*	1.0	Md	002/004	299	0.16	CD	C3	eq
19	22:04:15	46.6207	-120.5208	13.0	0.5	Md	006/007	169	0.06	AC	E3	eq
20	12:06:15	46.6385	-120.5230	14.6	0.8	MI	011/015	112	0.23	BB	E3	eq
20	20:25:56	46.6282	-120.5457	12.7	0.8	MI	006/008	120	0.14	AB	E3	eq
23	03:30:34	47.7333	-118.4038	0.5*	1.6	MI	007/010	114	0.41	CC	N3	eq
23	08:27:10	46.0897	-118.7702	12.5	1.2	MI	010/011	136	0.06	AC	E3	eq
24	02:00:16	46.6267	-120.5137	14.6	0.8	MI	012/017	110	0.18	BB	E3	eq
24	02:00:41	46.6257	-120.5040	14.7	0.5	MI	010/012	106	0.13	AB	E3	eq
27	17:37:42	44.3157	-121.0557	-1.6*	1.8	MI	010/013	196	0.37	CD	E3	px
27	20:01:11	46.6537	-120.4565	4.2*	1.5	MI	007/010	121	0.56	DC	E3	px
28	18:12:09	47.7212	-120.0160	6.1	1.2	MI	011/010	106	0.08	AB	N3	eq
28	19:38:00	46.5715	-119.8648	7.4	0.9	MI	013/018	136	0.08	AC	E3	eq
28	22:04:58	44.1148	-121.3363	-1.5*	1.3	MI	010/008	172	0.10	CC	E3	px
29	16:57:48	46.1473	-119.2700	-0.2*	1.4	MI	015/018	169	0.13	CC	E3	px
30	23:10:18	47.8120	-120.8742	3.4	1.6	MI	010/009	80	0.12	AA	C3	eq

July 2018

01	07:30:14	46.3838	-120.6123	12.8	0.9	MI	006/009	143	0.13	AC	E3	eq
01	10:12:47	46.6080	-119.8443	6.6	1.1	MI	011/018	147	0.06	AC	E3	eq
02	12:23:00	46.7165	-119.4858	2.6	0.2	Md	007/010	140	0.06	AC	E3	eq
02	15:55:13	46.8482	-120.8088	2.5	1.5	MI	016/021	77	0.30	CC	C3	eq
04	21:23:36	46.7195	-119.4657	0.2*	0.6	MI	007/008	158	0.08	CC	E3	eq
08	04:48:47	46.7182	-119.4703	-0.2	0.6	MI	015/020	66	0.12	AA	E3	eq
10	23:18:31	48.0118	-119.8865	-0.2*	2.4	MI	017/012	125	0.07	CB	N3	eq
11	04:10:43	48.0123	-119.8925	-0.3*	1.8	MI	013/013	125	0.07	CB	N3	eq
11	09:39:41	46.5992	-119.8517	6.6	0.6	MI	016/019	144	0.08	AC	E3	eq
11	17:44:15	46.6590	-120.4828	-0.6*	1.6	MI	009/010	96	0.35	CC	E3	px
12	18:01:09	45.8775	-121.4603	-1.3*	1.9	MI	006/007	313	0.13	CD	C3	px
13	08:51:08	46.6197	-120.5262	15.0	2.6	MI	032/035	105	0.14	AB	E3	eq
13	09:32:22	46.6223	-120.5098	14.8	0.6	MI	011/014	162	0.12	AC	E3	eq
13	09:32:56	46.6162	-120.5183	14.7	0.5	Md	004/006	168	0.08	AC	E3	eq
13	09:34:16	46.6232	-120.5243	13.1	0.6	MI	007/010	172	0.09	AC	E3	eq
13	11:15:44	46.6168	-120.5070	14.9	1.4	MI	026/025	145	0.14	AC	E3	eq
13	11:32:59	46.6313	-120.5177	12.6	1.0	MI	014/015	110	0.08	AB	E3	eq
13	13:08:35	46.6202	-120.5122	13.8	0.8	MI	010/011	165	0.12	AC	E3	eq
13	13:11:48	46.6137	-120.5203	14.4	0.7	MI	008/010	169	0.07	AC	E3	eq
13	17:15:57	46.6290	-120.5237	11.5	0.7	Md	005/007	171	0.02	AC	E3	eq
13	19:26:46	46.6200	-120.5248	14.7	1.5	MI	022/023	116	0.17	BB	E3	eq
13	20:19:24	46.6178	-120.5222	14.2	1.0	MI	007/006	171	0.03	AC	E3	eq
13	20:50:14	46.6172	-120.5140	14.9	1.0	MI	011/012	111	0.10	AB	E3	eq
13	20:56:26	46.5977	-119.8017	7.8	1.4	MI	016/020	123	0.07	AB	E3	eq
13	21:33:06	46.6197	-120.5293	13.6	0.6	Md	005/007	173	0.07	AC	E3	eq
13	21:45:48	46.6288	-120.5232	11.4	0.8	MI	005/008	170	0.03	AC	E3	eq
13	22:45:31	46.6250	-120.5188	12.0	0.7	MI	005/008	169	0.02	AC	E3	eq
13	22:46:59	46.6202	-120.5240	13.3	0.3	MI	006/008	115	0.05	AB	E3	eq
14	00:11:32	46.6238	-120.5247	14.6	2.6	MI	040/041	105	0.15	BB	E3	eq
14	06:17:36	46.6010	-119.8000	7.6	0.9	MI	009/014	184	0.05	AD	E3	eq
14	06:50:26	46.6007	-119.8028	7.6	0.9	MI	011/017	161	0.06	AC	E3	eq
14	08:30:53	46.4617	-119.7333	16.3	0.9	MI	014/020	106	0.10	AB	E3	eq
14	09:48:27	46.6262	-120.5373	11.8	0.2	MI	006/011	118	0.25	BB	E3	eq
14	11:11:01	46.6173	-120.5145	15.5	1.0	MI	009/013	165	0.07	AC	E3	eq
14	16:42:54	46.6262	-120.5245	12.3	1.0	MI	010/013	169	0.15	BC	E3	eq
14	17:44:59	46.6153	-120.5150	15.7	1.2	MI	011/017	112	0.09	AB	E3	eq
14	17:52:18	46.6173	-120.5217	12.6	0.5	MI	005/008	169	0.07	AC	E3	eq
14	20:34:00	46.6162	-120.5202	14.4	0.7	MI	008/011	169	0.04	AC	E3	eq
14	21:02:48	46.6197	-120.5080	15.9	1.2	MI	017/022	161	0.11	AC	E3	eq
14	22:44:41	46.6262	-120.5453	11.4	0.5	MI	005/008	121	0.19	BB	E3	eq
14	22:54:19	46.6403	-120.5345	12.4	0.4	Md	005/008	176	0.10	AC	E3	eq
14	23:08:44	46.6318	-120.5385	11.9	0.2	MI	005/008	117	0.18	BB	E3	eq

14	23:44:20	46.6207	-120.5210	14.3	0.8	MI	007/010	167	0.06	AC	E3	eq
15	00:23:13	46.6175	-120.5105	14.7	0.8	MI	015/020	162	0.11	AC	E3	eq
15	00:24:47	46.6188	-120.5110	14.2	0.7	MI	007/008	164	0.05	AC	E3	eq
15	01:25:04	46.6153	-120.5185	13.9	0.7	Md	005/007	168	0.03	AC	E3	eq
15	02:24:44	46.6230	-120.5342	13.8	0.8	MI	009/012	117	0.13	AB	E3	eq
15	02:28:12	46.6223	-120.5212	13.6	0.6	MI	008/012	167	0.06	AC	E3	eq
15	02:47:28	46.6212	-120.5310	13.9	0.9	MI	010/014	118	0.15	BB	E3	eq
15	03:26:44	46.6455	-120.5310	12.3	-0.1	MI	005/008	118	0.10	AB	E3	eq
15	04:46:09	46.6157	-120.5060	14.7	1.2	MI	014/019	160	0.11	AC	E3	eq
15	05:30:00	46.6330	-120.5267	13.7	1.2	MI	020/023	115	0.21	BB	E3	eq
15	06:47:33	46.1360	-119.0478	11.1	1.5	MI	017/021	107	0.08	AB	E3	eq
15	08:27:20	46.6158	-120.5135	14.7	0.4	MI	012/013	163	0.05	AC	E3	eq
15	09:33:21	46.6510	-120.5310	4.9	-0.1	MI	006/010	119	0.11	AC	E3	eq
15	09:56:54	46.6098	-119.8372	6.8	1.3	MI	011/016	217	0.07	AD	E3	eq
15	13:33:52	46.1568	-119.0940	12.9	1.1	MI	015/020	108	0.09	AB	E3	eq
15	15:23:25	46.6205	-120.5307	13.4	0.2	MI	006/009	173	0.09	AC	E3	eq
15	15:55:39	46.6400	-120.5315	12.0	0.4	MI	007/009	176	0.08	AC	E3	eq
15	19:12:26	46.6158	-120.5102	15.2	0.7	MI	011/016	109	0.13	AB	E3	eq
15	19:52:51	46.6302	-120.5398	12.1	0.9	MI	006/011	117	0.15	BB	E3	eq
15	21:29:18	46.6282	-120.5448	10.3	0.3	MI	006/010	120	0.18	BB	E3	eq
15	22:16:45	46.6173	-120.5110	14.9	1.0	MI	014/020	110	0.16	BB	E3	eq
15	23:03:12	46.6403	-120.5317	12.9	0.5	Md	006/007	176	0.10	AC	E3	eq
16	02:56:12	46.4842	-121.1028	-0.1	1.0	MI	012/014	121	0.08	AC	C3	eq
16	03:45:53	46.6318	-120.5377	13.7	0.5	Md	005/007	117	0.20	BB	E3	eq
16	05:08:11	46.6333	-120.5228	12.2	0.5	MI	006/010	168	0.06	AC	E3	eq
16	06:41:00	46.6253	-120.5423	13.2	1.2	MI	014/019	125	0.14	AB	E3	eq
16	07:54:11	46.6108	-120.5295	16.7	0.1	MI	004/006	121	0.16	BC	E3	eq
16	08:02:27	46.6232	-120.5097	14.7	1.4	MI	016/019	162	0.14	AC	E3	eq
16	08:51:47	46.6337	-120.5457	14.6	0.1	MI	006/006	170	0.02	AC	E3	eq
16	08:58:12	46.6292	-120.5400	11.0	0.5	Md	005/009	118	0.18	BB	E3	eq
16	09:47:58	46.6265	-120.5220	11.5	0.3	MI	005/008	170	0.03	AC	E3	eq
16	10:44:37	46.6252	-120.5185	12.0	0.5	Md	006/008	168	0.07	AC	E3	eq
16	11:02:50	46.6228	-120.5200	14.8	2.5	MI	016/025	113	0.18	BB	E3	eq
16	11:19:09	46.6400	-120.5398	13.2	0.2	MI	006/009	174	0.13	AC	E3	eq
16	12:38:56	46.6225	-120.5288	15.0	1.6	MI	014/019	117	0.12	AB	E3	eq
16	20:20:08	46.6280	-120.5420	11.6	0.6	MI	007/012	118	0.17	BB	E3	eq
16	21:38:59	47.6892	-120.0390	7.3	1.4	MI	014/015	88	0.26	BA	N3	eq
17	03:29:55	46.6530	-120.5285	10.9	0.5	Md	005/007	183	0.06	BD	E3	eq
17	04:21:16	46.6202	-120.5192	13.9	0.7	MI	008/009	168	0.04	AC	E3	eq
17	04:37:11	46.6627	-120.5240	3.5	0.2	MI	005/006	189	0.02	BD	E3	eq
17	05:04:02	46.6293	-120.5193	11.2	0.4	MI	004/006	169	0.02	AC	E3	eq
17	05:58:04	46.6373	-120.5367	9.4	0.9	MI	007/010	118	0.12	BB	E3	eq
17	06:44:19	46.6333	-120.5353	13.3	1.1	MI	009/012	116	0.12	AB	E3	eq
17	08:35:38	46.6253	-120.5373	11.9	0.1	MI	005/007	118	0.21	BB	E3	eq
17	11:28:04	46.6223	-120.5518	13.1	1.2	MI	014/014	123	0.10	AB	E3	eq
17	19:54:18	46.6227	-120.5447	10.9	0.3	MI	005/007	121	0.16	BB	E3	eq
17	21:07:45	46.1685	-119.2715	-0.4*	0.7	Md	010/013	196	0.29	CD	E3	px
18	01:35:09	46.6243	-119.8112	7.0	0.8	MI	012/016	130	0.07	AB	E3	eq
18	01:56:42	46.6243	-119.8102	7.0	1.3	MI	014/020	130	0.06	AB	E3	eq
18	01:57:07	46.6223	-119.8067	7.1	1.0	MI	008/013	184	0.07	AD	E3	eq
18	05:14:20	46.6302	-120.5283	14.8	0.9	MI	013/018	115	0.22	BB	E3	eq
18	05:14:29	46.6283	-120.5220	13.7	1.0	MI	012/016	113	0.29	BB	E3	eq
18	07:20:48	46.6388	-120.5223	13.0	1.2	MI	013/020	111	0.22	BB	E3	eq
18	08:01:51	46.6228	-119.8087	7.0	0.9	MI	013/019	129	0.07	AB	E3	eq
18	09:53:38	46.7257	-119.4547	3.8	0.3	Md	007/011	178	0.14	AC	E3	eq
18	14:06:27	46.6435	-120.5238	14.8	0.9	MI	012/015	111	0.17	BB	E3	eq
18	16:33:21	46.6182	-120.5230	13.8	0.7	MI	009/011	168	0.05	AC	E3	eq
18	19:06:05	46.2065	-118.3998	-0.3*	1.9	MI	010/010	80	0.16	CC	E3	px

18	21:14:27	44.0832	-121.3577	-1.5*	1.8	MI	009/007	125	0.10	CB	E3	px
19	01:19:01	46.6278	-120.5087	13.9	1.2	MI	013/020	162	0.16	BC	E3	eq
19	02:17:36	46.6258	-120.5188	12.0	0.6	MI	005/009	169	0.03	AC	E3	eq
19	06:58:14	46.6195	-120.5225	15.0	1.8	MI	017/021	115	0.16	BB	E3	eq
20	06:26:08	46.6238	-120.5245	14.9	2.7	MI	031/038	105	0.15	BB	E3	eq
20	16:34:06	45.9410	-119.3433	-0.5*	1.5	Md	009/011	225	0.31	CD	E3	px
20	19:12:02	45.9900	-119.4660	-0.3*	1.4	MI	010/011	146	0.11	CC	E3	px
20	19:22:05	46.6278	-120.5232	13.0	0.6	MI	004/008	284	0.10	AD	E3	eq
21	01:23:02	46.6403	-120.5345	12.9	0.6	MI	008/010	174	0.07	AC	E3	eq
21	02:35:02	46.6238	-120.5245	12.1	0.3	MI	006/009	172	0.09	AC	E3	eq
21	06:18:08	46.6305	-120.5288	13.4	1.1	MI	006/010	115	0.28	BB	E3	eq
21	17:00:03	46.6088	-119.8505	6.6	0.6	MI	006/009	262	0.04	AD	E3	eq
21	22:53:33	46.6300	-120.5378	12.9	0.6	MI	008/011	117	0.14	AB	E3	eq
21	23:53:02	46.6277	-120.5322	13.4	0.6	MI	008/012	116	0.26	BB	E3	eq
23	00:36:03	46.6108	-120.5063	15.4	1.7	MI	023/026	161	0.11	AC	E3	eq
23	01:04:54	46.6132	-120.5060	15.2	1.3	MI	017/022	160	0.12	AC	E3	eq
23	02:12:59	46.6317	-120.5220	12.2	0.4	MI	007/009	168	0.06	AC	E3	eq
23	11:01:22	46.7223	-119.4348	4.1	0.4	MI	004/008	231	0.06	AD	E3	eq
23	11:30:16	46.6305	-120.5428	13.1	-0.1	MI	005/008	117	0.21	BB	E3	eq
23	12:14:23	46.6220	-120.5033	14.7	1.1	MI	014/017	159	0.14	AC	E3	eq
23	18:36:38	46.6625	-120.4708	-0.6*	1.6	MI	014/014	112	0.46	CC	E3	ex
23	20:47:28	46.6453	-120.5265	11.0	0.2	Md	003/005	291	0.05	BD	E3	eq
24	02:31:21	46.8002	-118.9732	5.7	0.7	MI	007/010	159	0.13	AC	E3	eq
24	10:45:49	46.6187	-120.5133	15.3	1.0	MI	016/019	111	0.12	AB	E3	eq
24	18:00:06	46.6148	-120.5190	14.0	0.6	Md	006/009	168	0.05	AC	E3	eq
24	19:10:21	46.6135	-120.5155	14.5	0.8	Md	005/008	166	0.10	AC	E3	eq
24	20:07:12	46.1537	-119.2552	-0.2*	1.8	Md	007/008	201	0.11	CD	E3	px
25	00:03:30	44.9930	-117.8973	-1.2*	1.7	MI	007/009	87	0.70	DC	E3	px
25	02:05:38	46.6342	-120.5330	13.4	0.1	MI	006/011	115	0.19	BB	E3	eq
25	14:34:11	46.6237	-120.5108	14.5	0.9	MI	008/012	162	0.12	AC	E3	eq
25	19:50:36	46.6273	-120.5255	12.8	1.1	MI	011/018	115	0.25	BB	E3	eq
25	19:51:07	46.6177	-120.5172	14.0	0.8	MI	006/007	167	0.03	AC	E3	eq
25	21:22:09	46.6197	-120.5317	14.8	0.9	MI	014/018	118	0.13	AB	E3	eq
25	21:28:38	46.6222	-120.5262	14.7	1.6	MI	022/026	102	0.15	BB	E3	eq
26	21:09:03	46.1773	-119.2965	-0.3*	1.4	MI	011/013	160	0.23	CC	E3	px
26	23:49:55	47.6652	-120.1605	5.3	1.8	MI	012/013	84	0.06	AC	N3	eq
27	15:30:33	46.4345	-119.0050	-0.2*	1.1	MI	007/007	158	0.17	CC	E3	px
28	16:38:06	47.7228	-120.0668	3.7*	0.7	Md	003/005	226	0.05	CD	N3	eq
29	08:37:35	46.6210	-120.5288	15.1	0.5	MI	007/010	117	0.14	AB	E3	eq
29	15:10:16	45.7878	-117.0635	-0.6	2.7	MI	007/011	222	0.41	CD	E3	eq
30	01:18:05	46.8420	-119.7297	2.1	0.9	MI	012/013	218	0.05	AD	E3	eq
30	02:24:22	47.6805	-120.3010	-0.3*	1.0	MI	005/008	157	0.05	CC	N3	eq
30	07:05:18	46.6363	-120.5143	14.2	1.3	MI	011/018	112	0.28	BB	E3	eq
30	15:39:36	46.6247	-119.8113	6.8	0.9	MI	011/017	149	0.06	AC	E3	eq
31	07:11:05	47.6723	-120.3332	-0.0*	0.8	Md	005/007	126	0.11	CC	N3	eq
31	20:14:40	46.1923	-119.2235	-0.2*	1.4	Md	006/006	185	0.06	CD	E3	px
August 2018												
01	17:25:33	46.5338	-120.7872	-0.6*	1.1	MI	006/005	208	0.19	CD	C3	px
01	18:05:45	46.9523	-120.4003	-0.7*	1.1	MI	009/011	116	0.66	DC	E3	px
01	20:49:55	47.3193	-117.7925	-0.4*	2.1	MI	008/010	211	0.78	DD	N3	px
04	01:51:21	48.2135	-121.3230	7.6	1.4	MI	013/016	121	0.42	CC	C3	eq
05	15:04:39	47.8952	-120.8117	5.3	1.4	Md	006/007	184	0.07	AD	C3	eq
06	07:53:43	44.8737	-121.2685	7.7*	1.5	MI	013/015	168	0.26	CC	C3	eq
08	08:41:11	47.9613	-119.8708	5.2	1.3	MI	009/012	140	0.05	AC	N3	eq
09	20:34:28	44.3765	-121.0677	-1.6*	2.0	MI	008/007	120	0.07	CC	N3	px
10	12:16:36	46.6203	-120.5275	14.5	0.3	MI	004/005	173	0.01	AD	E3	eq
10	17:53:41	47.3280	-121.1998	-1.2*	0.9	MI	008/011	142	0.16	CC	C3	px
10	18:01:18	46.5405	-121.4180	4.4	2.5	MI	037/045	71	0.14	AC	C3	eq

10	21:21:57	46.5368	-121.4498	2.8	1.1	MI	010/011	334	0.06	BD	C3	eq
11	19:42:15	46.5420	-121.4233	4.8	1.6	MI	027/032	107	0.14	AC	C3	eq
12	17:30:26	46.7153	-119.4715	0.2*	0.1	Md	008/012	144	0.16	CC	E3	eq
13	21:04:20	46.6062	-119.8492	6.9	1.1	MI	012/014	89	0.03	AA	E3	eq
16	13:08:34	46.5395	-121.4155	4.2	1.8	MI	035/041	72	0.18	BC	C3	eq
17	06:41:37	46.7060	-119.4635	0.2*	0.1	Md	004/006	118	0.03	CC	E3	eq
17	18:20:46	45.6802	-118.8192	-0.6*	1.6	MI	009/010	133	0.11	CC	E3	px
17	20:54:54	47.4727	-120.6388	-1.1*	1.0	MI	006/010	152	0.21	CC	C3	px
18	10:41:53	48.1773	-118.9348	1.9*	1.2	MI	004/005	185	0.01	CD	N3	eq
18	20:45:56	48.1968	-118.9017	0.5*	1.8	MI	008/011	193	0.23	CD	N3	eq
19	07:03:31	48.2073	-118.8905	1.5*	1.4	MI	009/013	196	0.20	CD	N3	eq
19	19:29:16	48.1918	-118.9192	1.9*	1.5	MI	006/009	189	0.25	CD	N3	eq
19	21:19:01	47.6715	-120.1320	2.0	-0.1	Md	005/007	145	0.06	BC	N3	eq
20	03:12:41	46.6248	-120.5275	15.8	0.9	MI	018/022	111	0.13	AB	E3	eq
20	23:25:48	46.6220	-119.8137	7.2	0.8	MI	012/015	83	0.07	AA	E3	eq
21	03:54:08	46.6192	-119.8142	7.0	1.1	MI	015/021	83	0.09	AA	E3	eq
22	09:27:24	46.5142	-121.3648	10.0*	0.9	MI	015/016	140	0.12	CC	C3	eq
22	11:44:14	46.5238	-121.4222	2.6	1.0	MI	023/026	119	0.13	AC	C3	eq
23	16:00:31	48.1832	-118.9282	1.8*	1.3	MI	008/011	186	0.27	CD	N3	eq
23	17:59:13	47.7430	-120.0717	1.3	1.4	MI	013/014	64	0.06	BB	N3	eq
23	21:51:58	44.3573	-121.0527	-1.6*	1.9	MI	006/006	197	0.30	CD	N3	px
23	22:06:52	47.6533	-120.1813	5.0	1.2	MI	006/010	136	0.17	BC	N3	eq
24	00:00:58	44.2997	-121.0472	-1.4*	2.2	Md	005/006	147	0.03	CC	N3	px
25	02:37:37	46.4155	-119.2728	0.1*	0.5	MI	005/007	198	0.03	CD	E3	eq
26	13:32:45	47.5755	-120.3030	5.4	1.2	MI	008/007	193	0.06	AD	N3	eq
27	04:29:56	46.0830	-120.9078	6.0	1.4	MI	010/007	136	0.04	AC	C3	eq
27	06:07:07	45.8360	-120.1680	16.0	1.5	MI	017/018	87	0.07	AA	E3	eq
27	11:22:03	44.3223	-121.4283	7.6	0.9	MI	009/015	131	0.25	BB	E3	eq
27	18:13:34	47.6567	-120.3965	4.2	0.3	Md	006/008	115	0.07	AB	N3	eq
28	06:07:34	47.6853	-120.3348	5.0	0.1	Md	004/006	121	0.05	BC	N3	eq
28	22:39:36	47.8030	-120.9003	6.5	1.0	MI	007/007	207	0.08	AD	C3	eq
30	00:04:44	46.5693	-119.8385	8.2	0.1	MI	007/013	126	0.08	AB	E3	eq
30	00:50:17	47.4730	-120.6573	-1.0*	1.3	MI	007/007	150	0.08	CC	C3	px
30	16:38:31	47.6800	-120.2228	-0.6*	0.6	Md	006/009	141	0.07	CC	N3	eq
31	00:43:33	46.5420	-121.4212	4.2	1.6	MI	024/029	121	0.08	AC	C3	eq
31	19:43:16	48.1762	-117.8780	0.7*	2.0	MI	006/009	157	0.31	CD	N3	px
September 2018												
01	16:07:35	46.5293	-121.4175	2.3	1.0	MI	020/026	124	0.12	AC	C3	eq
02	09:24:43	46.8558	-119.7653	2.5	0.7	MI	010/011	243	0.12	AD	E3	eq
02	19:23:30	47.6573	-120.4058	4.9	1.1	MI	010/013	98	0.18	BB	N3	eq
02	19:40:47	46.5382	-121.4172	3.3	1.9	MI	035/041	72	0.14	AC	C3	eq
03	15:58:23	47.6617	-120.2388	2.9	1.6	MI	017/016	51	0.10	AB	N3	eq
04	10:20:47	46.5388	-121.4190	3.1	1.8	MI	037/042	72	0.11	AC	C3	eq
05	11:26:09	46.5310	-121.4427	2.1	0.9	MI	022/024	144	0.10	AC	C3	eq
06	22:28:01	46.9243	-117.2675	-0.3*	1.9	MI	009/014	174	0.42	CD	E3	px
12	01:47:56	46.7097	-119.4547	2.2	0.3	Md	007/010	124	0.11	AB	E3	eq
12	10:06:56	46.6145	-119.8463	6.6	0.4	MI	006/008	265	0.02	AD	E3	eq
13	17:52:56	46.1822	-119.5593	17.1	0.7	MI	014/018	252	0.06	AD	E3	eq
13	21:55:48	46.7847	-117.1017	-0.3*	2.2	Md	008/013	147	0.53	DD	E3	px
14	22:47:00	46.2460	-119.4537	-0.4*	0.6	Md	006/005	228	0.06	CD	E3	px
17	17:57:14	47.6750	-120.2037	-0.2*	0.1	Md	005/006	193	0.04	CD	N3	eq
17	23:21:21	47.4002	-117.8750	-0.5*	2.2	MI	010/013	162	0.47	CD	N3	px
19	00:21:59	46.5845	-120.7797	-0.6*	1.8	MI	013/016	199	0.55	DD	C3	px
20	04:09:50	45.7620	-118.0033	0.4	1.1	MI	004/007	168	0.46	CC	E3	eq
21	22:50:49	47.7075	-120.1117	4.0	1.2	MI	009/012	102	0.06	AC	N3	eq
22	16:54:15	45.8172	-118.0508	8.4	1.6	MI	006/006	138	0.10	AC	E3	eq
23	18:50:19	46.1055	-120.5155	17.6	0.9	MI	011/015	136	0.21	BC	E3	eq
25	18:41:26	46.2068	-119.4110	-0.4*	1.7	MI	007/007	252	0.15	CD	E3	px

26	22:35:38	47.2550	-120.6893	-1.1*	1.2	Md	003/005	250	0.22	CD	C3	px
28	21:45:40	46.3292	-120.9040	5.4	1.1	MI	008/011	133	0.16	BC	C3	eq
28	23:21:53	48.2815	-119.0658	-0.8	1.5	MI	012/012	197	0.14	AD	N3	eq
29	04:27:37	46.4090	-119.2573	0.1	1.9	MI	033/035	92	0.09	AB	E3	eq
29	07:42:36	47.0218	-120.8582	2.4*	0.7	MI	005/005	214	0.01	CD	C3	eq

5.0 Discussion of Seismic Activity – FY 2018

5.1 Summary

During FY2018, seismic activity was relatively quiet throughout eastern Washington. 413 earthquakes were cataloged in the region, of which about 31% (127) took place on or in the immediate vicinity of the Hanford Site (Tables 5.1 and 5.2). Several earthquakes took place in the historically active area of Entiat and Chelan. Within the vicinity of the Hanford Site, there was typical swarm-type activity, most strongly observed in the Coyote Rapids Swarm Area.

The depth distribution and geographic pattern of the earthquakes for the year are tabulated in Tables 5.1 and 5.2 and plotted on Figure 5.1.

Table 5.1. Depth Distribution of Eastern Washington Earthquakes for FY 2018

Category	1 st Quarter	2 nd Quarter	3 rd Quarter	4 th Quarter	FY 2018
Shallow (0-4 km deep)	24	16	33	40	113
Intermediate (4-9 km deep)	20	42	36	40	138
Deep (greater than 9 km deep)	26	10	18	108	162
Total	70	68	87	188	413
Felt	1	1	0	0	2
Probable Blast	21	25	22	31	99

Table 5.2. Earthquake Counts for FY 2018 for Earthquakes near the Hanford Site

Seismic Sources	1 st Quarter	2 nd Quarter	3 rd Quarter	4 th Quarter	FY 2018
Frenchman Hills	1	0	0	0	1
Saddle Mountains	0	1	1	1	3
Wahluke Slope	0	0	0	0	0
Coyote Rapids	1	0	0	6	7
Wye	0	0	1	2	3
Cold Creek	0	1	0	0	1
Rattlesnake Mountain	0	0	0	0	0
Horse Heaven Hills	0	1	0	1	2
Total for swarm areas	2	3	2	10	17
Random Events	12	45	30	23	110
Total For All Earthquakes	14	48	32	33	127




Figure 5.1. Hanford and Regional Epicenters of Earthquakes Recorded during FY 2018

Red circles stand for shallow earthquakes (0-4 km)
Blue circles for intermediate-depth earthquakes (4-9 km)
Black circles deep earthquakes (>9 km).

6.0 Status of Monitoring

The seismic monitoring network underwent significant enhancements during FY2017; an effort that has continued into FY2018. In the annual report for FY2016, an effort to upgrade as many network stations as possible with the aim of fire protection as well as enhanced seismic performance was described. That effort is now complete. The upgrades completed in FY2017 include the replacement of CCRK (destroyed by fire in 2015) and the conversion of previously single-channel short period analog stations WA2, EPH2, LNO, OT3, and YPT to 6-channel posthole BB/SMA hardware and full bi-directional digital telemetry. The conversion of a further 7 analog stations and the upgrade of 5 on-site SMA sites have completed the project.

Given the rather low rates of seismicity in the region the new stations illustrated in Figures 3.1 and 3.2 and discussed in Section 3.0 have not been operating long enough to fully assess their performance. We hope and anticipate that by the time the next annual report will be prepared, such an analysis will be possible. Perhaps unfortunately, no local earthquake large enough has occurred at the time of this report to illustrate the capabilities of the new stations. However, Figure 6.1 illustrates the precision, dynamic range, and data quality provided by the new stations. The on-scale recording from the nearby station revealing extremely crisp body phase arrivals, while the much more distant recordings also show the longer-period slow surface waves. Such recordings are extremely valuable to studies not only of earthquake locations, but also seismic wave propagation and structure that inform hazard studies.




Figure 6.1. Illustration of upgraded station capabilities. Three component broadband ground motion recordings from event 61395256. One of the largest on-site events, in a swarm in the NW corner of the Hanford site, the earthquake was M2.3 about 7 km deep. On the left are recordings from upgraded station MDW about 6.7 km from the epicenter. On the right, recordings on the new station MANO, more than 76 km distant. The topmost traces are in the “pick window” (where an analyst adjusts phase arrivals) showing the vertical trace.

The impact on the data quality (and quantity) and usefulness, and on the robustness and operability of the network is profound. The technology and design employed in the upgraded stations will extend the life of the network, improve the quality of network products (such as ShakeMap, ShakeCast, and ShakeAlert) and reduce the threat from environmental concerns such as range fire.

7.0 References

- Campbell NP. 1989. "Structural and Stratigraphic Interpretation of Rocks under the Yakima Fold Belt, Columbia Basin, Based on Recent Surface Mapping and Well Data." In *Volcanism and Tectonism in the Columbia River Flood-Basalt Province*, SP Reidel and PR Hooper (eds.), Special Paper 239, pp. 209–222. Geological Society of America, Boulder, Colorado.
- Crosson RS. 1972. "Small Earthquakes, Structure, and Tectonics of the Puget Sound Region." *Bulletin of the Seismological Society of America* 62(5):1133–1171.
- DOE. 1988. *Site Characterization Plan for the Reference Location, Hanford, Washington – Consultation Draft*. DOE/RW-0164, Vol. 1, U.S. Department of Energy, Washington, D.C.
- DOE Order 420.1C, Chapter IV, Section 3.e. "Seismic Detection." U.S. Department of Energy, Washington, D.C.
- DOE Order G 420.1-1A, Section 5.4.8. "Design for Emergency Preparedness and Emergency Communications." U.S. Department of Energy, Washington, D.C.
- Fenneman NM. 1931. *Physiography of Western United States*. McGraw-Hill Book Company, Inc., New York.
- Geomatrix. 1996. *Probabilistic Seismic Hazard Analysis, DOE Hanford Site, Washington*. WHC-SD-W236A-TI-002, Rev. 1, Westinghouse Hanford Company, Richland, Washington.
- Integrated Science Solutions, Inc., 2014. Hanford Site Seismological Network Review and Recommendations for Network Reconfiguration. ISSI. Walnut Creek, California.
- Moore C and SP Reidel. 1996. *Hanford Site Seismic Monitoring Instrumentation Plan*. WHC-SD-GN-ER-30036, Westinghouse Hanford Company, Richland, Washington.
- Reidel SP and KR Fecht. 1994a. *Geologic Map of the Richland 1:100,000 Quadrangle, Washington*. Open File Report 94-8, Division of Geology and Earth Resources, Washington State Department of Natural Resources, Olympia.
- Reidel SP and KR Fecht. 1994b. *Geologic Map of the Priest Rapids 1:100,000 Quadrangle, Washington*. Open File Report 94-13, Division of Geology and Earth Resources, Washington State Department of Natural Resources, Olympia.
- Reidel SP, KR Fecht, MC Hagood, and TL Tolan. 1989. "Geologic Development of the Central Columbia Plateau." In *Volcanism and Tectonism in the Columbia River Flood-Basalt Province*, SP Reidel and PR Hooper (eds.), Special Paper 239, pp. 247-264. Geological Society of America, Boulder, Colorado.
- Reidel SP, NP Campbell, KR Fecht, and KA Lindsey. 1994. "Late Cenozoic Structure and Stratigraphy of South-Central Washington." In *Regional Geology of Washington State*, E Cheney and R Lasmanis (eds.), Bulletin 80, pp. 159-180. Division of Geology and Earth Resources, Washington State Department of Natural Resources, Olympia.
- Richter CF. 1958. *Elementary Seismology*. W. H. Freeman & Company, San Francisco, California.
- Rohay AC, DW Glover, and SD Malone. 1985. *Time-Term Analysis of Upper Crustal Structure in the Columbia Basin, Washington*. RHO-BW-SA-435 P, Rockwell Hanford Operations, Richland, Washington.

Rohay AC, MD Sweeney, DC Hartshorn, RE Clayton, and JL Devary. 2010b. *Second Quarter Seismic Report for Fiscal Year 2010*. PNNL-19513, Pacific Northwest National Laboratory, Richland, Washington.