

Γ.

CIPED – ELECTRICAL INSULATION LABORATORY Certificate of Recognition No. 11002



INSULATION TEST CERTIFICATE		Nr.:
		Date:
RAL TEST DATA		
er:	Tramontina Garibal	
e:	25/03/2	
	Tramontina Garibaldi S.A. Test Labora 600 – Gariba	
nental Condition:	Temperature from 18 °C t	o 28 °C a
	Before the test, the sample is sections 5.5.2.2 or 5.5.2.3.	

25/03/2025

93031

Pag. 1 de 1.

Tramontina Garibaldi S.A. Ind. Met. 25/03/2025 montina Garibaldi S.A. Test Laboratory, located at Tramontina Street, 600 – Garibaldi – RS remperature from 18 °C to 28 °C and 45% to 75% relative humidity re the test, the sample is conditioned as described in IEC 60900:2018, ctions 5.5.2.2 or 5.5.2.3. After the conditioning period, the sample is mitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in accordance with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the aforementioned standard.	
montina Garibaldi S.A. Test Laboratory, located at Tramontina Street, 600 – Garibaldi – RS Temperature from 18 °C to 28 °C and 45% to 75% relative humidity re the test, the sample is conditioned as described in IEC 60900:2018, ctions 5.5.2.2 or 5.5.2.3. After the conditioning period, the sample is mitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in accordance with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the	
600 – Garibaldi – RS emperature from 18 °C to 28 °C and 45% to 75% relative humidity re the test, the sample is conditioned as described in IEC 60900:2018, ctions 5.5.2.2 or 5.5.2.3. After the conditioning period, the sample is mitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in accordance with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the	
re the test, the sample is conditioned as described in IEC 60900:2018, ctions 5.5.2.2 or 5.5.2.3. After the conditioning period, the sample is omitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in accordance with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the	
ctions 5.5.2.2 or 5.5.2.3. After the conditioning period, the sample is mitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in accordance with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the	
Tramontina Garibaldi S.A. Ind. Met.	
7" IEC 60900 Cable Stripper Curved Knife	
44346/007	
1021733	
The tested samples come from the industrial process of the aforementioned manufacturing order.	
High Voltage Source	
100/013	
alibrated by LABELO Laboratory, recognized by Cgcre/Inmetro CAL 0024, Calibration Certificate No. E0009/2020, according to PL015.	

4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD		
Batch representative sample	RESULT	
44346/007	Approved	

NOTES:

a) This tool underwent insulation testing, and even after long storage periods, it is suitable for use. After the first application, annual recertification is necessary.

b) The results shown herein are related exclusively to the tested tool, within the specified conditions. They cannot be extended to any lot, even for similar products.

c) This document may only be reproduced in full. Partial reproduction requires written approval from the laboratory.

Josi Carlo rigili

Eng. José Carlos Rizzolli Authorized Signer