


REVISION RECORD


[illegible][illegible][illegible]

"Final-As-Built" drawings for your records. No further approval Required.

L A N D I N G	FLOOR MARKINGS		
	F O R T	R E A R	S I D E
60			
59			
58			
57			
56			
55			
54			
53			
52			
51			
50			
49			
48			
47			
46			
45			
44			
43			
42			
41			
40			
39			
38			
37			
36			
35			
34			
33			
32			
31			
30			
29			
28			
27			
26			
25			
24			
23			
22			
21			
20			
19			
18			
17			
16			
15			
14			
13			
12			
11			
10			
9			
8			
7			
6			
5			
4			
3			
2	2		
1	*1		



2004-2007 ASME FIRE CABINET SUBPLATE LAYOUT



FIRE SERVICE CABINET KEYSWITCH & TOGGLE LEGEND						
SWITCH IDENTIFICATION	OPERATING POSITIONS	KEY REMOVE POSITION	MAINTAINED POSITIONS	MOMEN. POS.	MOUNT	HALO COLOR
FIRE OPERATION	OFF-HOLD-ON	OFF-HOLD	ALL		VER	RED
STOP	RUN-STOP		ALL		VER	RED

CAPACITY
2000 LBS.

DEVICE STYLE

PB-1 PUSHBUTTON WHITE LED
PB-1 INDICATOR
PB-1 KEYSWITCH
PB-1 TOGGLE



BLACK HALO



BRILLE ADA COMPLIANT:

1.250 [31.75 mm] SQ.
CUSTOM FISHTAIL BRAILLE
OVAL SURROUND 2.750 X 1.500
1.375 [34.93 mm] DIA.

STAINLESS CHARACTERS ON BLACK BACKGROUND

FASTENERS (#10-24 X 1.000) BUTTONHEAD

ELEVATOR CONTROLLER INFORMATION

MANUFACTURER: VIRGINIA CONTROL
MODEL: DISCRETE
FIXTURE VOLTAGE: 120 VAC

EXISTING RETURN DIMENSIONS

HEIGHT: _____
WIDTH: _____
JAMB DEPTH: _____

EXISTING FACEPLATE DIMENSIONS

HEIGHT: _____
WIDTH: _____
TOP AFF: _____
BOTTOM AFF: _____

CAR STATION INFORMATION

MATERIAL: 11 GA. (TYPE 304)
STAINLESS STEEL
FINISH: NO. 4 BRUSHED

ENGRAVING FONT: HELVETICA LIGHT

BEVEL 15°: YES

PREWIRE: YES

HINGING: RIGHT

HINGE TYPE (QTY): SNAP (3 REQ'D)

CAPACITY: 2000 LBS.

ASME / STATE / FIRE CODE

FIRE YEAR CODE: 2007
FIRE KEYCODE: FE0-K1

DIGITAL PI INFORMATION

DISPLAY COLOR: RED

LENS COLOR: RED

SIGNAL VOLTAGE: _____

SIGNAL FORMAT: _____

NO. OF INPUTS: _____

SCROLLING: (IH320 ONLY)

PREWIRING REQ'D

- INNOVATION TO PREWIRE TO TERMINAL STRIPS PER WD-VOID WIRING DIAGRAMS.
- PUSHBUTTONS AND INDICATORS TO USE TERMINAL BLOCK CONFIGURATION.

INNOVATION INDUSTRIES INC

3500 E. MAIN ST.,
RUSSELLVILLE, AR 72802
(479) 968-2232
FAX (479) 968-7986

DRAWN FOR CANTON ELEVATOR INCORPORATED

JOB NAME
DC ELEVATOR / E-STUDIO SUITES

LOCATION:
PLAINFIELD, IN

PURCHASE ORDER NO.
30859-03

JOB NO.
642773

WORK ORDER NO.
SEE DWG

QUOTE NO.
112123JG6

SALES REP:
JG

FILE NAME
642773B

SHEET NO.
2 OF 4

REV B-REVISED FINAL

DRAWN BY:
DDW

DO NOT SCALE

SIZE
B

PANEL KEYSWITCH AND TOGGLE LEGEND						
SWITCH IDENTIFICATION	OPERATING POSITIONS	KEY REMOVE POSITION	MAINTAINED POSITIONS	MOMEN. POS.	MOUNT	HALO COLOR
LIGHT	OFF-ON	ALL	ALL		SWV	BLACK
FAN (2 SPEED)	LOW-OFF-HIGH	ALL	ALL		VER	BLACK
IND SVC	OFF-ON	ALL	ALL		SWV	BLACK
ACCESS ENABLE	ON-OFF	ALL	ALL		VER	BLACK
STOP	RUN-STOP	ALL	ALL		HOR	RED

"DC" POLANE 8890
PRODUCTION BLACK

POLANE B TO MATCH PANTONE RED 186C

DC Elevator


0.688

"ELEVATOR" POLANE 8890 TO MATCH
PANTONE COOL GRAY 8C

APPROVED AS DRAWN:	APPROVED BY: _____
APPROVED AS NOTED:	DATE: _____
REVISE AND RESUBMIT:	

"Final-As-Built" drawings for your records. No further approval Required.

L A N D I N G	ELEVATOR 1		
	FLOOR MARKINGS		
	F R O N T	R E A R	S I D E
60			
59			
58			
57			
56			
55			
54			
53			
52			
51			
50			
49			
48			
47			
46			
45			
44			
43			
42			
41			
40			
39			
38			
37			
36			
35			
34			
33			
32			
31			
30			
29			
28			
27			
26			
25			
24			
23			
22			
21			
20			
19			
18			
17			
16			
15			
14			
13			
12			
11			
10			
9			
8			
7			
6			
5			
4			
3			
2	2		
1	*1		



DEVICE STYLE
PB-1 PUSHBUTTON WHITE LED
PB-1 INDICATOR
PB-1 KEYSWITCH
TOGGLE

BRILLE ADA COMPLIANT:
1.250 [31.75 mm] SQ.
CUSTOM FISHTAIL BRILLE
OVAL SURROUND 2.750 X 1.500
1.375 [34.93 mm] DIA.
CHARACTERS ON _____ BACKGROUND

FASTENERS (#10-24 X 2.000) BUTTONHEAD

ELEVATOR CONTROLLER INFORMATION
MANUFACTURER: VIRGINIA CONTROL
MODEL: DISCRETE
FIXTURE VOLTAGE: 120 VAC

EXISTING FACEPLATE DIMENSIONS
HEIGHT: _____
WIDTH: _____
TOP AFF: _____
BOTTOM AFF: _____
BOX DEPTH: _____

LANTERN INFORMATION
UP: _____
DOWN: _____
HALL CHIME: _____
CAR CHIME: _____

HALL EQUIPMENT INFORMATION
MATERIAL: 11 GA. (TYPE 304)
STAINLESS STEEL
FINISH: NO. 4 BRUSHED

ENGRAVING FONT: HELvetica LIGHT
BEVEL 15': YES
PREWIRE: NO

ASME / STATE / FIRE CODE
FIRE YEAR CODE: 2007
FIRE KEYCODE: FEQ-K1

DIGITAL PI INFORMATION
DISPLAY COLOR: _____
LENS COLOR: _____
SIGNAL VOLTAGE: _____
SIGNAL FORMAT: _____
NO. OF INPUTS: _____
SCROLLING: _____
(IH320 ONLY)



3500 E. MAIN ST.,
RUSSELLVILLE, AR 72802
(479) 968-2232
FAX (479) 968-7986

DRAWN FOR



JOB NAME
DC ELEVATOR / E-STUDIO SUITES

LOCATION:
PLAINFIELD, IN



PURCHASE ORDER NO.
30859-03

JOB NO. 642773	WORK ORDER NO. SEE DWG	QUOTE NO. 112123JG6
SALES REP: JG	FILE NAME 642773C	SHEET NO. 3 OF 4
REV B-REVISED FINAL		DRAWN BY: DDW
DO NOT SCALE		SIZE B

	APPROVED AS DRAWN:	APPROVED BY: _____ DATE: _____
	APPROVED AS NOTED:	
	REVISE AND RESUBMIT:	

"Final-As-Built" drawings for your records. No further approval Required.

L A N D I N G	ELEVATOR 1		
	FLOOR MARKINGS		
	FRONT	REAR	SIDE
60			
59			
58			
57			
56			
55			
54			
53			
52			
51			
50			
49			
48			
47			
46			
45			
44			
43			
42			
41			
40			
39			
38			
37			
36			
35			
34			
33			
32			
31			
30			
29			
28			
27			
26			
25			
24			
23			
22			
21			
20			
19			
18			
17			
16			
15			
14			
13			
12			
11			
10			
9			
8			
7			
6			
5			
4			
3			
2	2		
1	*1		



DEVICE STYLE
PB-1 PUSHBUTTON WHITE LED
INDICATOR
PB-1 KEYSWITCH
TOGGLE

BRILLE ADA COMPLIANT:
1.250 [31.75 mm] SQ.
CUSTOM FISHTAIL BRAILLE
OVAL SURROUND 2.750 X 1.500
1.375 [34.93 mm] DIA.
CHARACTERS ON BACKGROUND

FASTENERS (#10-24 X 2.000) BUTTONHEAD

ELEVATOR CONTROLLER INFORMATION
MANUFACTURER: VIRGINIA CONTROL
MODEL: DISCRETE
FIXTURE VOLTAGE: 120 VAC

EXISTING FACEPLATE DIMENSIONS
HEIGHT: _____
WIDTH: _____
TOP AFF: _____
BOTTOM AFF: _____
BOX DEPTH: _____

LANTERN INFORMATION
UP: WHITE (LED)
DOWN: RED (LED)
HALL CHIME: _____
CAR CHIME: DISCRETE

HALL EQUIPMENT INFORMATION
MATERIAL: 11 GA. (TYPE 304)
STAINLESS STEEL
FINISH: NO. 4 BRUSHED

ENGRAVING FONT: _____
BEVEL 15': YES
PREWIRE: NO

ASME / STATE / FIRE CODE
FIRE YEAR CODE: 2007
FIRE KEYCODE: _____

DIGITAL PI INFORMATION
DISPLAY COLOR: _____
LENS COLOR: _____
SIGNAL VOLTAGE: _____
SIGNAL FORMAT: _____
NO. OF INPUTS: _____
SCROLLING: (IH320 ONLY)

INNOVATION INDUSTRIES INC
3500 E. MAIN ST.,
RUSSELLVILLE, AR 72802
(479) 968-2232
FAX (479) 968-7986

DRAWN FOR **CANTON ELEVATOR INCORPORATED**

JOB NAME
DC ELEVATOR / E-STUDIO SUITES

LOCATION:
PLAINFIELD, IN

PURCHASE ORDER NO.
30859-03

JOB NO. 642773	WORK ORDER NO. SEE DWG	QUOTE NO. 112123JG6
SALES REP: JG	FILE NAME 642773D	SHEET NO. 4 OF 4

REV B-REVISED FINAL

DO NOT SCALE

DRAWN BY:
DDW

SIZE **B**

	APPROVED AS DRAWN:	APPROVED BY: _____ DATE: _____
	APPROVED AS NOTED:	
	REVISE AND RESUBMIT:	

"Final-As-Built" drawings for your records. No further approval Required.