



| Boundary 541.06 ac

		ACRES				
SOIL CODE	SOIL DESCRIPTION		%	CPI	NCCPI	CAP
BaC	Bates fine sandy loam, 3 to 5 percent slopes	71.63	13.24	0	54	3e
PaA	Parsons silt loam, 0 to 1 percent slopes	64.4	11.9	0	85	3w
PaB	Parsons silt loam, 1 to 3 percent slopes	59.66	11.03	0	59	3s
BoC2	Dennis loam, 3 to 5 percent slopes, eroded	53.96	9.97	0	58	3e
ВоВ	Dennis loam, 1 to 3 percent slopes	50.28	9.29	0	63	2e
BcC	Bates-Coweta complex, 1 to 5 percent slopes	47.52	8.78	0	39	3e
Ra	Dela and Wynona soils, 0 to 1 percent slopes, frequently flooded	30.82	5.7	0	55	5w
SrE	Steedman-Dela complex, 5 to 30 percent slopes	30.45	5.63	0	40	7e
La	Wynona silt loam, 0 to 1 percent slopes, occasionally flooded	27.34	5.05	0	64	4w
W	Water	21.16	3.91	0	-	8
BaB	Bates fine sandy loam, 1 to 3 percent slopes	18.34	3.39	0	55	3s
SeE	Steedman-Coweta complex, 2 to 20 percent slopes	12.12	2.24	0	35	6e
HhC	Homa-Clearview complex, 3 to 5 percent slopes	11.79	2.18	0	54	3e
SdC	Steedman clay loam, 3 to 5 percent slopes	9.5	1.76	0	42	3e
BbC3	Bates and Dennis soils, 3 to 5 percent slopes, severely eroded	8.13	1.5	0	41	6e
DAM	Large dam	7.27	1.34	0	-	8
HoE	Homa-Hector complex, 12 to 20 percent slopes	6.97	1.29	0	41	6e
HaC	Clearview fine sandy loam, 3 to 5 percent slopes	5.12	0.95	0	56	3e
Lt	Lightning-Healdton complex, 0 to 1 percent slopes, occasionally flooded	4.21	0.78	0	43	3w
DaE	Darnell-Stephenville complex, 5 to 20 percent slopes	0.17	0.03	0	26	6e
StC	Stephenville fine sandy loam, 3 to 5 percent slopes	0.12	0.02	0	43	3e
BoC	Dennis loam, 3 to 5 percent slopes	0.07	0.01	0	63	3e
Pr	Verdigris and Cleora soils, 0 to 3 percent slopes, frequently flooded	0.03	0.01	0	61	5w
TOTALS		541.0 6(*)	100%	-	54.06	3.71

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water