

$$\begin{array}{r}
 28 \\
 21 \\
 \hline
 28 \\
 516 \\
 \hline
 588 \\
 294 \\
 \hline
 882 \\
 21 \\
 \hline
 903
 \end{array}$$

$$\begin{array}{r}
 924 \\
 21 \\
 \hline
 945 \\
 21 \\
 \hline
 966
 \end{array}$$

$$\begin{array}{r}
 14 \\
 21 \\
 \hline
 14 \\
 128 \\
 \hline
 294 \\
 630 \\
 \hline
 924
 \end{array}$$

$$\begin{array}{r}
 38 \\
 21 \\
 \hline
 38 \\
 761 \\
 \hline
 798 \\
 294 \\
 \hline
 1093
 \end{array}$$

$$\begin{array}{r}
 301 \\
 31 \\
 \hline
 32 \\
 62 \\
 \hline
 651 \\
 214 \\
 \hline
 940
 \end{array}$$

$$\begin{array}{r}
 32 \\
 21 \\
 \hline
 32 \\
 64 \\
 \hline
 672 \\
 274 \\
 \hline
 966 \\
 21 \\
 \hline
 987
 \end{array}$$


Well Log

FOR William Kott

ADDRESS Kimball
S. Dak.

Carl Meier & Sons
White Lake, S. Dak.

[illegible]



1 101N 69W

(Surv.) (Blk.) (Sec.)
(Sec.) (Twp.) (Rge.)

Location Made _____ **19** _____

By _____

Drilling Commenced Oct 10 1975
Drilling Completed Oct 15 1975
Contractor Arlyn Meier
P. O. Address Platte

CONTRACTOR'S STATEMENT

FUEL AND WATER

Gas - Gasoline
..... Days Cleaning Out
..... Days Drilling
Water
..... Days Cleaning Out
..... Days Drilling

[illegible]

Thickness of Strata	Formation	TOTAL
520	Canlike	Shale
540	Canlike	Shale
560	Canlike	Shale
580	Canlike	Shale
600	Canlike	Shale
620	Greenhorn	- 610'
640	Greenhorn	- 640'
660	Graneros	Shale
680	Graneros	Shale
700	Graneros	Shale
720	Graneros	Shale
740	Graneros	Shale
760	Hard Rock	-
780	Graneros	Shale
800	Top Dakota	- 810'
820	Sand Rock	
840	Sand Rock	
860	Sand Rock	
880	Top Dakota	- 890'
900	Lakota Sand	
920	Lakota Sand	
940	Lakota Sand	
960	Lakota Sand	

CLEANING OUT RECORD

Date Commenced Cleaning Out

Depth Commenced Cleaning Out

Date Cleaning Out Completed

Depth Cleaning Out Completed

Drilled Deeper No. of Feet

Production Prior to Cleaning

Production after Cleaning

Ft.	Casing Put In	
Ft.	Casing Put In	
Ft.	Liner Put in	
Ft.	Liner Pulled	
Bottom of	Liner Set at	Ft.

REMARKS:

