

Casement | Project-Out | Hung | Horizontal Slider | Fixed | Doors



Design Flexibility.
Budgetary Advantages.
Advanced Energy Efficiencies.

www.QuakerCommercialWindows.com

COMMERCIAL VINYL WINDOWS & DOORS

Quaker's V-Series family of commercial vinyl windows and doors is the new benchmark for today's design professionals, builders and glazing contractors. The V-Series puts an end to outdated perceptions of commercial vinyl while securing trust on both structural and thermal fronts.

# V150

An ideal, costconscious window and door alternative for low-rise light commercial projects.

# **V200**

Design flexibility paired with energy savings.
Built-in budgetary advantages are a bonus.

# **V250**

Windows and doors that level-up from the norm. Built to stand strong against feisty inland weather.

# **V300**


Effectively taking vinyl to new heights. An advantageous go-to in place of traditional aluminum.

# **V600**

With high AW Ratings, this is now the modern benchmark for Commercial/Architectural uPVC Vinyl Windows.

# V700

Exceptional, Impacttested vinyl windows. Specifically designed to meet ASTM 1886 test requirements.



# **Product Comparison Guide**

Window and Door models	V150	V200	V250	V300	V600	V700
Casement/Project-Out models		<b>√</b>	✓	✓	<b>√</b>	✓
Single Hung/Double Hung models	Single Hung only	<b>√</b>	✓	Single Hung only		
Horizontal Slider models	<b>√</b>	<b>√</b>	✓	✓		
Fixed models	<b>√</b>	<b>√</b>	✓	✓	✓	✓
Doors	Sliding	Sliding	Sliding	Swinging		

Features	V150	V200	V250	V300	V600	V700
Mitered/Fusion Welded Corners	✓	<b>√</b>	✓	✓	✓	$\checkmark$
Vinyl Colors (White and Sandstone)	✓	✓	$\checkmark$	✓	✓	$\checkmark$
Integral Nail Fin	✓	<b>√</b>	✓	✓		✓
Multi-point Locking System w/Flip-down handle (Casement, Project-Out models)		<b>√</b>	✓	✓	✓	✓
Heavy-Commercial 4-bar hardware (Casement, Project-Out models)		<b>√</b>	✓	✓	✓	✓
Low-Profile cam lock (Hung and Sliding models)	✓	✓	✓	✓		
Intregral J-Channel (Hung and Sliding Models)		<b>√</b>	✓			
Aluminum Screen with BetterVue™ mesh (Hung, Sliding models)	✓	<b>√</b>	✓	✓		
FlexScreen™ (Casement and Project-Out models)		<b>√</b>	✓	✓		✓
Aluminum Screen with BetterVue™ mesh (Sliding Door)	✓	<b>√</b>	✓			
Recommended usage (# of stories)	1 to 4	1 to 4	1 to 5	1 to 11	1 to 20	1 to 11
NAFS Performance Class	R	R, LC	LC	CW	AW	CW

Options	V150	V200	V250	V300	V600	V700
Painted Exterior (615-05 FGIA finish)		✓	✓	✓		✓
High-performance Textured Black Laminate (Exterior)	<b>√</b>	<b>√</b>	✓	✓	✓	✓
High-performance Textured Black Laminate (Interior and Exterior)		<b>√</b>	✓	✓	✓	✓
High-performance Textured Dark Bronze Laminate (Exterior)		<b>√</b>	✓	✓	✓	✓
High-performance Resembles Clear Anodized Laminate (Exterior)				✓	✓	✓
High-performance Textured Dark Grey (Exterior)		<b>√</b>	✓	✓		✓
Wide Variety of Low-E/Argon glazing combinations	<b>√</b>	<b>√</b>	✓	✓	✓	✓
13/8" Glazing				✓	✓	✓
Muntins - GBG (Grids Between Glass) 5/8" and 3/4"	5⁄8" only	<b>√</b>	✓	✓	✓	✓
Muntins - SDL (Simulated Divided Lites)		<b>√</b>	✓	✓	✓	✓
Reinforced Mullions	<b>√</b>	<b>√</b>	✓	✓	✓	✓
1/2" and 2" Structural Mullions	½" only	<b>√</b>	✓	✓	✓	✓
Egress Hardware (Casement WIndows)		<b>√</b>	✓	✓		✓
Limited Travel Hardware		<b>√</b>	✓	✓	✓	✓
Finless Main Frame	<b>√</b>	<b>√</b>	✓	✓	✓	✓
Extruded Aluminum Screen Frame with Aluminum Wire Mesh		<b>√</b>	✓	✓		✓

COMMERCIAL VINYL WINDOWS & DOORS

## Support Services

Just like our full collection of uPVC windows and doors, Quaker's expertise and support services are unmatched in the industry. While every project is distinct, Quaker offers in-house processes which consistently cover every detail. These fool-proof procedures ensure your project and our V-Series products are a perfect match.

- Quaker has a dedicated commercial team with more than 200 years of combined industry experience
- Quaker's team will assist with every facet; design development, budgetary aspects, and project management



## PROJECT AND SPECIFICATION REVIEW

How many stories are in the building?
Where is it located?
How large are the windows?
These and other important questions must be answered before moving forward.




## ENGINEERING & DESIGN ASSESSMENT

After evaluating every component making up your project, our professional engineering expertise is put to work, as we carefully calculate customized solutions to best meet your spec's requirements.



## LOCAL AND ARCHITECTURAL SALES SUPPORT

Quaker's Sales Representatives, many with 25+ years of knowledge and industry pedigree, have a vested interest in working beside you...not from afar. If you have questions, they want to answer them. If you have a concern, it's their concern too.



## Selection Guide

Model	Series	Frame Depth	Structural Test Rating	Test Size	Design Pressure	Air Infiltration	Water Resistance	U-Value Range#	STC Range <sup>X</sup>	OITC Range <sup>X</sup>
Casement	V200	3 1/4"	R50	24" x 60"	50	<.30	7.5	.2446		
	V250	31/4"	LC35	32" x 60"	35	<.30	5.43	.2446		
	V300	31/4"	CW50	36" x 78"	50	<.30	7.5	.1741	34-41	29-34
	V600	31/4"	AW75		75	<.10				
	V700	31/4"	CW50	36" x 78"	50	<.30	7.5		34-41	29-34
	V200	31/4"	R40	48" x 18"	40	<.30	6.06	.2546		
	V250	3 1/4"	LC35	48" x 32"	35	<.30	5.43	.2546		
Project-Out	V300	31/4"	CW50	60" x 32"	50	<.30	7.5	.1742	35	29
	V600	31/4"	AW75		75	<.10				
	V700	31/4"	CW50	60" x 32"	50	<.30	7.5		35	29
Davible Hung	V200	31/4"	R40	40" x 63"	40	<.30	6.06	.2451		
Double Hung	V250	3 1/4"	LC35	36" x 84"	35	<.30	5.43	.2552		
	V150	2 3/4"	R40	40" x 63"	40	<.30	6.06	.2440		
Single Hung	V200	31/4"	R35	40" x 63"	35	<.30	5.43	.2552	34-35	27
	V250	31/4"	LC35	44" x 75"	35	<.30	5.43	.2552		
	V300	31/4"	CW50	56" x 91"	50	<.30	7.5	.2046	32-35	26-28
	V150	2 3/4"	R40	63" x 44"	40	<.30	6.06	.2440		
Horizontal Slider	V200	31/4"	LC40	63" x 44"	40	<.30	6.06	.2552	29-31	24-28
	V250	31/4"	LC40	63" x 44"	40	<.30	6.06	.2552	29-31	24-28
	V300	3 1/4"	CW50	71" x 60"	50	<.30	7.5	.2046	32-34	26-29
Fixed	V150	2 3/4"	R40	60" x 60"	40	<.30	6.06	.2239		
	V200	31/4"	R50	48" x 48"	50	<.30	7.5	.2251		
	V250	3 1/4"	LC35	56" x 56"	Up to 50	<.30	Up to 7.5	.2251		
	V300 (wide rail)	3 1/4"	CW50	72" x 84"	50	<.30	7.5	.1543	35	29
	V300 (narrow rail)	31/4"	CW50	78" x 78"	50	<.30	7.5	.1445		
	V600	31/4"	AW100		100	<.10				
	V700	31/4"	CW50	60" x 72"	50	<.10	7.5			
Swing Door (all models)	V300	31/4"	CW50	40" x 84"	50	<.30	7.5	.2130		
	V150	4 1/8"	R50	71" x 80"	50	<.30	7.5	.2829		
Sliding Door	V200/ V250	5 <del>1</del> /8	LC40	72" x 82"	Up to 50	<.30	Up to 7.5	.1730		


<sup>\*-</sup>Ranges based on multiple Low-E/Argon I.G. combinations

x-Ranges based on multiple I.G. combinations
All ratings listed are NAFS certified. Periodic re-certification testing is required thus data shown may vary slightly.

COMMERCIAL VINYL WINDOWS & DOORS

## **Products**

### Casement






COMMERCIAL VINYL WINDOWS & DOORS

## **Products**


### **Project-Out**






**Products** 


## Single Hung






## **Products**

## **Double Hung**











COMMERCIAL VINYL WINDOWS & DOORS Products

### **Horizontal Slider**











## **Products**

V200 Series

Direct set model

### **Fixed**


#### V150 Series

Compatible with all V150 models




#### V200 Series

Sash set model to match V200 hung and horizontal slider models




#### V200 Series

Sash set model to match V200 casement and




#### V250 Series

Sash set model to match V250 hung and horizontal slider models




#### V250 Series

Sash set model to match V250 casement and project-out models




#### V300 Series

Narrow rail model to match V300 casement and project-out units




#### V300 Series

Narrow rail model to match V300 hung and horizontal sliding units




#### V300 Series

Wide rail model compatible with all V300 models



#### V600 Series

Compatible with all V600 models



## **Products**

### **Swing Doors**







Inswing

## **Products**

## **Sliding Doors**







COMMERCIAL VINYL WINDOWS & DOORS

## Solutions for **Special Applications**


### Impact (V700)

- V700 Series meets ASTM 1886 (Large Missile Impact - Level D) testing requirements
- Casement, Project-Out and Fixed models
- Nail Fin or Trim/Clip anchorage systems for operating models
- Nail Fin anchorage system for Fixed model



### Florida Building Code

- V700 meets all required
- Approved anchorage systems
- See full information at FloridaBuilding.org





COMMERCIAL VINYL WINDOWS & DOORS

## **Products**

### **LEED®**

- All V-Series models operating and fixed - can assist with garnering LEED points
- LEED Building Design and Construction (LEED BD+C) works for both new construction and replacement commercial projects
- World's preeminent green building organization





## **Options**

### Vinyl Colors, Painted Exteriors & Laminates

#### Vinyl Colors

 100% pure uPVC colors hold a bright sheen and and won't fade like re-ground vinyl



#### **Painted Exteriors**

- Painted vinyl allows Quaker to offer an exterior color palette which far exceeds traditional expectations.
- Exterior color selections expand even further because of Quaker's ability to produce any custom exterior color you have in mind
- Finishes for all painted vinyl colors meet FGIA 615-05, the most superior uPVC painted finish available



#### **Textured Laminate Coatings**

- Four high-performance laminate coatings can be applied to the exterior of all Quaker V-Series products\*, paired with a white interior for a two-tone appearance
- Depending upon your product of choice and your color preference, laminate can be added to the interior too
- All Quaker laminates meet quality and test requirements in accordance to RAL GZ716/1

\*Some limitations may apply.



#### Warranty

- 10 year limited warranty on vinyl colors, painted exteriors and laminate coatings
- See complete warranty details on our website

**Options** 

### **Glass**

### Pane Thickness:

- <sup>3</sup>/<sub>32</sub>"
- 1/8" 5/32"

#### Glass Types:

- Dual Silver Low-E
- Triple Silver Low-E
- Interior Pane Low-E
- Tempered Safety Glass
- Laminated

#### I.G. Thickness:

- 3/4" (Double pane)
- 1" (Double pane)
- 13/8" (Triple pane)
- Spandrel
- Neat+Low Maintenance
- Obscure (for privacy)
- Tinted
- Mirror

and many others

#### **Specialty Choices:**

- Insulated Panels
- Blinds/Panel

#### **Eco-Friendly Choices:**

- Bird Glass
- Turtle Glass

Some limitations may apply based upon several variables including, but not limited to, the window/door series chosen and requested/required specifications.

### **Grids**



#### Grids Between the Glass

• Flat or Contoured

#### Simulated Divided Lites

• Numerous profiles and combinations available

This is a small sampling of the many grid profiles Quaker has available.





COMMERCIAL VINYL WINDOWS & DOORS


## Options

### Mulls

Whether stacking windows or pairing them side-by-side, our V-Series reinforced and structural mulling systems deliver confidence. They won't flex at the first sign of wind and their design leaves no room for infiltration. C-Mull







\*Usage limitations may apply

### **Accessories**

Quaker can provide a multitude of accessories for your V-Series install -- no matter what product you choose.\*

Shirley Chisholm Village San Francisco, CA

Architect: BAR Architects

Glazing Contractor: AAC Glass

Owner: MP Frances Scott Key 2 Assoc. Contractor: Cahill Contractors

Casing


Credit: BAR


Architects

- Panning
- Receptor
- Subsill
- Louver systems to accomodate HVAC

#### Other accessories include:

- Adjustable Limit Travel Devices
- WOCD (Window Operating Control Device)
- Trickle Vent and more







# The Quaker Difference:

## More than meets the eye.

Since 1949, The Quaker Difference has meant providing more than just windows and doors. It's a standard of quality, engineering and craftsmanship that distinguishes us from all other window and door manufacturers in America. That commitment continues with our V-Series of commercial vinyl products.

- It's a standard of craftsmanship and engineering excellence we build into every product, distinguishing us from all other window companies in America.
- It's professional manufacturing specialists, some with more than 40 years of window experience, providing unparalleled attention to detail from start to finish.
- It's shying away from testing at only entry-level, gateway sizes. Instead, we test using exaggerated and even maximum sizing. This ensures the entire scope of a product's sizing will meet the advertised rating.





- It's employing thicker glass panes which will both lower the amount of stress cracks and raise your ability to control sound intrusion.
- It's our "can-do" attitude toward custom projects. Never is a job too custom for Quaker. Our option and accessory choices allow us to do what others can't.
- It's doing more than just selling windows and doors. It's finding the right window and door solution for your project.

That's The Quaker Difference.







COMMERCIAL VINYL WINDOWS & DOORS

### Find more information on Quaker windows and doors

QUAKER

- www.QuakerCommercialWindows.com
- 1-800-347-0438
- □ commercial@quakerwindows.com



Made in America: All Quaker products are designed and manufactured in the United States at our state-of-the-art facilities in Eldon, MO (above) and Freeburg, MO.









April, 2025 V5

