



This document is scheduled to be published in the Federal Register on 03/12/2019 and available online at <https://federalregister.gov/d/2019-04475>, and on [govinfo.gov](http://govinfo.gov)

7020-02

## INTERNATIONAL TRADE COMMISSION

**Inv. No. 337-TA-1147**

### **Certain Blood Separation and Cell Preparation Devices Institution of Investigation**

**AGENCY:** U.S. International Trade Commission

**ACTION:** Notice

**SUMMARY:** Notice is hereby given that a complaint was filed with the U.S. International Trade Commission on January 30, 2019, under section 337 of the Tariff Act of 1930, as amended, on behalf of RegenLab USA LLC of New York, New York. An amended complaint was filed on February 15, 2019. The amended complaint alleges violations of section 337 based upon the importation into the United States, the sale for importation, and the sale within the United States after importation of certain blood separation and cell preparation devices by reason of infringement of certain claims of U.S. Patent No. 10,064,894 ("the '894 patent"). The amended complaint further alleges that an industry in the United States exists or is in the process of being established as required by the applicable Federal Statute.

The complainant requests that the Commission institute an investigation and, after the investigation, issue a limited exclusion order and a cease and desist order.

**ADDRESSES:** The complaint, except for any confidential information contained therein, is available for inspection during official business hours (8:45 a.m. to 5:15 p.m.) in the Office of the Secretary, U.S. International Trade Commission, 500 E Street SW, Room 112, Washington, D.C. 20436, telephone (202) 205-2000. Hearing impaired individuals are advised that information on this matter can be obtained by contacting the Commission's TDD terminal on (202) 205-1810. Persons with mobility impairments who will need special assistance in gaining

access to the Commission should contact the Office of the Secretary at (202) 205-2000. General information concerning the Commission may also be obtained by accessing its internet server at <https://www.usitc.gov>. The public record for this investigation may be viewed on the Commission's electronic docket (EDIS) at <https://edis.usitc.gov>.

**FOR FURTHER INFORMATION CONTACT:** The Office of Unfair Import Investigations, U.S. International Trade Commission, telephone (202) 205-2560.

**SUPPLEMENTARY INFORMATION:**

**AUTHORITY:** The authority for institution of this investigation is contained in section 337 of the Tariff Act of 1930, as amended, 19 U.S.C. 1337 and in section 210.10 of the Commission's Rules of Practice and Procedure, 19 C.F.R. 210.10 (2017).

**SCOPE OF INVESTIGATION:** Having considered the complaint, the U.S. International Trade Commission, on March 6, 2019, **ORDERED THAT** –

(1) Pursuant to subsection (b) of section 337 of the Tariff Act of 1930, as amended, an investigation be instituted to determine whether there is a violation of subsection (a)(1)(B) of section 337 in the importation into the United States, the sale for importation, or the sale within the United States after importation of certain products identified in paragraph (2) by reason of infringement of one or more of claims 1-24 of the '894 patent, and whether an industry in the United States exists or in the process of being established as required by subsection (a)(2) of section 337;

(2) Pursuant to section 210.10(b)(1) of the Commission's Rules of Practice and Procedure, 19 C.F.R. 210.10(b)(1), the plain language description of the accused products or category of accused products, which defines the scope of the investigation, is "blood separation

and cell preparation devices that allow clinicians to collect a patient's blood and separate platelet rich plasma from the blood, which is then used to treat the patient";

(3) For the purpose of the investigation so instituted, the following are hereby named as parties upon which this notice of investigation shall be served:

(a) The complainant is:

RegenLab USA LLC

575 Madison Avenue, Suite 1006

New York, NY 10022

(b) The respondent is the following entity alleged to be in violation of section 337, and is the party upon which the complaint is to be served:

Estar Technologies, Ltd.

15 Hamerkava Street

Holon 5885111, Israel

Eclipse MedCorp, LLC

5916 Stone Creek Drive, Suite 120

The Colony, TX 75056

(c) The Office of Unfair Import Investigations, U.S. International Trade Commission, 500 E Street, S.W., Suite 401, Washington, D.C. 20436; and

(4) For the investigation so instituted, the Chief Administrative Law Judge, U.S. International Trade Commission, shall designate the presiding Administrative Law Judge.

Responses to the complaint and the notice of investigation must be submitted by the named respondent in accordance with section 210.13 of the Commission's Rules of Practice and

Procedure, 19 C.F.R. 210.13. Pursuant to 19 C.F.R. 201.16(e) and 210.13(a), such responses will be considered by the Commission if received not later than 20 days after the date of service by the Commission of the complaint and the notice of investigation. Extensions of time for submitting responses to the complaint and the notice of investigation will not be granted unless good cause therefor is shown.

Failure of the respondent to file a timely response to each allegation in the complaint and in this notice may be deemed to constitute a waiver of the right to appear and contest the allegations of the complaint and this notice, and to authorize the administrative law judge and the Commission, without further notice to the respondent, to find the facts to be as alleged in the complaint and this notice and to enter an initial determination and a final determination containing such findings, and may result in the issuance of an exclusion order or a cease and desist order or both directed against the respondent.

By order of the Commission.

William Bishop  
Supervisory Hearings and Information Officer

Issued: March 7, 2019

[FR Doc. 2019-04475 Filed: 3/11/2019 8:45 am; Publication Date: 3/12/2019]