



## DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR 6165-N-01]

### **Notice of Annual Factors for Determining Public Housing Agency Administrative Fees for the Section 8 Housing Choice Voucher, Mainstream, and Moderate Rehabilitation Programs**

**AGENCY:** Office of the Assistant Secretary for Public and Indian Housing, HUD.

**ACTION:** Notice.

**SUMMARY:** This notice announces the monthly per unit fee rates for use in determining the on-going administrative fees for public housing agencies (PHAs) administering the Housing Choice Voucher (HCV), Mainstream, and Moderate Rehabilitation programs, including the Moderate Rehabilitation Single Room Occupancy program, during calendar year (CY) 2019.

**DATES:** January 1, 2019.

**FOR FURTHER INFORMATION CONTACT:** Miguel A. Fontanez, Director, Housing Voucher Financial Management Division, Office of Public Housing and Voucher Programs, Office of Public and Indian Housing, Department of Housing and Urban Development, Room 4226, 451 Seventh Street, SW, Washington, DC 20410-8000, telephone number 202-402-2934. (This is not a toll-free number). Hearing- or speech-impaired individuals may call TTY number 1 (800) 877-8337.

### **SUPPLEMENTARY INFORMATION:**

#### **A. Background**

Pursuant to Section 8(q) of the U.S. Housing Act of 1937 and the implementing rule at 24 CFR 982.152, HUD publishes a notice each year specifying administrative fees for PHAs administering the Housing Choice Voucher and Moderate Rehabilitation programs in different geographic areas, based on changes in wage data or other objectively measurable data that reflect

the costs of administering the program. This notice provides the CY 2019 administrative fee rates by area and describes the methodology that the Office of Public Housing and Voucher Programs will use to determine administrative fees for the HCV, Mainstream, and Moderate Rehabilitation programs, including the Moderate Rehabilitation Single Room Occupancy program.

## **B. CY 2019 Methodology**

For CY 2019, in accordance with the Consolidated Appropriations Act, 2019 (P.L. 116-6), Section 7, “Funding for Administrative Costs”, administrative fees will be determined on the basis of vouchers leased as of the first day of each month. This data will be extracted from the Voucher Management System (VMS) at the close of each reporting cycle and validated prior to use. For the Moderate Rehabilitation program, including the Single Room Occupancy program, administrative fees will be earned on the basis of the units under Housing Assistance Payments (HAP) contract.

Two fee rates are provided for each PHA. The first rate, Column A, applies to the first 7,200 voucher unit months leased in CY 2019. The second rate, Column B, applies to all remaining voucher unit months leased in CY 2019. In years prior to 2010, a Column C rate was also established, which applied to all voucher unit months leased in dwelling units owned by the PHA. For CY 2019, as in recent years, there are no Column C administrative fee rates. Fees for leasing PHA-owned units will be determined in the same manner as for all other voucher leasing using the same Column A and Column B rates.

The fee rates calculated for CY 2019, using the standard procedures, in some cases resulted in fee rates lower than those established for CY 2018. In those cases, the affected PHAs are being held harmless at the CY 2018 fee rates.

The fee rates for each PHA are generally those rates covering the fee areas in which each PHA has the greatest proportion of its participants, based on Public Housing Information Center (PIC) data submitted by the PHA. In some cases, PHAs have participants in more than one fee area. If such a PHA so chooses, the PHA may request that the Department establish a blended fee rate schedule that will consider proportionately all areas in which participants are located. Once a blended rate schedule is established, it will be used to determine the PHA's fee eligibility for all months in CY 2019. The PHAs will be advised via the 2019 HCV Funding Implementation Notice of when they may apply for blended fee rates and the deadline date for submitting such requests.

PHAs that operate over a large geographic area, defined as multiple counties, may request a higher administrative fee rate if eligible under the criteria which will be described in the CY 2019 implementation notice. The PHAs will be advised via the 2019 HCV Funding Implementation Notice of when to apply for higher fee rates and the deadline date for such requests.

Accordingly, the Department issues the monthly per unit fee rates to be used to determine PHA administrative fee eligibility for the programs identified in this notice. These fee rates are posted on the Department's Web site at:

[http://portal.hud.gov/hudportal/HUD?src=/program\\_offices/public\\_indian\\_housing/programs/hcv,](http://portal.hud.gov/hudportal/HUD?src=/program_offices/public_indian_housing/programs/hcv, under Program Related Information) under Program Related Information.

Any questions concerning this notice should be directed to the PHA's assigned representative at the Financial Management Center or to the Financial Management Division at [PIH.Financial.Management.Division@hud.gov](mailto:PIH.Financial.Management.Division@hud.gov).

### **C. Moving to Work (MTW) Agencies**

Where an MTW Agency has an alternative formula for calculating HCV administrative fees in Attachment A of their MTW Agreements, the Department will continue to calculate the HCV administrative fees in accordance with that MTW Agreement provision.

### **D. Environmental Impact**

This notice establishes administrative fee rates and related external administrative procedures which do not constitute a development decision that affects the physical condition of specific project areas or building sites. Accordingly, under 24 CFR 50.19(c)(6), this notice is excluded from environmental review under the National Environmental Policy Act of 1969 (42 U.S.C. 4321).

Dated: June 5, 2019.

R. Hunter Kurtz,  
Principal Deputy Assistant Secretary for  
Public and Indian Housing.

**[BILLING CODE: 4210-67]**

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| AK901      | 98.76         | 92.18         |
| AL001      | 66.91         | 62.45         |
| AL002      | 67.96         | 63.44         |
| AL004      | 66.03         | 61.63         |
| AL005      | 68.81         | 64.22         |
| AL006      | 66.03         | 61.63         |
| AL007      | 66.03         | 61.63         |
| AL008      | 64.77         | 60.46         |
| AL011      | 64.77         | 60.46         |
| AL012      | 66.03         | 61.63         |
| AL014      | 64.77         | 60.46         |
| AL047      | 67.98         | 63.46         |
| AL048      | 66.03         | 61.63         |
| AL049      | 66.03         | 61.63         |
| AL050      | 66.03         | 61.63         |
| AL052      | 64.77         | 60.46         |
| AL053      | 64.77         | 60.46         |
| AL054      | 66.03         | 61.63         |
| AL060      | 64.77         | 60.46         |
| AL061      | 66.03         | 61.63         |
| AL063      | 66.91         | 62.45         |
| AL068      | 66.03         | 61.63         |
| AL069      | 66.91         | 62.45         |
| AL072      | 66.91         | 62.45         |
| AL073      | 64.94         | 60.60         |
| AL075      | 64.77         | 60.46         |
| AL077      | 66.03         | 61.63         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| AL086      | 66.91         | 62.45         |
| AL090      | 64.77         | 60.46         |
| AL091      | 64.77         | 60.46         |
| AL099      | 64.77         | 60.46         |
| AL105      | 64.77         | 60.46         |
| AL107      | 64.77         | 60.46         |
| AL112      | 64.77         | 60.46         |
| AL114      | 64.77         | 60.46         |
| AL115      | 64.77         | 60.46         |
| AL116      | 64.77         | 60.46         |
| AL118      | 64.77         | 60.46         |
| AL121      | 64.77         | 60.46         |
| AL124      | 64.94         | 60.60         |
| AL125      | 66.91         | 62.45         |
| AL129      | 66.03         | 61.63         |
| AL131      | 66.03         | 61.63         |
| AL138      | 66.03         | 61.63         |
| AL139      | 66.03         | 61.63         |
| AL152      | 66.03         | 61.63         |
| AL154      | 64.77         | 60.46         |
| AL155      | 64.77         | 60.46         |
| AL160      | 64.77         | 60.46         |
| AL165      | 68.95         | 64.36         |
| AL169      | 67.96         | 63.44         |
| AL171      | 64.77         | 60.46         |
| AL172      | 66.03         | 61.63         |
| AL174      | 64.77         | 60.46         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| AL177      | 64.77         | 60.46         |
| AL181      | 64.77         | 60.46         |
| AL192      | 64.77         | 60.46         |
| AL202      | 67.96         | 63.44         |
| AR002      | 70.26         | 65.58         |
| AR003      | 64.40         | 60.11         |
| AR004      | 70.26         | 65.58         |
| AR006      | 70.26         | 65.58         |
| AR010      | 61.94         | 57.81         |
| AR012      | 61.94         | 57.81         |
| AR015      | 63.99         | 59.72         |
| AR016      | 61.94         | 57.81         |
| AR017      | 64.40         | 60.11         |
| AR020      | 61.94         | 57.81         |
| AR024      | 67.53         | 63.03         |
| AR031      | 64.40         | 60.11         |
| AR033      | 61.94         | 57.81         |
| AR034      | 64.40         | 60.11         |
| AR035      | 61.94         | 57.81         |
| AR037      | 61.94         | 57.81         |
| AR039      | 61.94         | 57.81         |
| AR041      | 70.26         | 65.58         |
| AR042      | 64.40         | 60.11         |
| AR045      | 61.94         | 57.81         |
| AR052      | 61.94         | 57.81         |
| AR059      | 61.94         | 57.81         |
| AR066      | 61.94         | 57.81         |
| AR068      | 61.94         | 57.81         |
| AR082      | 61.94         | 57.81         |
| AR104      | 64.40         | 60.11         |
| AR117      | 61.94         | 57.81         |
| AR121      | 61.94         | 57.81         |
| AR131      | 64.40         | 60.11         |
| AR135      | 61.94         | 57.81         |
| AR152      | 61.94         | 57.81         |
| AR161      | 61.94         | 57.81         |
| AR163      | 64.40         | 60.11         |
| AR166      | 61.94         | 57.81         |
| AR170      | 70.26         | 65.58         |
| AR175      | 70.26         | 65.58         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| AR176      | 61.94         | 57.81         |
| AR177      | 61.94         | 57.81         |
| AR181      | 64.40         | 60.11         |
| AR194      | 64.40         | 60.11         |
| AR197      | 61.94         | 57.81         |
| AR200      | 61.94         | 57.81         |
| AR210      | 61.94         | 57.81         |
| AR211      | 61.94         | 57.81         |
| AR213      | 61.94         | 57.81         |
| AR214      | 61.94         | 57.81         |
| AR215      | 61.94         | 57.81         |
| AR219      | 70.26         | 65.58         |
| AR223      | 61.94         | 57.81         |
| AR224      | 61.94         | 57.81         |
| AR225      | 61.94         | 57.81         |
| AR232      | 64.40         | 60.11         |
| AR240      | 61.94         | 57.81         |
| AR241      | 64.75         | 60.43         |
| AR247      | 61.94         | 57.81         |
| AR252      | 70.26         | 65.58         |
| AR257      | 61.94         | 57.81         |
| AR264      | 67.53         | 63.03         |
| AR265      | 61.94         | 57.81         |
| AR266      | 61.94         | 57.81         |
| AZ001      | 71.74         | 66.95         |
| AZ003      | 71.74         | 66.95         |
| AZ004      | 70.92         | 66.19         |
| AZ005      | 71.74         | 66.95         |
| AZ006      | 78.44         | 73.22         |
| AZ008      | 57.11         | 53.30         |
| AZ009      | 71.74         | 66.95         |
| AZ010      | 71.74         | 66.95         |
| AZ013      | 79.70         | 74.39         |
| AZ021      | 71.74         | 66.95         |
| AZ023      | 60.18         | 56.16         |
| AZ025      | 70.92         | 66.19         |
| AZ028      | 71.74         | 66.95         |
| AZ031      | 71.74         | 66.95         |
| AZ032      | 71.74         | 66.95         |
| AZ033      | 70.92         | 66.19         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| AZ034      | 58.94         | 55.01         |
| AZ035      | 79.70         | 74.39         |
| AZ037      | 58.94         | 55.01         |
| AZ041      | 78.44         | 73.22         |
| AZ043      | 96.06         | 89.66         |
| AZ045      | 59.18         | 55.23         |
| AZ880      | 71.74         | 66.95         |
| AZ901      | 78.44         | 73.22         |
| CA001      | 124.34        | 116.06        |
| CA002      | 124.34        | 116.06        |
| CA003      | 124.34        | 116.06        |
| CA004      | 124.34        | 116.06        |
| CA005      | 94.43         | 88.13         |
| CA006      | 86.64         | 80.85         |
| CA007      | 94.43         | 88.13         |
| CA008      | 94.75         | 88.44         |
| CA010      | 124.34        | 116.06        |
| CA011      | 124.34        | 116.06        |
| CA014      | 124.34        | 116.06        |
| CA019      | 99.19         | 92.59         |
| CA021      | 121.41        | 113.30        |
| CA022      | 99.19         | 92.59         |
| CA023      | 81.40         | 75.99         |
| CA024      | 90.60         | 84.57         |
| CA026      | 91.24         | 85.15         |
| CA027      | 99.19         | 92.59         |
| CA028      | 86.64         | 80.85         |
| CA030      | 80.79         | 75.41         |
| CA031      | 124.34        | 116.06        |
| CA032      | 124.34        | 116.06        |
| CA033      | 107.12        | 99.97         |
| CA035      | 124.34        | 116.06        |
| CA039      | 90.15         | 84.14         |
| CA041      | 107.94        | 100.74        |
| CA043      | 83.26         | 77.70         |
| CA044      | 94.43         | 88.13         |
| CA048      | 71.45         | 66.69         |
| CA052      | 124.34        | 116.06        |
| CA053      | 78.19         | 72.98         |
| CA055      | 107.94        | 100.74        |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| CA056      | 124.34        | 116.06        |
| CA058      | 124.34        | 116.06        |
| CA059      | 124.34        | 116.06        |
| CA060      | 124.34        | 116.06        |
| CA061      | 82.57         | 77.07         |
| CA062      | 124.34        | 116.06        |
| CA063      | 111.17        | 103.75        |
| CA064      | 107.63        | 100.46        |
| CA065      | 107.94        | 100.74        |
| CA066      | 107.94        | 100.74        |
| CA067      | 124.34        | 116.06        |
| CA068      | 124.34        | 116.06        |
| CA069      | 86.64         | 80.85         |
| CA070      | 75.57         | 70.53         |
| CA071      | 124.34        | 116.06        |
| CA072      | 124.34        | 116.06        |
| CA073      | 107.94        | 100.74        |
| CA074      | 124.34        | 116.06        |
| CA075      | 124.34        | 116.06        |
| CA076      | 121.41        | 113.30        |
| CA077      | 111.17        | 103.75        |
| CA079      | 124.34        | 116.06        |
| CA082      | 124.34        | 116.06        |
| CA084      | 88.99         | 83.06         |
| CA085      | 121.27        | 113.19        |
| CA086      | 85.06         | 79.38         |
| CA088      | 121.27        | 113.19        |
| CA092      | 124.34        | 116.06        |
| CA093      | 124.34        | 116.06        |
| CA094      | 124.34        | 116.06        |
| CA096      | 86.64         | 80.85         |
| CA102      | 124.34        | 116.06        |
| CA103      | 124.34        | 116.06        |
| CA104      | 124.34        | 116.06        |
| CA105      | 124.34        | 116.06        |
| CA106      | 86.64         | 80.85         |
| CA108      | 111.17        | 103.75        |
| CA110      | 124.34        | 116.06        |
| CA111      | 124.34        | 116.06        |
| CA114      | 124.34        | 116.06        |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| CA116 | 111.17 | 103.75 |
| CA117 | 124.34 | 116.06 |
| CA118 | 124.34 | 116.06 |
| CA119 | 124.34 | 116.06 |
| CA120 | 124.34 | 116.06 |
| CA121 | 124.34 | 116.06 |
| CA123 | 124.34 | 116.06 |
| CA125 | 107.94 | 100.74 |
| CA126 | 124.34 | 116.06 |
| CA128 | 94.43  | 88.13  |
| CA131 | 107.94 | 100.74 |
| CA132 | 111.17 | 103.75 |
| CA136 | 124.34 | 116.06 |
| CA143 | 90.15  | 84.14  |
| CA144 | 82.57  | 77.07  |
| CA149 | 94.43  | 88.13  |
| CA151 | 94.43  | 88.13  |
| CA155 | 111.17 | 103.75 |
| CO001 | 75.37  | 70.35  |
| CO002 | 69.62  | 64.97  |
| CO005 | 78.46  | 73.23  |
| CO006 | 67.16  | 62.68  |
| CO016 | 85.53  | 79.82  |
| CO019 | 75.37  | 70.35  |
| CO024 | 67.16  | 62.68  |
| CO028 | 70.31  | 65.62  |
| CO031 | 67.16  | 62.68  |
| CO034 | 81.04  | 75.65  |
| CO035 | 69.88  | 65.23  |
| CO036 | 75.37  | 70.35  |
| CO040 | 103.71 | 96.81  |
| CO041 | 81.04  | 75.65  |
| CO043 | 78.46  | 73.23  |
| CO045 | 67.16  | 62.68  |
| CO048 | 75.37  | 70.35  |
| CO049 | 75.37  | 70.35  |
| CO050 | 75.37  | 70.35  |
| CO051 | 88.17  | 82.29  |
| CO052 | 75.37  | 70.35  |
| CO057 | 75.37  | 70.35  |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| CO058 | 75.37  | 70.35  |
| CO061 | 85.53  | 79.82  |
| CO070 | 85.53  | 79.82  |
| CO071 | 70.31  | 65.62  |
| CO072 | 75.37  | 70.35  |
| CO079 | 78.46  | 73.23  |
| CO087 | 103.71 | 96.81  |
| CO090 | 69.88  | 65.23  |
| CO095 | 99.17  | 92.56  |
| CO101 | 67.16  | 62.68  |
| CO103 | 81.04  | 75.65  |
| CO888 | 69.62  | 64.97  |
| CO911 | 75.37  | 70.35  |
| CO921 | 75.37  | 70.35  |
| CT001 | 97.21  | 90.74  |
| CT002 | 104.20 | 97.26  |
| CT003 | 91.63  | 85.51  |
| CT004 | 101.00 | 94.26  |
| CT005 | 91.63  | 85.51  |
| CT006 | 82.46  | 76.96  |
| CT007 | 104.20 | 97.26  |
| CT008 | 91.63  | 85.51  |
| CT009 | 91.63  | 85.51  |
| CT010 | 81.77  | 76.32  |
| CT011 | 101.00 | 94.26  |
| CT013 | 91.63  | 85.51  |
| CT015 | 97.21  | 90.74  |
| CT017 | 97.21  | 90.74  |
| CT018 | 89.95  | 83.95  |
| CT019 | 104.20 | 97.26  |
| CT020 | 104.20 | 97.26  |
| CT023 | 91.63  | 85.51  |
| CT024 | 81.77  | 76.32  |
| CT026 | 91.63  | 85.51  |
| CT027 | 97.21  | 90.74  |
| CT028 | 91.63  | 85.51  |
| CT029 | 101.00 | 94.26  |
| CT030 | 97.21  | 90.74  |
| CT031 | 81.77  | 76.32  |
| CT032 | 91.63  | 85.51  |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| CT033      | 91.63         | 85.51         |
| CT036      | 91.63         | 85.51         |
| CT038      | 91.63         | 85.51         |
| CT039      | 91.63         | 85.51         |
| CT040      | 91.63         | 85.51         |
| CT041      | 91.63         | 85.51         |
| CT042      | 101.00        | 94.26         |
| CT047      | 82.46         | 76.96         |
| CT048      | 91.63         | 85.51         |
| CT049      | 91.63         | 85.51         |
| CT051      | 91.63         | 85.51         |
| CT052      | 97.21         | 90.74         |
| CT053      | 91.63         | 85.51         |
| CT058      | 81.77         | 76.32         |
| CT061      | 81.77         | 76.32         |
| CT063      | 101.00        | 94.26         |
| CT067      | 101.00        | 94.26         |
| CT068      | 91.63         | 85.51         |
| CT901      | 91.63         | 85.51         |
| DC001      | 114.69        | 107.05        |
| DC880      | 114.69        | 107.05        |
| DE001      | 90.84         | 84.79         |
| DE002      | 79.68         | 74.37         |
| DE003      | 90.84         | 84.79         |
| DE005      | 90.84         | 84.79         |
| DE901      | 79.68         | 74.37         |
| FL001      | 73.57         | 68.67         |
| FL002      | 77.67         | 72.49         |
| FL003      | 77.67         | 72.49         |
| FL004      | 81.13         | 75.71         |
| FL005      | 105.40        | 98.39         |
| FL007      | 77.87         | 72.68         |
| FL008      | 85.25         | 79.56         |
| FL009      | 82.31         | 76.82         |
| FL010      | 98.69         | 92.11         |
| FL011      | 64.65         | 60.34         |
| FL013      | 106.69        | 99.60         |
| FL015      | 69.13         | 64.52         |
| FL017      | 105.40        | 98.39         |
| FL018      | 63.15         | 58.94         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| FL019      | 74.89         | 69.91         |
| FL020      | 74.89         | 69.91         |
| FL021      | 82.31         | 76.82         |
| FL022      | 77.87         | 72.68         |
| FL023      | 85.25         | 79.56         |
| FL024      | 77.87         | 72.68         |
| FL025      | 74.89         | 69.91         |
| FL026      | 64.65         | 60.34         |
| FL028      | 98.69         | 92.11         |
| FL030      | 77.87         | 72.68         |
| FL031      | 62.05         | 57.92         |
| FL032      | 63.66         | 59.41         |
| FL033      | 81.13         | 75.71         |
| FL034      | 77.67         | 72.49         |
| FL035      | 63.15         | 58.94         |
| FL037      | 73.57         | 68.67         |
| FL041      | 82.75         | 77.24         |
| FL045      | 82.75         | 77.24         |
| FL046      | 63.15         | 58.94         |
| FL047      | 81.66         | 76.23         |
| FL049      | 62.05         | 57.92         |
| FL053      | 63.66         | 59.41         |
| FL057      | 62.05         | 57.92         |
| FL060      | 79.52         | 74.22         |
| FL062      | 77.67         | 72.49         |
| FL063      | 69.80         | 65.15         |
| FL066      | 105.40        | 98.39         |
| FL068      | 105.40        | 98.39         |
| FL069      | 63.15         | 58.94         |
| FL070      | 69.80         | 65.15         |
| FL071      | 64.65         | 60.34         |
| FL072      | 77.87         | 72.68         |
| FL073      | 69.13         | 64.52         |
| FL075      | 77.67         | 72.49         |
| FL079      | 98.69         | 92.11         |
| FL080      | 82.31         | 76.82         |
| FL081      | 98.69         | 92.11         |
| FL083      | 82.31         | 76.82         |
| FL092      | 63.66         | 59.41         |
| FL093      | 81.13         | 75.71         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| FL102      | 63.15         | 58.94         |
| FL104      | 77.67         | 72.49         |
| FL105      | 85.25         | 79.56         |
| FL106      | 81.13         | 75.71         |
| FL109      | 62.05         | 57.92         |
| FL110      | 63.15         | 58.94         |
| FL113      | 77.87         | 72.68         |
| FL116      | 98.69         | 92.11         |
| FL119      | 82.31         | 76.82         |
| FL123      | 78.29         | 73.07         |
| FL128      | 81.66         | 76.23         |
| FL132      | 82.44         | 76.97         |
| FL136      | 98.69         | 92.11         |
| FL137      | 77.67         | 72.49         |
| FL139      | 64.65         | 60.34         |
| FL141      | 84.98         | 79.31         |
| FL144      | 106.69        | 99.60         |
| FL145      | 105.40        | 98.39         |
| FL147      | 63.15         | 58.94         |
| FL201      | 81.13         | 75.71         |
| FL202      | 62.05         | 57.92         |
| FL881      | 105.40        | 98.39         |
| FL888      | 77.67         | 72.49         |
| GA001      | 68.81         | 64.22         |
| GA002      | 68.81         | 64.22         |
| GA004      | 68.81         | 64.22         |
| GA006      | 83.89         | 78.29         |
| GA007      | 68.81         | 64.22         |
| GA009      | 68.81         | 64.22         |
| GA010      | 83.89         | 78.29         |
| GA011      | 83.89         | 78.29         |
| GA023      | 68.81         | 64.22         |
| GA062      | 65.31         | 60.96         |
| GA078      | 83.89         | 78.29         |
| GA095      | 83.89         | 78.29         |
| GA116      | 83.89         | 78.29         |
| GA188      | 83.89         | 78.29         |
| GA228      | 83.89         | 78.29         |
| GA232      | 83.89         | 78.29         |
| GA237      | 83.89         | 78.29         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| GA264      | 83.89         | 78.29         |
| GA269      | 83.89         | 78.29         |
| GA285      | 68.81         | 64.22         |
| GA901      | 83.89         | 78.29         |
| GQ901      | 115.26        | 107.59        |
| HI002      | 113.76        | 106.17        |
| HI003      | 126.72        | 118.28        |
| HI004      | 126.74        | 118.30        |
| HI005      | 128.12        | 119.59        |
| HI901      | 126.72        | 118.28        |
| IA002      | 65.95         | 61.55         |
| IA004      | 69.33         | 64.71         |
| IA015      | 65.95         | 61.55         |
| IA018      | 69.01         | 64.41         |
| IA020      | 78.77         | 73.53         |
| IA022      | 80.28         | 74.94         |
| IA023      | 69.61         | 64.97         |
| IA024      | 76.26         | 71.17         |
| IA030      | 65.95         | 61.55         |
| IA038      | 76.56         | 71.45         |
| IA042      | 65.95         | 61.55         |
| IA045      | 72.21         | 67.40         |
| IA047      | 65.95         | 61.55         |
| IA049      | 65.95         | 61.55         |
| IA050      | 76.56         | 71.45         |
| IA054      | 65.95         | 61.55         |
| IA056      | 65.95         | 61.55         |
| IA057      | 65.95         | 61.55         |
| IA084      | 65.95         | 61.55         |
| IA087      | 70.58         | 65.87         |
| IA098      | 69.48         | 64.86         |
| IA100      | 65.95         | 61.55         |
| IA107      | 65.95         | 61.55         |
| IA108      | 65.95         | 61.55         |
| IA113      | 76.56         | 71.45         |
| IA114      | 65.95         | 61.55         |
| IA117      | 69.61         | 64.97         |
| IA119      | 65.95         | 61.55         |
| IA120      | 78.77         | 73.53         |
| IA122      | 65.95         | 61.55         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| IA124      | 65.95         | 61.55         |
| IA125      | 65.95         | 61.55         |
| IA126      | 72.21         | 67.40         |
| IA127      | 65.95         | 61.55         |
| IA128      | 65.95         | 61.55         |
| IA129      | 65.95         | 61.55         |
| IA130      | 65.95         | 61.55         |
| IA131      | 78.77         | 73.53         |
| IA132      | 76.56         | 71.45         |
| IA136      | 65.95         | 61.55         |
| ID005      | 67.21         | 62.73         |
| ID013      | 83.52         | 77.95         |
| ID016      | 83.52         | 77.95         |
| ID021      | 83.52         | 77.95         |
| ID901      | 69.57         | 64.92         |
| IL002      | 95.61         | 89.22         |
| IL003      | 75.49         | 70.46         |
| IL004      | 68.80         | 64.21         |
| IL006      | 67.38         | 62.89         |
| IL009      | 72.21         | 67.40         |
| IL010      | 72.21         | 67.40         |
| IL011      | 61.14         | 57.07         |
| IL012      | 65.10         | 60.76         |
| IL014      | 72.77         | 67.92         |
| IL015      | 66.03         | 61.62         |
| IL016      | 60.83         | 56.78         |
| IL018      | 72.21         | 67.40         |
| IL020      | 72.21         | 67.40         |
| IL022      | 68.66         | 64.08         |
| IL024      | 95.61         | 89.22         |
| IL025      | 95.61         | 89.22         |
| IL026      | 95.61         | 89.22         |
| IL028      | 68.80         | 64.21         |
| IL030      | 66.03         | 61.62         |
| IL032      | 72.77         | 67.92         |
| IL034      | 67.38         | 62.89         |
| IL035      | 72.77         | 67.92         |
| IL036      | 61.14         | 57.07         |
| IL037      | 60.83         | 56.78         |
| IL038      | 60.83         | 56.78         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| IL039      | 65.23         | 60.89         |
| IL040      | 60.83         | 56.78         |
| IL042      | 60.83         | 56.78         |
| IL043      | 60.83         | 56.78         |
| IL050      | 61.14         | 57.07         |
| IL051      | 67.14         | 62.67         |
| IL052      | 60.83         | 56.78         |
| IL053      | 61.14         | 57.07         |
| IL054      | 95.61         | 89.22         |
| IL056      | 95.61         | 89.22         |
| IL057      | 60.83         | 56.78         |
| IL059      | 60.83         | 56.78         |
| IL061      | 61.55         | 57.44         |
| IL074      | 66.03         | 61.62         |
| IL076      | 60.83         | 56.78         |
| IL079      | 60.83         | 56.78         |
| IL082      | 60.83         | 56.78         |
| IL083      | 68.66         | 64.08         |
| IL084      | 64.53         | 60.23         |
| IL085      | 62.10         | 57.97         |
| IL086      | 64.53         | 60.23         |
| IL087      | 60.83         | 56.78         |
| IL088      | 60.83         | 56.78         |
| IL089      | 75.77         | 70.72         |
| IL090      | 95.61         | 89.22         |
| IL091      | 60.83         | 56.78         |
| IL092      | 95.61         | 89.22         |
| IL095      | 71.35         | 66.59         |
| IL096      | 60.83         | 56.78         |
| IL101      | 95.61         | 89.22         |
| IL103      | 95.61         | 89.22         |
| IL104      | 75.49         | 70.46         |
| IL107      | 95.61         | 89.22         |
| IL116      | 95.61         | 89.22         |
| IL117      | 67.14         | 62.67         |
| IL120      | 60.83         | 56.78         |
| IL122      | 68.66         | 64.08         |
| IL123      | 60.83         | 56.78         |
| IL124      | 75.49         | 70.46         |
| IL126      | 61.14         | 57.07         |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| IL130 | 95.61  | 89.22  |
| IL131 | 72.21  | 67.40  |
| IL136 | 95.61  | 89.22  |
| IL137 | 96.43  | 89.99  |
| IL901 | 95.61  | 89.22  |
| IN002 | 52.23  | 48.75  |
| IN003 | 58.21  | 54.34  |
| IN004 | 54.22  | 50.61  |
| IN005 | 54.22  | 50.61  |
| IN006 | 64.36  | 60.07  |
| IN007 | 56.62  | 52.85  |
| IN009 | 52.23  | 48.75  |
| IN010 | 71.06  | 66.33  |
| IN011 | 71.06  | 66.33  |
| IN012 | 61.41  | 57.32  |
| IN015 | 57.30  | 53.48  |
| IN016 | 56.26  | 52.51  |
| IN017 | 64.36  | 60.07  |
| IN018 | 52.23  | 48.75  |
| IN019 | 56.13  | 52.38  |
| IN020 | 57.30  | 53.48  |
| IN021 | 54.22  | 50.61  |
| IN022 | 57.68  | 53.85  |
| IN023 | 61.41  | 57.32  |
| IN025 | 61.41  | 57.32  |
| IN026 | 56.25  | 52.50  |
| IN029 | 71.06  | 66.33  |
| IN031 | 52.23  | 48.75  |
| IN032 | 53.17  | 49.62  |
| IN035 | 54.22  | 50.61  |
| IN037 | 56.26  | 52.51  |
| IN041 | 52.23  | 48.75  |
| IN043 | 52.23  | 48.75  |
| IN047 | 52.23  | 48.75  |
| IN048 | 52.23  | 48.75  |
| IN050 | 52.23  | 48.75  |
| IN055 | 53.17  | 49.62  |
| IN056 | 54.67  | 51.02  |
| IN058 | 58.73  | 54.83  |
| IN060 | 56.25  | 52.50  |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| IN062 | 56.07  | 52.34  |
| IN067 | 52.23  | 48.75  |
| IN071 | 62.16  | 58.00  |
| IN073 | 52.23  | 48.75  |
| IN077 | 53.17  | 49.62  |
| IN078 | 54.67  | 51.02  |
| IN079 | 64.36  | 60.07  |
| IN080 | 64.36  | 60.07  |
| IN084 | 52.23  | 48.75  |
| IN086 | 52.23  | 48.75  |
| IN091 | 52.23  | 48.75  |
| IN092 | 52.23  | 48.75  |
| IN094 | 54.36  | 50.72  |
| IN100 | 57.30  | 53.48  |
| IN901 | 64.36  | 60.07  |
| KS001 | 64.19  | 59.90  |
| KS002 | 60.28  | 56.27  |
| KS004 | 64.95  | 60.61  |
| KS006 | 57.08  | 53.27  |
| KS017 | 57.08  | 53.27  |
| KS038 | 57.08  | 53.27  |
| KS041 | 57.08  | 53.27  |
| KS043 | 64.19  | 59.90  |
| KS053 | 66.62  | 62.18  |
| KS062 | 57.08  | 53.27  |
| KS063 | 57.23  | 53.42  |
| KS068 | 64.19  | 59.90  |
| KS073 | 64.95  | 60.61  |
| KS091 | 57.08  | 53.27  |
| KS149 | 57.08  | 53.27  |
| KS159 | 57.08  | 53.27  |
| KS161 | 57.08  | 53.27  |
| KS162 | 64.19  | 59.90  |
| KS165 | 57.08  | 53.27  |
| KS166 | 57.08  | 53.27  |
| KS167 | 57.23  | 53.42  |
| KS168 | 60.28  | 56.27  |
| KS170 | 57.08  | 53.27  |
| KY001 | 61.41  | 57.32  |
| KY003 | 56.21  | 52.46  |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| KY004      | 68.01         | 63.48         |
| KY007      | 55.18         | 51.50         |
| KY008      | 55.18         | 51.50         |
| KY009      | 61.41         | 57.32         |
| KY011      | 68.41         | 63.85         |
| KY012      | 56.26         | 52.51         |
| KY015      | 69.20         | 64.58         |
| KY017      | 55.18         | 51.50         |
| KY021      | 55.18         | 51.50         |
| KY022      | 55.18         | 51.50         |
| KY026      | 55.18         | 51.50         |
| KY027      | 55.18         | 51.50         |
| KY035      | 55.18         | 51.50         |
| KY040      | 55.18         | 51.50         |
| KY047      | 55.18         | 51.50         |
| KY053      | 55.18         | 51.50         |
| KY056      | 55.18         | 51.50         |
| KY061      | 68.01         | 63.48         |
| KY071      | 61.34         | 57.25         |
| KY086      | 55.18         | 51.50         |
| KY107      | 55.18         | 51.50         |
| KY121      | 55.18         | 51.50         |
| KY132      | 61.11         | 57.03         |
| KY133      | 69.20         | 64.58         |
| KY135      | 69.20         | 64.58         |
| KY136      | 69.20         | 64.58         |
| KY137      | 55.18         | 51.50         |
| KY138      | 55.18         | 51.50         |
| KY140      | 68.01         | 63.48         |
| KY141      | 55.18         | 51.50         |
| KY142      | 60.35         | 56.32         |
| KY150      | 55.18         | 51.50         |
| KY157      | 55.18         | 51.50         |
| KY160      | 55.18         | 51.50         |
| KY161      | 60.35         | 56.32         |
| KY163      | 55.18         | 51.50         |
| KY169      | 55.18         | 51.50         |
| KY171      | 61.41         | 57.32         |
| KY901      | 68.01         | 63.48         |
| LA001      | 71.29         | 66.52         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| LA002      | 69.78         | 65.14         |
| LA003      | 76.97         | 71.84         |
| LA004      | 66.61         | 62.17         |
| LA005      | 66.61         | 62.17         |
| LA006      | 66.61         | 62.17         |
| LA009      | 76.97         | 71.84         |
| LA012      | 71.29         | 66.52         |
| LA013      | 71.29         | 66.52         |
| LA023      | 66.61         | 62.17         |
| LA024      | 66.10         | 61.69         |
| LA029      | 66.61         | 62.17         |
| LA031      | 66.10         | 61.69         |
| LA032      | 66.61         | 62.17         |
| LA033      | 66.10         | 61.69         |
| LA036      | 66.10         | 61.69         |
| LA037      | 71.11         | 66.38         |
| LA046      | 66.61         | 62.17         |
| LA057      | 66.61         | 62.17         |
| LA063      | 66.61         | 62.17         |
| LA067      | 66.10         | 61.69         |
| LA074      | 66.10         | 61.69         |
| LA086      | 66.10         | 61.69         |
| LA094      | 71.29         | 66.52         |
| LA097      | 66.10         | 61.69         |
| LA101      | 76.97         | 71.84         |
| LA103      | 71.29         | 66.52         |
| LA104      | 66.61         | 62.17         |
| LA111      | 66.10         | 61.69         |
| LA114      | 66.10         | 61.69         |
| LA115      | 66.10         | 61.69         |
| LA120      | 66.61         | 62.17         |
| LA122      | 66.61         | 62.17         |
| LA125      | 66.10         | 61.69         |
| LA128      | 66.10         | 61.69         |
| LA129      | 66.61         | 62.17         |
| LA132      | 66.10         | 61.69         |
| LA159      | 66.10         | 61.69         |
| LA163      | 66.10         | 61.69         |
| LA165      | 66.61         | 62.17         |
| LA166      | 66.10         | 61.69         |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| LA168 | 66.61  | 62.17  |
| LA169 | 66.10  | 61.69  |
| LA171 | 66.61  | 62.17  |
| LA172 | 66.61  | 62.17  |
| LA173 | 66.61  | 62.17  |
| LA174 | 66.61  | 62.17  |
| LA178 | 66.61  | 62.17  |
| LA179 | 66.61  | 62.17  |
| LA181 | 71.29  | 66.52  |
| LA182 | 66.10  | 61.69  |
| LA184 | 69.78  | 65.14  |
| LA186 | 66.61  | 62.17  |
| LA187 | 71.29  | 66.52  |
| LA188 | 66.10  | 61.69  |
| LA189 | 66.61  | 62.17  |
| LA190 | 69.78  | 65.14  |
| LA192 | 66.10  | 61.69  |
| LA194 | 68.25  | 63.71  |
| LA195 | 66.10  | 61.69  |
| LA196 | 66.61  | 62.17  |
| LA199 | 76.97  | 71.84  |
| LA202 | 76.97  | 71.84  |
| LA204 | 76.97  | 71.84  |
| LA205 | 76.97  | 71.84  |
| LA206 | 66.61  | 62.17  |
| LA207 | 66.61  | 62.17  |
| LA211 | 68.25  | 63.71  |
| LA212 | 66.10  | 61.69  |
| LA213 | 71.11  | 66.38  |
| LA214 | 66.61  | 62.17  |
| LA215 | 66.10  | 61.69  |
| LA219 | 76.97  | 71.84  |
| LA220 | 66.10  | 61.69  |
| LA222 | 66.10  | 61.69  |
| LA229 | 66.10  | 61.69  |
| LA230 | 69.78  | 65.14  |
| LA232 | 66.10  | 61.69  |
| LA233 | 66.10  | 61.69  |
| LA238 | 71.29  | 66.52  |
| LA241 | 66.10  | 61.69  |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| LA242 | 66.10  | 61.69  |
| LA246 | 66.10  | 61.69  |
| LA247 | 66.10  | 61.69  |
| LA248 | 66.10  | 61.69  |
| LA253 | 68.25  | 63.71  |
| LA257 | 66.10  | 61.69  |
| LA258 | 66.10  | 61.69  |
| LA266 | 66.61  | 62.17  |
| LA888 | 69.78  | 65.14  |
| LA889 | 71.29  | 66.52  |
| LA903 | 71.29  | 66.52  |
| MA001 | 117.46 | 109.64 |
| MA002 | 126.96 | 118.49 |
| MA003 | 126.96 | 118.49 |
| MA005 | 117.46 | 109.64 |
| MA006 | 116.13 | 108.40 |
| MA007 | 117.46 | 109.64 |
| MA008 | 117.46 | 109.64 |
| MA010 | 117.46 | 109.64 |
| MA012 | 117.46 | 109.64 |
| MA013 | 126.96 | 118.49 |
| MA014 | 126.96 | 118.49 |
| MA015 | 126.96 | 118.49 |
| MA016 | 126.96 | 118.49 |
| MA017 | 126.96 | 118.49 |
| MA018 | 116.13 | 108.40 |
| MA019 | 126.96 | 118.49 |
| MA020 | 126.96 | 118.49 |
| MA022 | 126.96 | 118.49 |
| MA023 | 126.96 | 118.49 |
| MA024 | 117.46 | 109.64 |
| MA025 | 126.96 | 118.49 |
| MA026 | 117.46 | 109.64 |
| MA027 | 126.96 | 118.49 |
| MA028 | 126.96 | 118.49 |
| MA029 | 117.46 | 109.64 |
| MA031 | 126.96 | 118.49 |
| MA032 | 126.96 | 118.49 |
| MA033 | 126.96 | 118.49 |
| MA034 | 117.46 | 109.64 |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| MA035 | 117.46 | 109.64 |
| MA036 | 126.96 | 118.49 |
| MA037 | 117.46 | 109.64 |
| MA039 | 117.46 | 109.64 |
| MA040 | 126.96 | 118.49 |
| MA041 | 117.46 | 109.64 |
| MA042 | 126.96 | 118.49 |
| MA043 | 117.46 | 109.64 |
| MA044 | 126.96 | 118.49 |
| MA045 | 126.96 | 118.49 |
| MA046 | 127.26 | 118.78 |
| MA047 | 127.26 | 118.78 |
| MA048 | 126.96 | 118.49 |
| MA050 | 117.46 | 109.64 |
| MA051 | 117.46 | 109.64 |
| MA053 | 126.96 | 118.49 |
| MA054 | 126.96 | 118.49 |
| MA055 | 126.96 | 118.49 |
| MA056 | 126.96 | 118.49 |
| MA057 | 126.96 | 118.49 |
| MA059 | 126.96 | 118.49 |
| MA060 | 117.46 | 109.64 |
| MA061 | 126.96 | 118.49 |
| MA063 | 126.96 | 118.49 |
| MA065 | 126.96 | 118.49 |
| MA066 | 117.46 | 109.64 |
| MA067 | 126.96 | 118.49 |
| MA069 | 126.96 | 118.49 |
| MA070 | 126.96 | 118.49 |
| MA072 | 126.96 | 118.49 |
| MA073 | 126.96 | 118.49 |
| MA074 | 126.96 | 118.49 |
| MA075 | 126.96 | 118.49 |
| MA076 | 117.46 | 109.64 |
| MA077 | 117.46 | 109.64 |
| MA078 | 117.46 | 109.64 |
| MA079 | 126.96 | 118.49 |
| MA080 | 117.46 | 109.64 |
| MA081 | 117.46 | 109.64 |
| MA082 | 117.46 | 109.64 |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| MA084 | 117.46 | 109.64 |
| MA085 | 117.46 | 109.64 |
| MA086 | 117.46 | 109.64 |
| MA087 | 117.46 | 109.64 |
| MA088 | 117.46 | 109.64 |
| MA089 | 126.96 | 118.49 |
| MA090 | 126.96 | 118.49 |
| MA091 | 126.96 | 118.49 |
| MA092 | 126.96 | 118.49 |
| MA093 | 126.96 | 118.49 |
| MA094 | 116.88 | 109.10 |
| MA095 | 127.26 | 118.78 |
| MA096 | 116.88 | 109.10 |
| MA098 | 126.96 | 118.49 |
| MA099 | 126.96 | 118.49 |
| MA100 | 117.46 | 109.64 |
| MA101 | 126.96 | 118.49 |
| MA105 | 117.46 | 109.64 |
| MA106 | 117.46 | 109.64 |
| MA107 | 117.46 | 109.64 |
| MA108 | 117.46 | 109.64 |
| MA109 | 126.96 | 118.49 |
| MA110 | 127.26 | 118.78 |
| MA111 | 126.96 | 118.49 |
| MA112 | 126.96 | 118.49 |
| MA116 | 126.96 | 118.49 |
| MA117 | 126.96 | 118.49 |
| MA118 | 126.96 | 118.49 |
| MA119 | 126.96 | 118.49 |
| MA121 | 126.96 | 118.49 |
| MA122 | 126.96 | 118.49 |
| MA123 | 117.46 | 109.64 |
| MA125 | 126.96 | 118.49 |
| MA127 | 117.46 | 109.64 |
| MA133 | 126.96 | 118.49 |
| MA134 | 126.96 | 118.49 |
| MA135 | 126.96 | 118.49 |
| MA138 | 127.26 | 118.78 |
| MA139 | 117.46 | 109.64 |
| MA140 | 126.96 | 118.49 |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| MA147 | 126.96 | 118.49 |
| MA154 | 126.96 | 118.49 |
| MA155 | 126.96 | 118.49 |
| MA165 | 126.96 | 118.49 |
| MA170 | 116.13 | 108.40 |
| MA172 | 117.46 | 109.64 |
| MA174 | 126.96 | 118.49 |
| MA180 | 127.26 | 118.78 |
| MA181 | 127.26 | 118.78 |
| MA188 | 117.46 | 109.64 |
| MA880 | 126.96 | 118.49 |
| MA881 | 126.96 | 118.49 |
| MA882 | 117.46 | 109.64 |
| MA883 | 126.96 | 118.49 |
| MA901 | 126.96 | 118.49 |
| MD001 | 84.56  | 78.92  |
| MD002 | 84.56  | 78.92  |
| MD003 | 114.69 | 107.05 |
| MD004 | 114.69 | 107.05 |
| MD006 | 66.34  | 61.90  |
| MD007 | 114.69 | 107.05 |
| MD009 | 63.94  | 59.68  |
| MD014 | 76.00  | 70.94  |
| MD015 | 114.69 | 107.05 |
| MD016 | 90.84  | 84.79  |
| MD018 | 84.56  | 78.92  |
| MD019 | 76.22  | 71.13  |
| MD021 | 95.93  | 89.53  |
| MD022 | 114.69 | 107.05 |
| MD023 | 84.56  | 78.92  |
| MD024 | 114.69 | 107.05 |
| MD025 | 84.56  | 78.92  |
| MD027 | 84.56  | 78.92  |
| MD028 | 66.34  | 61.90  |
| MD029 | 90.84  | 84.79  |
| MD032 | 84.56  | 78.92  |
| MD033 | 84.56  | 78.92  |
| MD034 | 84.56  | 78.92  |
| MD901 | 114.69 | 107.05 |
| ME001 | 64.81  | 60.49  |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| ME002 | 64.81  | 60.49  |
| ME003 | 103.66 | 96.76  |
| ME004 | 64.81  | 60.49  |
| ME005 | 74.18  | 69.22  |
| ME006 | 79.27  | 73.97  |
| ME007 | 74.18  | 69.22  |
| ME008 | 68.14  | 63.59  |
| ME009 | 75.29  | 70.28  |
| ME011 | 91.20  | 85.11  |
| ME015 | 103.66 | 96.76  |
| ME018 | 75.29  | 70.28  |
| ME019 | 83.08  | 77.53  |
| ME020 | 103.66 | 96.76  |
| ME021 | 75.29  | 70.28  |
| ME025 | 64.81  | 60.49  |
| ME027 | 66.53  | 62.10  |
| ME028 | 91.20  | 85.11  |
| ME030 | 68.14  | 63.59  |
| ME901 | 63.62  | 59.37  |
| MI001 | 66.73  | 62.29  |
| MI003 | 66.73  | 62.29  |
| MI005 | 66.73  | 62.29  |
| MI006 | 57.07  | 53.26  |
| MI008 | 66.73  | 62.29  |
| MI009 | 57.44  | 53.61  |
| MI010 | 58.17  | 54.30  |
| MI019 | 54.78  | 51.13  |
| MI020 | 54.78  | 51.13  |
| MI023 | 55.08  | 51.41  |
| MI027 | 66.73  | 62.29  |
| MI030 | 54.78  | 51.13  |
| MI031 | 62.99  | 58.79  |
| MI032 | 58.17  | 54.30  |
| MI035 | 60.15  | 56.14  |
| MI036 | 54.78  | 51.13  |
| MI037 | 66.73  | 62.29  |
| MI038 | 57.67  | 53.84  |
| MI039 | 66.73  | 62.29  |
| MI040 | 66.73  | 62.29  |
| MI044 | 66.73  | 62.29  |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| MI045      | 66.73         | 62.29         |
| MI047      | 54.78         | 51.13         |
| MI048      | 66.73         | 62.29         |
| MI049      | 54.78         | 51.13         |
| MI050      | 54.78         | 51.13         |
| MI051      | 66.73         | 62.29         |
| MI052      | 66.73         | 62.29         |
| MI055      | 66.73         | 62.29         |
| MI058      | 63.98         | 59.72         |
| MI059      | 66.73         | 62.29         |
| MI060      | 58.76         | 54.83         |
| MI061      | 59.13         | 55.19         |
| MI063      | 54.78         | 51.13         |
| MI064      | 79.51         | 74.21         |
| MI066      | 62.99         | 58.79         |
| MI070      | 58.76         | 54.83         |
| MI073      | 62.99         | 58.79         |
| MI074      | 59.13         | 55.19         |
| MI080      | 60.81         | 56.76         |
| MI084      | 58.76         | 54.83         |
| MI087      | 58.76         | 54.83         |
| MI089      | 66.73         | 62.29         |
| MI093      | 62.99         | 58.79         |
| MI094      | 54.78         | 51.13         |
| MI096      | 66.73         | 62.29         |
| MI097      | 66.73         | 62.29         |
| MI100      | 66.73         | 62.29         |
| MI112      | 54.78         | 51.13         |
| MI115      | 62.99         | 58.79         |
| MI117      | 54.78         | 51.13         |
| MI119      | 54.78         | 51.13         |
| MI120      | 58.17         | 54.30         |
| MI121      | 59.13         | 55.19         |
| MI132      | 54.78         | 51.13         |
| MI139      | 66.73         | 62.29         |
| MI157      | 66.73         | 62.29         |
| MI167      | 63.98         | 59.72         |
| MI168      | 63.98         | 59.72         |
| MI178      | 54.78         | 51.13         |
| MI186      | 55.08         | 51.41         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| MI194      | 63.98         | 59.72         |
| MI198      | 62.99         | 58.79         |
| MI880      | 63.98         | 59.72         |
| MI901      | 66.73         | 62.29         |
| MN001      | 89.79         | 83.81         |
| MN002      | 89.79         | 83.81         |
| MN003      | 66.42         | 61.99         |
| MN006      | 62.11         | 57.97         |
| MN007      | 66.42         | 61.99         |
| MN008      | 61.26         | 57.17         |
| MN009      | 61.26         | 57.17         |
| MN018      | 61.26         | 57.17         |
| MN021      | 75.15         | 70.14         |
| MN032      | 61.26         | 57.17         |
| MN034      | 61.26         | 57.17         |
| MN037      | 61.26         | 57.17         |
| MN038      | 68.41         | 63.85         |
| MN049      | 61.26         | 57.17         |
| MN063      | 66.70         | 62.26         |
| MN067      | 89.79         | 83.81         |
| MN073      | 66.42         | 61.99         |
| MN077      | 66.83         | 62.38         |
| MN085      | 61.26         | 57.17         |
| MN090      | 61.26         | 57.17         |
| MN101      | 61.26         | 57.17         |
| MN107      | 61.26         | 57.17         |
| MN128      | 61.26         | 57.17         |
| MN144      | 89.79         | 83.81         |
| MN147      | 89.79         | 83.81         |
| MN151      | 74.34         | 69.40         |
| MN152      | 89.79         | 83.81         |
| MN153      | 61.26         | 57.17         |
| MN154      | 61.26         | 57.17         |
| MN158      | 75.15         | 70.14         |
| MN161      | 64.27         | 59.98         |
| MN163      | 89.79         | 83.81         |
| MN164      | 75.15         | 70.14         |
| MN166      | 61.26         | 57.17         |
| MN167      | 66.70         | 62.26         |
| MN168      | 64.27         | 59.98         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| MN169      | 61.26         | 57.17         |
| MN170      | 89.79         | 83.81         |
| MN171      | 63.23         | 59.00         |
| MN172      | 68.41         | 63.85         |
| MN173      | 61.26         | 57.17         |
| MN174      | 61.26         | 57.17         |
| MN176      | 61.26         | 57.17         |
| MN177      | 61.26         | 57.17         |
| MN178      | 64.27         | 59.98         |
| MN179      | 61.26         | 57.17         |
| MN180      | 61.26         | 57.17         |
| MN182      | 61.26         | 57.17         |
| MN184      | 89.79         | 83.81         |
| MN188      | 61.26         | 57.17         |
| MN190      | 61.26         | 57.17         |
| MN191      | 61.26         | 57.17         |
| MN192      | 61.26         | 57.17         |
| MN193      | 68.83         | 64.25         |
| MN197      | 61.26         | 57.17         |
| MN200      | 61.26         | 57.17         |
| MN203      | 64.27         | 59.98         |
| MN212      | 89.79         | 83.81         |
| MN216      | 89.79         | 83.81         |
| MN219      | 66.70         | 62.26         |
| MN220      | 66.83         | 62.38         |
| MN801      | 89.79         | 83.81         |
| MN802      | 89.79         | 83.81         |
| MO001      | 66.03         | 61.62         |
| MO002      | 64.19         | 59.90         |
| MO003      | 63.30         | 59.08         |
| MO004      | 66.03         | 61.62         |
| MO006      | 66.03         | 61.62         |
| MO007      | 63.30         | 59.08         |
| MO008      | 63.30         | 59.08         |
| MO009      | 63.30         | 59.08         |
| MO010      | 63.30         | 59.08         |
| MO014      | 63.30         | 59.08         |
| MO016      | 63.30         | 59.08         |
| MO017      | 64.19         | 59.90         |
| MO030      | 64.19         | 59.90         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| MO037      | 63.30         | 59.08         |
| MO040      | 63.30         | 59.08         |
| MO053      | 64.19         | 59.90         |
| MO058      | 63.30         | 59.08         |
| MO064      | 63.30         | 59.08         |
| MO065      | 63.30         | 59.08         |
| MO072      | 63.30         | 59.08         |
| MO074      | 63.30         | 59.08         |
| MO107      | 63.30         | 59.08         |
| MO129      | 63.30         | 59.08         |
| MO133      | 63.30         | 59.08         |
| MO145      | 63.30         | 59.08         |
| MO149      | 63.30         | 59.08         |
| MO188      | 63.30         | 59.08         |
| MO190      | 63.30         | 59.08         |
| MO193      | 64.19         | 59.90         |
| MO196      | 64.19         | 59.90         |
| MO197      | 64.19         | 59.90         |
| MO198      | 63.30         | 59.08         |
| MO199      | 66.03         | 61.62         |
| MO200      | 63.30         | 59.08         |
| MO203      | 63.30         | 59.08         |
| MO204      | 64.19         | 59.90         |
| MO205      | 66.03         | 61.62         |
| MO206      | 63.30         | 59.08         |
| MO207      | 63.30         | 59.08         |
| MO209      | 63.30         | 59.08         |
| MO210      | 64.19         | 59.90         |
| MO212      | 63.30         | 59.08         |
| MO213      | 64.19         | 59.90         |
| MO215      | 63.30         | 59.08         |
| MO216      | 63.30         | 59.08         |
| MO217      | 63.30         | 59.08         |
| MO227      | 66.03         | 61.62         |
| MS004      | 63.36         | 59.14         |
| MS005      | 66.43         | 62.01         |
| MS006      | 63.36         | 59.14         |
| MS016      | 67.53         | 63.03         |
| MS019      | 63.36         | 59.14         |
| MS030      | 63.36         | 59.14         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| MS040      | 66.43         | 62.01         |
| MS057      | 63.36         | 59.14         |
| MS058      | 78.40         | 73.16         |
| MS095      | 63.36         | 59.14         |
| MS103      | 78.40         | 73.16         |
| MS107      | 63.36         | 59.14         |
| MS128      | 63.36         | 59.14         |
| MS301      | 66.43         | 62.01         |
| MT001      | 86.92         | 81.13         |
| MT002      | 76.95         | 71.83         |
| MT003      | 71.63         | 66.85         |
| MT004      | 83.29         | 77.73         |
| MT006      | 67.48         | 62.99         |
| MT015      | 73.11         | 68.22         |
| MT033      | 78.24         | 73.01         |
| MT036      | 73.11         | 68.22         |
| MT901      | 86.92         | 81.13         |
| NC001      | 65.65         | 61.27         |
| NC002      | 78.43         | 73.19         |
| NC003      | 71.93         | 67.12         |
| NC004      | 62.57         | 58.40         |
| NC006      | 67.94         | 63.42         |
| NC007      | 65.65         | 61.27         |
| NC008      | 71.93         | 67.12         |
| NC009      | 66.73         | 62.27         |
| NC011      | 67.94         | 63.42         |
| NC012      | 67.94         | 63.42         |
| NC013      | 78.43         | 73.19         |
| NC014      | 62.57         | 58.40         |
| NC015      | 65.65         | 61.27         |
| NC018      | 62.57         | 58.40         |
| NC019      | 65.65         | 61.27         |
| NC020      | 62.57         | 58.40         |
| NC021      | 78.43         | 73.19         |
| NC022      | 65.65         | 61.27         |
| NC025      | 62.57         | 58.40         |
| NC032      | 62.57         | 58.40         |
| NC035      | 63.16         | 58.95         |
| NC039      | 64.63         | 60.33         |
| NC050      | 65.78         | 61.39         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| NC056      | 69.17         | 64.56         |
| NC057      | 71.93         | 67.12         |
| NC059      | 67.94         | 63.42         |
| NC065      | 71.93         | 67.12         |
| NC070      | 68.42         | 63.85         |
| NC071      | 64.63         | 60.33         |
| NC072      | 68.13         | 63.60         |
| NC075      | 62.57         | 58.40         |
| NC077      | 62.57         | 58.40         |
| NC081      | 67.94         | 63.42         |
| NC087      | 65.65         | 61.27         |
| NC089      | 62.57         | 58.40         |
| NC098      | 65.65         | 61.27         |
| NC102      | 68.42         | 63.85         |
| NC104      | 78.43         | 73.19         |
| NC118      | 62.57         | 58.40         |
| NC120      | 78.43         | 73.19         |
| NC134      | 68.42         | 63.85         |
| NC137      | 65.65         | 61.27         |
| NC138      | 62.57         | 58.40         |
| NC139      | 62.57         | 58.40         |
| NC140      | 65.65         | 61.27         |
| NC141      | 62.57         | 58.40         |
| NC144      | 65.65         | 61.27         |
| NC145      | 62.57         | 58.40         |
| NC146      | 62.57         | 58.40         |
| NC147      | 65.65         | 61.27         |
| NC149      | 62.57         | 58.40         |
| NC150      | 62.57         | 58.40         |
| NC151      | 62.57         | 58.40         |
| NC152      | 65.65         | 61.27         |
| NC155      | 62.57         | 58.40         |
| NC159      | 69.17         | 64.56         |
| NC160      | 62.57         | 58.40         |
| NC161      | 62.57         | 58.40         |
| NC163      | 65.78         | 61.39         |
| NC164      | 78.43         | 73.19         |
| NC165      | 62.57         | 58.40         |
| NC166      | 62.57         | 58.40         |
| NC167      | 63.74         | 59.49         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| NC173      | 65.65         | 61.27         |
| NC175      | 65.65         | 61.27         |
| NC901      | 62.57         | 58.40         |
| ND001      | 75.15         | 70.14         |
| ND002      | 75.04         | 70.03         |
| ND003      | 75.04         | 70.03         |
| ND009      | 75.04         | 70.03         |
| ND010      | 75.15         | 70.14         |
| ND011      | 75.04         | 70.03         |
| ND012      | 75.15         | 70.14         |
| ND013      | 75.04         | 70.03         |
| ND014      | 75.15         | 70.14         |
| ND015      | 75.04         | 70.03         |
| ND016      | 75.04         | 70.03         |
| ND017      | 75.04         | 70.03         |
| ND019      | 75.04         | 70.03         |
| ND021      | 75.15         | 70.14         |
| ND022      | 75.04         | 70.03         |
| ND025      | 75.04         | 70.03         |
| ND026      | 75.04         | 70.03         |
| ND030      | 75.04         | 70.03         |
| ND031      | 75.04         | 70.03         |
| ND035      | 75.04         | 70.03         |
| ND036      | 75.04         | 70.03         |
| ND037      | 75.04         | 70.03         |
| ND038      | 75.04         | 70.03         |
| ND039      | 75.04         | 70.03         |
| ND044      | 75.04         | 70.03         |
| ND049      | 75.04         | 70.03         |
| ND052      | 75.04         | 70.03         |
| ND054      | 75.04         | 70.03         |
| ND055      | 75.04         | 70.03         |
| ND070      | 75.04         | 70.03         |
| ND901      | 75.04         | 70.03         |
| NE001      | 69.61         | 64.97         |
| NE002      | 68.92         | 64.33         |
| NE003      | 68.92         | 64.33         |
| NE004      | 68.92         | 64.33         |
| NE010      | 68.92         | 64.33         |
| NE041      | 68.92         | 64.33         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| NE078      | 68.92         | 64.33         |
| NE083      | 68.92         | 64.33         |
| NE094      | 68.92         | 64.33         |
| NE100      | 68.92         | 64.33         |
| NE104      | 68.92         | 64.33         |
| NE114      | 68.92         | 64.33         |
| NE120      | 68.92         | 64.33         |
| NE123      | 68.92         | 64.33         |
| NE141      | 68.92         | 64.33         |
| NE143      | 68.92         | 64.33         |
| NE150      | 68.92         | 64.33         |
| NE153      | 69.61         | 64.97         |
| NE157      | 68.92         | 64.33         |
| NE174      | 69.61         | 64.97         |
| NE175      | 69.01         | 64.41         |
| NE179      | 68.92         | 64.33         |
| NE180      | 68.92         | 64.33         |
| NE181      | 68.92         | 64.33         |
| NE182      | 68.92         | 64.33         |
| NH001      | 92.84         | 86.64         |
| NH002      | 98.63         | 92.05         |
| NH003      | 96.13         | 89.73         |
| NH004      | 96.13         | 89.73         |
| NH005      | 105.72        | 98.66         |
| NH006      | 96.13         | 89.73         |
| NH007      | 83.27         | 77.72         |
| NH008      | 96.13         | 89.73         |
| NH009      | 85.96         | 80.22         |
| NH010      | 98.80         | 92.21         |
| NH011      | 75.78         | 70.74         |
| NH012      | 80.73         | 75.35         |
| NH013      | 96.13         | 89.73         |
| NH014      | 96.13         | 89.73         |
| NH015      | 75.78         | 70.74         |
| NH016      | 75.78         | 70.74         |
| NH022      | 117.46        | 109.64        |
| NH888      | 98.63         | 92.05         |
| NH901      | 92.84         | 86.64         |
| NJ002      | 109.48        | 102.16        |
| NJ003      | 109.48        | 102.16        |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| NJ004      | 93.44         | 87.21         |
| NJ006      | 112.11        | 104.65        |
| NJ007      | 109.75        | 102.44        |
| NJ008      | 109.75        | 102.44        |
| NJ009      | 93.44         | 87.21         |
| NJ010      | 90.84         | 84.79         |
| NJ011      | 112.11        | 104.65        |
| NJ012      | 93.44         | 87.21         |
| NJ013      | 112.11        | 104.65        |
| NJ014      | 92.57         | 86.42         |
| NJ015      | 93.44         | 87.21         |
| NJ021      | 112.11        | 104.65        |
| NJ022      | 112.11        | 104.65        |
| NJ023      | 109.48        | 102.16        |
| NJ025      | 109.48        | 102.16        |
| NJ026      | 93.44         | 87.21         |
| NJ030      | 93.44         | 87.21         |
| NJ032      | 109.48        | 102.16        |
| NJ033      | 112.11        | 104.65        |
| NJ035      | 112.11        | 104.65        |
| NJ036      | 93.44         | 87.21         |
| NJ037      | 109.48        | 102.16        |
| NJ039      | 109.48        | 102.16        |
| NJ042      | 112.11        | 104.65        |
| NJ043      | 112.11        | 104.65        |
| NJ044      | 112.11        | 104.65        |
| NJ046      | 109.75        | 102.44        |
| NJ047      | 112.11        | 104.65        |
| NJ048      | 109.75        | 102.44        |
| NJ049      | 89.00         | 83.06         |
| NJ050      | 109.48        | 102.16        |
| NJ051      | 90.84         | 84.79         |
| NJ052      | 109.48        | 102.16        |
| NJ054      | 109.75        | 102.44        |
| NJ055      | 112.11        | 104.65        |
| NJ056      | 109.75        | 102.44        |
| NJ058      | 90.84         | 84.79         |
| NJ059      | 92.57         | 86.42         |
| NJ060      | 109.75        | 102.44        |
| NJ061      | 89.00         | 83.06         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| NJ063      | 89.00         | 83.06         |
| NJ065      | 109.75        | 102.44        |
| NJ066      | 109.48        | 102.16        |
| NJ067      | 112.11        | 104.65        |
| NJ068      | 109.48        | 102.16        |
| NJ070      | 112.11        | 104.65        |
| NJ071      | 112.11        | 104.65        |
| NJ073      | 90.84         | 84.79         |
| NJ074      | 90.84         | 84.79         |
| NJ075      | 112.11        | 104.65        |
| NJ077      | 93.44         | 87.21         |
| NJ081      | 109.75        | 102.44        |
| NJ083      | 93.44         | 87.21         |
| NJ084      | 112.11        | 104.65        |
| NJ086      | 109.48        | 102.16        |
| NJ088      | 109.48        | 102.16        |
| NJ089      | 112.11        | 104.65        |
| NJ090      | 112.11        | 104.65        |
| NJ092      | 109.48        | 102.16        |
| NJ095      | 109.75        | 102.44        |
| NJ097      | 112.11        | 104.65        |
| NJ099      | 109.48        | 102.16        |
| NJ102      | 109.48        | 102.16        |
| NJ105      | 109.48        | 102.16        |
| NJ106      | 112.11        | 104.65        |
| NJ108      | 109.48        | 102.16        |
| NJ109      | 109.48        | 102.16        |
| NJ110      | 112.11        | 104.65        |
| NJ112      | 112.11        | 104.65        |
| NJ113      | 109.48        | 102.16        |
| NJ114      | 112.11        | 104.65        |
| NJ118      | 90.84         | 84.79         |
| NJ204      | 90.84         | 84.79         |
| NJ212      | 107.56        | 100.39        |
| NJ214      | 109.75        | 102.44        |
| NJ880      | 109.75        | 102.44        |
| NJ881      | 112.11        | 104.65        |
| NJ882      | 109.48        | 102.16        |
| NJ902      | 90.84         | 84.79         |
| NJ912      | 109.48        | 102.16        |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| NM001      | 78.21         | 73.00         |
| NM002      | 60.44         | 56.41         |
| NM003      | 62.07         | 57.93         |
| NM006      | 78.11         | 72.89         |
| NM009      | 92.55         | 86.37         |
| NM020      | 61.16         | 57.07         |
| NM033      | 60.44         | 56.41         |
| NM039      | 60.44         | 56.41         |
| NM050      | 92.55         | 86.37         |
| NM057      | 78.21         | 73.00         |
| NM061      | 60.44         | 56.41         |
| NM063      | 61.16         | 57.07         |
| NM066      | 76.97         | 71.83         |
| NM067      | 60.44         | 56.41         |
| NM077      | 78.21         | 73.00         |
| NM088      | 64.45         | 60.16         |
| NV001      | 82.23         | 76.75         |
| NV018      | 92.37         | 86.22         |
| NV905      | 82.23         | 76.75         |
| NY001      | 73.89         | 68.97         |
| NY002      | 69.06         | 64.47         |
| NY003      | 115.02        | 107.36        |
| NY005      | 99.98         | 93.31         |
| NY006      | 67.65         | 63.15         |
| NY009      | 80.30         | 74.95         |
| NY012      | 80.30         | 74.95         |
| NY015      | 80.30         | 74.95         |
| NY016      | 70.07         | 65.40         |
| NY017      | 61.14         | 57.06         |
| NY018      | 64.81         | 60.49         |
| NY019      | 67.65         | 63.15         |
| NY020      | 80.30         | 74.95         |
| NY021      | 70.58         | 65.88         |
| NY022      | 80.30         | 74.95         |
| NY023      | 115.02        | 107.36        |
| NY025      | 80.30         | 74.95         |
| NY027      | 73.89         | 68.97         |
| NY028      | 80.30         | 74.95         |
| NY033      | 80.30         | 74.95         |
| NY034      | 67.65         | 63.15         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| NY035      | 115.02        | 107.36        |
| NY038      | 115.02        | 107.36        |
| NY041      | 84.53         | 78.90         |
| NY042      | 115.02        | 107.36        |
| NY044      | 84.53         | 78.90         |
| NY045      | 90.43         | 84.40         |
| NY048      | 57.99         | 54.12         |
| NY049      | 102.76        | 95.92         |
| NY050      | 115.02        | 107.36        |
| NY051      | 102.76        | 95.92         |
| NY054      | 78.97         | 73.72         |
| NY057      | 115.02        | 107.36        |
| NY059      | 67.65         | 63.15         |
| NY060      | 74.27         | 69.32         |
| NY061      | 66.95         | 62.48         |
| NY062      | 102.76        | 95.92         |
| NY065      | 67.82         | 63.31         |
| NY066      | 68.34         | 63.80         |
| NY067      | 64.69         | 60.37         |
| NY068      | 63.38         | 59.14         |
| NY070      | 69.06         | 64.47         |
| NY071      | 75.78         | 70.72         |
| NY073      | 76.02         | 70.96         |
| NY077      | 115.02        | 107.36        |
| NY079      | 76.02         | 70.96         |
| NY084      | 99.98         | 93.31         |
| NY085      | 115.02        | 107.36        |
| NY086      | 115.02        | 107.36        |
| NY087      | 62.33         | 58.16         |
| NY088      | 115.02        | 107.36        |
| NY089      | 84.53         | 78.90         |
| NY091      | 69.06         | 64.47         |
| NY094      | 115.02        | 107.36        |
| NY098      | 67.65         | 63.15         |
| NY102      | 73.89         | 68.97         |
| NY103      | 90.43         | 84.40         |
| NY107      | 73.89         | 68.97         |
| NY109      | 67.65         | 63.15         |
| NY110      | 99.98         | 93.31         |
| NY111      | 115.02        | 107.36        |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| NY113      | 115.02        | 107.36        |
| NY114      | 99.98         | 93.31         |
| NY117      | 115.02        | 107.36        |
| NY120      | 115.02        | 107.36        |
| NY121      | 115.02        | 107.36        |
| NY123      | 115.02        | 107.36        |
| NY125      | 102.76        | 95.92         |
| NY127      | 115.02        | 107.36        |
| NY128      | 115.02        | 107.36        |
| NY130      | 115.02        | 107.36        |
| NY132      | 115.02        | 107.36        |
| NY134      | 102.76        | 95.92         |
| NY137      | 102.76        | 95.92         |
| NY138      | 99.98         | 93.31         |
| NY141      | 115.02        | 107.36        |
| NY146      | 115.02        | 107.36        |
| NY147      | 115.02        | 107.36        |
| NY148      | 99.98         | 93.31         |
| NY149      | 115.02        | 107.36        |
| NY151      | 115.02        | 107.36        |
| NY152      | 115.02        | 107.36        |
| NY154      | 115.02        | 107.36        |
| NY158      | 102.76        | 95.92         |
| NY159      | 115.02        | 107.36        |
| NY160      | 99.98         | 93.31         |
| NY165      | 115.02        | 107.36        |
| NY402      | 71.35         | 66.59         |
| NY403      | 57.73         | 53.88         |
| NY404      | 69.06         | 64.47         |
| NY405      | 69.06         | 64.47         |
| NY406      | 84.53         | 78.90         |
| NY408      | 80.30         | 74.95         |
| NY409      | 69.06         | 64.47         |
| NY413      | 74.27         | 69.32         |
| NY416      | 80.30         | 74.95         |
| NY417      | 67.65         | 63.15         |
| NY421      | 80.30         | 74.95         |
| NY422      | 80.30         | 74.95         |
| NY424      | 80.30         | 74.95         |
| NY427      | 80.30         | 74.95         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| NY428      | 80.30         | 74.95         |
| NY430      | 80.30         | 74.95         |
| NY431      | 80.30         | 74.95         |
| NY433      | 57.99         | 54.12         |
| NY443      | 67.65         | 63.15         |
| NY447      | 80.30         | 74.95         |
| NY449      | 69.06         | 64.47         |
| NY501      | 80.30         | 74.95         |
| NY503      | 80.30         | 74.95         |
| NY504      | 73.89         | 68.97         |
| NY505      | 70.07         | 65.40         |
| NY512      | 80.30         | 74.95         |
| NY513      | 80.30         | 74.95         |
| NY516      | 80.30         | 74.95         |
| NY519      | 80.30         | 74.95         |
| NY521      | 73.89         | 68.97         |
| NY522      | 62.33         | 58.16         |
| NY527      | 73.89         | 68.97         |
| NY529      | 90.43         | 84.40         |
| NY530      | 74.27         | 69.32         |
| NY532      | 80.30         | 74.95         |
| NY534      | 67.65         | 63.15         |
| NY535      | 80.30         | 74.95         |
| NY538      | 80.30         | 74.95         |
| NY541      | 63.38         | 59.14         |
| NY552      | 67.65         | 63.15         |
| NY557      | 80.30         | 74.95         |
| NY561      | 80.30         | 74.95         |
| NY562      | 80.30         | 74.95         |
| NY564      | 80.30         | 74.95         |
| NY630      | 80.30         | 74.95         |
| NY888      | 115.02        | 107.36        |
| NY889      | 61.14         | 57.06         |
| NY891      | 115.02        | 107.36        |
| NY892      | 115.02        | 107.36        |
| NY895      | 115.02        | 107.36        |
| NY904      | 115.02        | 107.36        |
| NY912      | 69.06         | 64.47         |
| OH001      | 67.79         | 63.26         |
| OH002      | 61.56         | 57.45         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| OH003      | 71.46         | 66.69         |
| OH004      | 69.20         | 64.58         |
| OH005      | 63.13         | 58.92         |
| OH006      | 71.03         | 66.29         |
| OH007      | 70.29         | 65.62         |
| OH008      | 61.56         | 57.45         |
| OH009      | 59.05         | 55.11         |
| OH010      | 59.05         | 55.11         |
| OH012      | 71.46         | 66.69         |
| OH014      | 61.97         | 57.84         |
| OH015      | 69.20         | 64.58         |
| OH016      | 60.56         | 56.52         |
| OH018      | 60.56         | 56.52         |
| OH019      | 60.35         | 56.32         |
| OH020      | 59.05         | 55.11         |
| OH021      | 63.13         | 58.92         |
| OH022      | 63.13         | 58.92         |
| OH024      | 59.05         | 55.11         |
| OH025      | 71.46         | 66.69         |
| OH026      | 60.02         | 56.01         |
| OH027      | 71.46         | 66.69         |
| OH028      | 62.88         | 58.68         |
| OH029      | 69.68         | 65.02         |
| OH030      | 59.05         | 55.11         |
| OH031      | 70.29         | 65.62         |
| OH032      | 59.26         | 55.31         |
| OH033      | 59.05         | 55.11         |
| OH034      | 59.26         | 55.31         |
| OH035      | 59.05         | 55.11         |
| OH036      | 59.32         | 55.37         |
| OH037      | 59.05         | 55.11         |
| OH038      | 69.20         | 64.58         |
| OH039      | 59.05         | 55.11         |
| OH040      | 59.05         | 55.11         |
| OH041      | 59.05         | 55.11         |
| OH042      | 71.46         | 66.69         |
| OH043      | 67.79         | 63.26         |
| OH044      | 61.56         | 57.45         |
| OH045      | 59.05         | 55.11         |
| OH046      | 59.05         | 55.11         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| OH047      | 59.05         | 55.11         |
| OH049      | 69.20         | 64.58         |
| OH050      | 59.05         | 55.11         |
| OH053      | 59.05         | 55.11         |
| OH054      | 61.53         | 57.43         |
| OH056      | 59.05         | 55.11         |
| OH058      | 59.05         | 55.11         |
| OH059      | 67.79         | 63.26         |
| OH060      | 59.05         | 55.11         |
| OH061      | 60.41         | 56.38         |
| OH062      | 63.13         | 58.92         |
| OH063      | 59.05         | 55.11         |
| OH066      | 59.05         | 55.11         |
| OH067      | 59.05         | 55.11         |
| OH069      | 59.05         | 55.11         |
| OH070      | 67.79         | 63.26         |
| OH071      | 71.03         | 66.29         |
| OH072      | 59.05         | 55.11         |
| OH073      | 71.46         | 66.69         |
| OH074      | 60.70         | 56.65         |
| OH075      | 59.05         | 55.11         |
| OH076      | 59.05         | 55.11         |
| OH077      | 59.05         | 55.11         |
| OH078      | 59.05         | 55.11         |
| OH079      | 67.79         | 63.26         |
| OH080      | 60.49         | 56.45         |
| OH081      | 60.56         | 56.52         |
| OH082      | 59.19         | 55.24         |
| OH083      | 67.79         | 63.26         |
| OH085      | 71.03         | 66.29         |
| OH086      | 59.05         | 55.11         |
| OH882      | 71.46         | 66.69         |
| OK002      | 63.67         | 59.43         |
| OK005      | 61.94         | 57.81         |
| OK006      | 61.62         | 57.52         |
| OK024      | 61.62         | 57.52         |
| OK027      | 61.62         | 57.52         |
| OK032      | 61.62         | 57.52         |
| OK033      | 61.94         | 57.81         |
| OK044      | 61.62         | 57.52         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| OK062      | 61.62         | 57.52         |
| OK067      | 61.62         | 57.52         |
| OK073      | 61.94         | 57.81         |
| OK095      | 63.35         | 59.13         |
| OK096      | 61.62         | 57.52         |
| OK099      | 61.62         | 57.52         |
| OK111      | 61.62         | 57.52         |
| OK118      | 61.62         | 57.52         |
| OK139      | 63.67         | 59.43         |
| OK142      | 61.94         | 57.81         |
| OK146      | 61.62         | 57.52         |
| OK148      | 63.35         | 59.13         |
| OK901      | 63.67         | 59.43         |
| OR001      | 83.78         | 78.19         |
| OR002      | 83.78         | 78.19         |
| OR003      | 84.99         | 79.33         |
| OR005      | 79.10         | 73.83         |
| OR006      | 96.28         | 89.86         |
| OR007      | 81.32         | 75.89         |
| OR008      | 89.95         | 83.95         |
| OR011      | 89.95         | 83.95         |
| OR014      | 89.95         | 83.95         |
| OR015      | 95.65         | 89.27         |
| OR016      | 83.78         | 78.19         |
| OR017      | 77.62         | 72.46         |
| OR019      | 85.05         | 79.37         |
| OR020      | 84.99         | 79.33         |
| OR022      | 83.78         | 78.19         |
| OR026      | 86.03         | 80.29         |
| OR027      | 77.62         | 72.46         |
| OR028      | 83.78         | 78.19         |
| OR031      | 87.14         | 81.34         |
| OR032      | 81.32         | 75.89         |
| OR034      | 92.48         | 86.32         |
| PA001      | 63.40         | 59.17         |
| PA002      | 90.84         | 84.79         |
| PA003      | 61.46         | 57.36         |
| PA004      | 77.37         | 72.20         |
| PA005      | 63.40         | 59.17         |
| PA006      | 63.40         | 59.17         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| PA007      | 90.84         | 84.79         |
| PA008      | 79.18         | 73.90         |
| PA009      | 75.45         | 70.41         |
| PA010      | 63.40         | 59.17         |
| PA011      | 77.37         | 72.20         |
| PA012      | 90.84         | 84.79         |
| PA013      | 76.96         | 71.83         |
| PA014      | 63.40         | 59.17         |
| PA015      | 63.40         | 59.17         |
| PA016      | 69.71         | 65.06         |
| PA017      | 63.40         | 59.17         |
| PA018      | 63.40         | 59.17         |
| PA019      | 65.06         | 60.72         |
| PA020      | 71.42         | 66.66         |
| PA021      | 65.06         | 60.72         |
| PA022      | 72.68         | 67.83         |
| PA023      | 90.84         | 84.79         |
| PA024      | 77.37         | 72.20         |
| PA026      | 64.00         | 59.73         |
| PA027      | 60.66         | 56.61         |
| PA028      | 82.51         | 77.02         |
| PA029      | 65.53         | 61.16         |
| PA030      | 61.46         | 57.36         |
| PA031      | 67.00         | 62.53         |
| PA032      | 64.66         | 60.34         |
| PA033      | 64.00         | 59.73         |
| PA034      | 69.13         | 64.51         |
| PA035      | 79.18         | 73.90         |
| PA036      | 80.41         | 75.06         |
| PA037      | 69.71         | 65.06         |
| PA038      | 61.46         | 57.36         |
| PA039      | 74.47         | 69.51         |
| PA041      | 63.86         | 59.60         |
| PA042      | 61.46         | 57.36         |
| PA043      | 61.46         | 57.36         |
| PA044      | 61.46         | 57.36         |
| PA045      | 64.56         | 60.25         |
| PA046      | 90.84         | 84.79         |
| PA047      | 61.46         | 57.36         |
| PA048      | 75.01         | 70.01         |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| PA050 | 62.31  | 58.17  |
| PA051 | 90.84  | 84.79  |
| PA052 | 79.18  | 73.90  |
| PA053 | 64.56  | 60.25  |
| PA054 | 63.17  | 58.95  |
| PA055 | 64.56  | 60.25  |
| PA056 | 61.77  | 57.65  |
| PA057 | 61.46  | 57.36  |
| PA058 | 64.00  | 59.73  |
| PA059 | 61.77  | 57.65  |
| PA060 | 64.56  | 60.25  |
| PA061 | 64.56  | 60.25  |
| PA063 | 64.56  | 60.25  |
| PA064 | 62.31  | 58.17  |
| PA065 | 64.56  | 60.25  |
| PA067 | 77.37  | 72.20  |
| PA068 | 62.31  | 58.17  |
| PA069 | 67.00  | 62.53  |
| PA071 | 75.45  | 70.41  |
| PA073 | 61.46  | 57.36  |
| PA074 | 62.31  | 58.17  |
| PA075 | 79.18  | 73.90  |
| PA076 | 77.37  | 72.20  |
| PA077 | 63.17  | 58.95  |
| PA078 | 100.29 | 93.61  |
| PA079 | 64.00  | 59.73  |
| PA080 | 63.17  | 58.95  |
| PA081 | 77.37  | 72.20  |
| PA082 | 73.06  | 68.19  |
| PA083 | 61.99  | 57.86  |
| PA085 | 60.66  | 56.61  |
| PA086 | 61.77  | 57.65  |
| PA087 | 76.96  | 71.83  |
| PA088 | 86.25  | 80.49  |
| PA090 | 80.41  | 75.06  |
| PA091 | 73.31  | 68.42  |
| PA092 | 62.46  | 58.30  |
| RI001 | 116.13 | 108.40 |
| RI002 | 116.13 | 108.40 |
| RI003 | 116.13 | 108.40 |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| RI004 | 116.13 | 108.40 |
| RI005 | 110.95 | 103.54 |
| RI006 | 116.13 | 108.40 |
| RI007 | 116.13 | 108.40 |
| RI008 | 100.98 | 94.25  |
| RI009 | 116.13 | 108.40 |
| RI010 | 116.13 | 108.40 |
| RI011 | 116.13 | 108.40 |
| RI012 | 116.13 | 108.40 |
| RI014 | 116.13 | 108.40 |
| RI015 | 116.13 | 108.40 |
| RI016 | 116.13 | 108.40 |
| RI017 | 116.13 | 108.40 |
| RI018 | 116.13 | 108.40 |
| RI019 | 116.13 | 108.40 |
| RI020 | 116.13 | 108.40 |
| RI022 | 116.13 | 108.40 |
| RI024 | 116.13 | 108.40 |
| RI026 | 116.13 | 108.40 |
| RI027 | 116.13 | 108.40 |
| RI028 | 116.13 | 108.40 |
| RI029 | 116.13 | 108.40 |
| RI901 | 116.13 | 108.40 |
| RQ006 | 79.99  | 74.65  |
| RQ007 | 74.42  | 69.46  |
| RQ008 | 79.99  | 74.65  |
| RQ009 | 74.42  | 69.46  |
| RQ010 | 74.42  | 69.46  |
| RQ011 | 79.99  | 74.65  |
| RQ012 | 74.42  | 69.46  |
| RQ013 | 79.99  | 74.65  |
| RQ014 | 79.99  | 74.65  |
| RQ015 | 79.99  | 74.65  |
| RQ016 | 79.99  | 74.65  |
| RQ017 | 74.42  | 69.46  |
| RQ018 | 74.42  | 69.46  |
| RQ019 | 79.99  | 74.65  |
| RQ020 | 81.73  | 76.28  |
| RQ021 | 79.99  | 74.65  |
| RQ022 | 79.99  | 74.65  |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| RQ023 | 79.99  | 74.65  |
| RQ024 | 79.99  | 74.65  |
| RQ025 | 79.99  | 74.65  |
| RQ026 | 74.42  | 69.46  |
| RQ027 | 79.99  | 74.65  |
| RQ028 | 79.99  | 74.65  |
| RQ029 | 74.42  | 69.46  |
| RQ030 | 74.42  | 69.46  |
| RQ031 | 74.42  | 69.46  |
| RQ032 | 79.99  | 74.65  |
| RQ033 | 74.42  | 69.46  |
| RQ034 | 79.99  | 74.65  |
| RQ035 | 74.42  | 69.46  |
| RQ036 | 79.99  | 74.65  |
| RQ037 | 74.42  | 69.46  |
| RQ038 | 79.99  | 74.65  |
| RQ039 | 81.73  | 76.28  |
| RQ040 | 81.73  | 76.28  |
| RQ041 | 74.42  | 69.46  |
| RQ042 | 74.42  | 69.46  |
| RQ043 | 74.42  | 69.46  |
| RQ044 | 79.99  | 74.65  |
| RQ045 | 79.99  | 74.65  |
| RQ046 | 74.42  | 69.46  |
| RQ047 | 79.99  | 74.65  |
| RQ048 | 74.42  | 69.46  |
| RQ049 | 79.99  | 74.65  |
| RQ050 | 79.99  | 74.65  |
| RQ052 | 74.42  | 69.46  |
| RQ053 | 79.99  | 74.65  |
| RQ054 | 79.99  | 74.65  |
| RQ055 | 74.42  | 69.46  |
| RQ056 | 79.99  | 74.65  |
| RQ057 | 74.42  | 69.46  |
| RQ058 | 74.42  | 69.46  |
| RQ059 | 74.42  | 69.46  |
| RQ060 | 74.42  | 69.46  |
| RQ061 | 74.42  | 69.46  |
| RQ062 | 74.42  | 69.46  |
| RQ063 | 79.99  | 74.65  |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| RQ064 | 79.99  | 74.65  |
| RQ065 | 74.42  | 69.46  |
| RQ066 | 74.42  | 69.46  |
| RQ067 | 74.42  | 69.46  |
| RQ068 | 74.42  | 69.46  |
| RQ069 | 74.42  | 69.46  |
| RQ070 | 79.99  | 74.65  |
| RQ071 | 74.42  | 69.46  |
| RQ072 | 79.99  | 74.65  |
| RQ073 | 74.42  | 69.46  |
| RQ074 | 74.42  | 69.46  |
| RQ075 | 79.99  | 74.65  |
| RQ077 | 79.99  | 74.65  |
| RQ080 | 74.42  | 69.46  |
| RQ081 | 79.99  | 74.65  |
| RQ082 | 79.99  | 74.65  |
| RQ083 | 79.99  | 74.65  |
| RQ901 | 79.99  | 74.65  |
| RQ911 | 79.99  | 74.65  |
| SC001 | 70.95  | 66.22  |
| SC002 | 71.72  | 66.94  |
| SC003 | 65.47  | 61.10  |
| SC004 | 65.47  | 61.10  |
| SC005 | 65.47  | 61.10  |
| SC007 | 68.81  | 64.22  |
| SC008 | 65.47  | 61.10  |
| SC015 | 63.41  | 59.18  |
| SC016 | 65.47  | 61.10  |
| SC018 | 65.47  | 61.10  |
| SC019 | 65.47  | 61.10  |
| SC020 | 65.47  | 61.10  |
| SC021 | 63.41  | 59.18  |
| SC022 | 71.93  | 67.12  |
| SC023 | 65.47  | 61.10  |
| SC024 | 70.95  | 66.22  |
| SC025 | 65.47  | 61.10  |
| SC026 | 66.82  | 62.35  |
| SC027 | 65.47  | 61.10  |
| SC028 | 63.41  | 59.18  |
| SC029 | 65.47  | 61.10  |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| SC030      | 63.41         | 59.18         |
| SC031      | 63.41         | 59.18         |
| SC032      | 65.47         | 61.10         |
| SC033      | 63.41         | 59.18         |
| SC034      | 65.47         | 61.10         |
| SC035      | 63.41         | 59.18         |
| SC036      | 71.93         | 67.12         |
| SC037      | 65.47         | 61.10         |
| SC046      | 71.93         | 67.12         |
| SC056      | 70.95         | 66.22         |
| SC057      | 70.95         | 66.22         |
| SC059      | 63.41         | 59.18         |
| SC911      | 71.72         | 66.94         |
| SD010      | 69.03         | 64.42         |
| SD011      | 67.22         | 62.74         |
| SD014      | 67.22         | 62.74         |
| SD016      | 69.03         | 64.42         |
| SD021      | 67.22         | 62.74         |
| SD026      | 67.22         | 62.74         |
| SD034      | 67.22         | 62.74         |
| SD035      | 73.04         | 68.16         |
| SD036      | 67.22         | 62.74         |
| SD037      | 67.22         | 62.74         |
| SD039      | 69.03         | 64.42         |
| SD043      | 67.22         | 62.74         |
| SD045      | 67.22         | 62.74         |
| SD047      | 67.22         | 62.74         |
| SD048      | 67.22         | 62.74         |
| SD055      | 67.22         | 62.74         |
| SD056      | 67.22         | 62.74         |
| SD057      | 67.22         | 62.74         |
| SD058      | 67.22         | 62.74         |
| SD059      | 67.22         | 62.74         |
| TN001      | 67.53         | 63.03         |
| TN002      | 62.62         | 58.44         |
| TN003      | 62.99         | 58.80         |
| TN004      | 68.46         | 63.89         |
| TN005      | 74.84         | 69.85         |
| TN006      | 62.62         | 58.44         |
| TN007      | 62.62         | 58.44         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| TN012      | 62.99         | 58.80         |
| TN013      | 62.03         | 57.90         |
| TN020      | 74.84         | 69.85         |
| TN024      | 62.03         | 57.90         |
| TN026      | 62.03         | 57.90         |
| TN035      | 74.84         | 69.85         |
| TN038      | 62.62         | 58.44         |
| TN042      | 62.03         | 57.90         |
| TN054      | 62.62         | 58.44         |
| TN062      | 62.03         | 57.90         |
| TN065      | 62.99         | 58.80         |
| TN066      | 62.62         | 58.44         |
| TN076      | 62.62         | 58.44         |
| TN079      | 74.84         | 69.85         |
| TN088      | 62.99         | 58.80         |
| TN113      | 62.99         | 58.80         |
| TN117      | 68.46         | 63.89         |
| TN903      | 74.84         | 69.85         |
| TQ901      | 115.26        | 107.59        |
| TX001      | 83.25         | 77.71         |
| TX003      | 70.73         | 66.00         |
| TX004      | 79.54         | 74.24         |
| TX005      | 75.51         | 70.49         |
| TX006      | 73.18         | 68.32         |
| TX007      | 64.89         | 60.56         |
| TX008      | 74.62         | 69.63         |
| TX009      | 85.36         | 79.68         |
| TX010      | 63.99         | 59.72         |
| TX011      | 63.99         | 59.72         |
| TX012      | 75.51         | 70.49         |
| TX014      | 63.99         | 59.72         |
| TX016      | 60.94         | 56.88         |
| TX017      | 75.51         | 70.49         |
| TX018      | 63.99         | 59.72         |
| TX019      | 60.94         | 56.88         |
| TX021      | 60.94         | 56.88         |
| TX023      | 73.12         | 68.24         |
| TX025      | 64.89         | 60.56         |
| TX027      | 85.36         | 79.68         |
| TX028      | 64.15         | 59.86         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| TX029      | 64.15         | 59.86         |
| TX030      | 63.99         | 59.72         |
| TX031      | 83.25         | 77.71         |
| TX032      | 75.51         | 70.49         |
| TX034      | 73.12         | 68.24         |
| TX035      | 61.09         | 57.01         |
| TX037      | 73.12         | 68.24         |
| TX039      | 60.94         | 56.88         |
| TX042      | 60.94         | 56.88         |
| TX044      | 60.94         | 56.88         |
| TX046      | 64.15         | 59.86         |
| TX048      | 60.94         | 56.88         |
| TX049      | 60.94         | 56.88         |
| TX051      | 64.15         | 59.86         |
| TX062      | 64.15         | 59.86         |
| TX064      | 64.15         | 59.86         |
| TX065      | 64.89         | 60.56         |
| TX072      | 60.94         | 56.88         |
| TX073      | 64.15         | 59.86         |
| TX075      | 60.94         | 56.88         |
| TX079      | 63.99         | 59.72         |
| TX081      | 60.94         | 56.88         |
| TX085      | 88.67         | 82.75         |
| TX087      | 83.25         | 77.71         |
| TX095      | 85.36         | 79.68         |
| TX096      | 60.94         | 56.88         |
| TX105      | 60.94         | 56.88         |
| TX111      | 65.49         | 61.12         |
| TX114      | 60.94         | 56.88         |
| TX128      | 85.36         | 79.68         |
| TX134      | 60.94         | 56.88         |
| TX137      | 63.99         | 59.72         |
| TX147      | 60.94         | 56.88         |
| TX152      | 60.94         | 56.88         |
| TX158      | 63.99         | 59.72         |
| TX163      | 74.62         | 69.63         |
| TX164      | 74.62         | 69.63         |
| TX173      | 64.89         | 60.56         |
| TX174      | 74.62         | 69.63         |
| TX175      | 60.94         | 56.88         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| TX177      | 64.15         | 59.86         |
| TX178      | 60.94         | 56.88         |
| TX183      | 60.94         | 56.88         |
| TX189      | 60.94         | 56.88         |
| TX193      | 73.18         | 68.32         |
| TX197      | 63.99         | 59.72         |
| TX201      | 60.94         | 56.88         |
| TX202      | 64.15         | 59.86         |
| TX206      | 64.89         | 60.56         |
| TX208      | 63.99         | 59.72         |
| TX210      | 63.99         | 59.72         |
| TX217      | 60.94         | 56.88         |
| TX224      | 64.15         | 59.86         |
| TX236      | 63.99         | 59.72         |
| TX242      | 60.94         | 56.88         |
| TX257      | 63.99         | 59.72         |
| TX259      | 83.25         | 77.71         |
| TX263      | 60.94         | 56.88         |
| TX264      | 83.25         | 77.71         |
| TX266      | 83.25         | 77.71         |
| TX272      | 60.94         | 56.88         |
| TX284      | 60.94         | 56.88         |
| TX298      | 60.94         | 56.88         |
| TX300      | 60.94         | 56.88         |
| TX302      | 74.62         | 69.63         |
| TX303      | 73.18         | 68.32         |
| TX309      | 60.94         | 56.88         |
| TX313      | 74.62         | 69.63         |
| TX322      | 83.25         | 77.71         |
| TX327      | 63.99         | 59.72         |
| TX330      | 60.94         | 56.88         |
| TX332      | 60.94         | 56.88         |
| TX335      | 60.94         | 56.88         |
| TX341      | 71.76         | 66.98         |
| TX343      | 73.18         | 68.32         |
| TX349      | 79.54         | 74.24         |
| TX350      | 73.18         | 68.32         |
| TX358      | 60.94         | 56.88         |
| TX372      | 60.94         | 56.88         |
| TX376      | 60.94         | 56.88         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| TX377      | 83.25         | 77.71         |
| TX378      | 61.09         | 57.01         |
| TX381      | 60.94         | 56.88         |
| TX392      | 85.36         | 79.68         |
| TX395      | 62.95         | 58.76         |
| TX396      | 60.94         | 56.88         |
| TX397      | 60.94         | 56.88         |
| TX421      | 60.94         | 56.88         |
| TX431      | 79.54         | 74.24         |
| TX432      | 70.73         | 66.00         |
| TX433      | 79.54         | 74.24         |
| TX434      | 85.36         | 79.68         |
| TX435      | 85.36         | 79.68         |
| TX436      | 85.36         | 79.68         |
| TX439      | 70.73         | 66.00         |
| TX440      | 75.51         | 70.49         |
| TX441      | 75.51         | 70.49         |
| TX444      | 63.99         | 59.72         |
| TX445      | 64.15         | 59.86         |
| TX447      | 64.15         | 59.86         |
| TX448      | 64.15         | 59.86         |
| TX449      | 60.94         | 56.88         |
| TX452      | 73.18         | 68.32         |
| TX454      | 60.94         | 56.88         |
| TX455      | 82.23         | 76.75         |
| TX456      | 72.96         | 68.10         |
| TX457      | 68.34         | 63.79         |
| TX458      | 63.99         | 59.72         |
| TX459      | 71.76         | 66.98         |
| TX461      | 64.83         | 60.52         |
| TX470      | 63.99         | 59.72         |
| TX472      | 63.99         | 59.72         |
| TX480      | 83.25         | 77.71         |
| TX481      | 63.99         | 59.72         |
| TX482      | 63.99         | 59.72         |
| TX483      | 75.51         | 70.49         |
| TX484      | 81.55         | 76.11         |
| TX485      | 60.94         | 56.88         |
| TX486      | 61.94         | 57.81         |
| TX488      | 60.94         | 56.88         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| TX493      | 85.36         | 79.68         |
| TX495      | 79.54         | 74.24         |
| TX497      | 64.15         | 59.86         |
| TX498      | 65.49         | 61.12         |
| TX499      | 63.99         | 59.72         |
| TX500      | 60.94         | 56.88         |
| TX505      | 75.51         | 70.49         |
| TX509      | 64.89         | 60.56         |
| TX511      | 60.94         | 56.88         |
| TX512      | 60.94         | 56.88         |
| TX514      | 63.99         | 59.72         |
| TX516      | 60.94         | 56.88         |
| TX519      | 60.94         | 56.88         |
| TX522      | 85.36         | 79.68         |
| TX523      | 65.49         | 61.12         |
| TX526      | 85.52         | 79.82         |
| TX533      | 85.36         | 79.68         |
| TX534      | 82.23         | 76.75         |
| TX535      | 60.94         | 56.88         |
| TX537      | 60.94         | 56.88         |
| TX542      | 63.99         | 59.72         |
| TX546      | 63.99         | 59.72         |
| TX559      | 85.36         | 79.68         |
| TX560      | 75.51         | 70.49         |
| TX901      | 75.51         | 70.49         |
| UT002      | 69.85         | 65.20         |
| UT003      | 69.85         | 65.20         |
| UT004      | 69.85         | 65.20         |
| UT006      | 74.57         | 69.59         |
| UT007      | 69.85         | 65.20         |
| UT009      | 69.85         | 65.20         |
| UT011      | 69.85         | 65.20         |
| UT014      | 84.82         | 79.16         |
| UT015      | 84.82         | 79.16         |
| UT016      | 84.82         | 79.16         |
| UT020      | 69.85         | 65.20         |
| UT021      | 71.94         | 67.15         |
| UT022      | 69.85         | 65.20         |
| UT025      | 69.85         | 65.20         |
| UT026      | 69.85         | 65.20         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| UT028      | 84.82         | 79.16         |
| UT029      | 84.82         | 79.16         |
| UT030      | 69.85         | 65.20         |
| UT031      | 74.57         | 69.59         |
| VA001      | 77.79         | 72.60         |
| VA002      | 62.62         | 58.44         |
| VA003      | 77.79         | 72.60         |
| VA004      | 114.69        | 107.05        |
| VA005      | 70.56         | 65.85         |
| VA006      | 77.79         | 72.60         |
| VA007      | 70.56         | 65.85         |
| VA010      | 59.70         | 55.72         |
| VA011      | 62.10         | 57.95         |
| VA012      | 77.79         | 72.60         |
| VA013      | 62.80         | 58.61         |
| VA014      | 62.80         | 58.61         |
| VA015      | 56.16         | 52.42         |
| VA016      | 78.90         | 73.64         |
| VA017      | 77.79         | 72.60         |
| VA018      | 56.16         | 52.42         |
| VA019      | 114.69        | 107.05        |
| VA020      | 70.56         | 65.85         |
| VA021      | 56.16         | 52.42         |
| VA022      | 57.09         | 53.27         |
| VA023      | 57.09         | 53.27         |
| VA024      | 56.16         | 52.42         |
| VA025      | 77.79         | 72.60         |
| VA028      | 114.69        | 107.05        |
| VA030      | 56.16         | 52.42         |
| VA031      | 62.62         | 58.44         |
| VA032      | 62.62         | 58.44         |
| VA034      | 56.16         | 52.42         |
| VA035      | 114.69        | 107.05        |
| VA036      | 78.90         | 73.64         |
| VA037      | 56.30         | 52.54         |
| VA038      | 56.16         | 52.42         |
| VA039      | 77.79         | 72.60         |
| VA040      | 56.16         | 52.42         |
| VA041      | 77.79         | 72.60         |
| VA042      | 62.62         | 58.44         |

| <b>PHA</b> | <b>A Rate</b> | <b>B Rate</b> |
|------------|---------------|---------------|
| VA044      | 57.06         | 53.26         |
| VA046      | 114.69        | 107.05        |
| VA901      | 70.56         | 65.85         |
| VQ901      | 97.78         | 91.26         |
| VT001      | 93.98         | 87.72         |
| VT002      | 82.48         | 76.98         |
| VT003      | 85.32         | 79.63         |
| VT004      | 84.47         | 78.84         |
| VT005      | 79.08         | 73.81         |
| VT006      | 93.98         | 87.72         |
| VT008      | 79.08         | 73.81         |
| VT009      | 79.93         | 74.60         |
| VT901      | 93.98         | 87.72         |
| WA001      | 101.38        | 94.60         |
| WA002      | 101.38        | 94.60         |
| WA003      | 89.54         | 83.57         |
| WA004      | 84.56         | 78.92         |
| WA005      | 86.08         | 80.36         |
| WA006      | 101.38        | 94.60         |
| WA007      | 69.02         | 64.42         |
| WA008      | 83.78         | 78.19         |
| WA011      | 101.38        | 94.60         |
| WA012      | 78.20         | 72.98         |
| WA013      | 78.47         | 73.23         |
| WA014      | 65.20         | 60.86         |
| WA017      | 67.21         | 62.73         |
| WA018      | 84.56         | 78.92         |
| WA020      | 69.02         | 64.42         |
| WA021      | 78.20         | 72.98         |
| WA024      | 99.35         | 92.71         |
| WA025      | 96.24         | 89.81         |
| WA036      | 89.54         | 83.57         |
| WA039      | 101.38        | 94.60         |
| WA042      | 81.31         | 75.88         |
| WA049      | 92.51         | 86.33         |
| WA054      | 86.08         | 80.36         |
| WA055      | 77.87         | 72.69         |
| WA057      | 84.54         | 78.90         |
| WA061      | 87.99         | 82.12         |
| WA064      | 80.07         | 74.72         |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| WA071 | 71.46  | 66.69  |
| WI001 | 66.42  | 61.99  |
| WI002 | 65.72  | 61.34  |
| WI003 | 73.14  | 68.27  |
| WI006 | 62.88  | 58.69  |
| WI011 | 55.85  | 52.12  |
| WI020 | 89.79  | 83.81  |
| WI031 | 54.95  | 51.28  |
| WI043 | 55.34  | 51.66  |
| WI045 | 54.95  | 51.28  |
| WI047 | 54.95  | 51.28  |
| WI048 | 54.95  | 51.28  |
| WI060 | 89.79  | 83.81  |
| WI064 | 60.98  | 56.92  |
| WI065 | 55.34  | 51.66  |
| WI068 | 55.85  | 52.12  |
| WI069 | 55.85  | 52.12  |
| WI070 | 54.95  | 51.28  |
| WI083 | 65.72  | 61.34  |
| WI085 | 54.95  | 51.28  |
| WI091 | 54.95  | 51.28  |
| WI096 | 54.95  | 51.28  |
| WI127 | 54.95  | 51.28  |
| WI131 | 54.95  | 51.28  |
| WI142 | 65.72  | 61.34  |
| WI160 | 54.95  | 51.28  |
| WI166 | 54.95  | 51.28  |
| WI183 | 60.04  | 56.03  |
| WI186 | 55.09  | 51.41  |
| WI193 | 54.95  | 51.28  |
| WI195 | 67.96  | 63.42  |
| WI201 | 65.72  | 61.34  |
| WI203 | 60.98  | 56.92  |
| WI204 | 55.85  | 52.12  |
| WI205 | 54.95  | 51.28  |
| WI206 | 54.95  | 51.28  |
| WI208 | 54.95  | 51.28  |
| WI213 | 55.34  | 51.66  |
| WI214 | 73.14  | 68.27  |

| PHA   | A Rate | B Rate |
|-------|--------|--------|
| WI218 | 65.72  | 61.34  |
| WI219 | 60.98  | 56.92  |
| WI221 | 54.95  | 51.28  |
| WI222 | 54.95  | 51.28  |
| WI231 | 54.95  | 51.28  |
| WI233 | 54.95  | 51.28  |
| WI237 | 55.97  | 52.24  |
| WI241 | 54.95  | 51.28  |
| WI242 | 54.95  | 51.28  |
| WI244 | 60.32  | 56.30  |
| WI245 | 54.95  | 51.28  |
| WI246 | 55.58  | 51.87  |
| WI248 | 54.95  | 51.28  |
| WI256 | 54.95  | 51.28  |
| WI901 | 54.95  | 51.28  |
| WV001 | 73.20  | 68.32  |
| WV003 | 59.05  | 55.11  |
| WV004 | 60.35  | 56.32  |
| WV005 | 57.93  | 54.07  |
| WV006 | 61.01  | 56.94  |
| WV009 | 61.66  | 57.55  |
| WV010 | 63.75  | 59.50  |
| WV015 | 57.93  | 54.07  |
| WV016 | 61.97  | 57.84  |
| WV017 | 57.70  | 53.86  |
| WV018 | 57.70  | 53.86  |
| WV027 | 58.91  | 54.99  |
| WV034 | 57.70  | 53.86  |
| WV035 | 58.91  | 54.99  |
| WV037 | 60.35  | 56.32  |
| WV039 | 57.93  | 54.07  |
| WV042 | 57.93  | 54.07  |
| WV045 | 57.70  | 53.86  |
| WY002 | 85.45  | 79.76  |
| WY003 | 68.38  | 63.83  |
| WY004 | 102.96 | 96.10  |
| WY013 | 68.38  | 63.83  |

[FR Doc. 2019-12385 Filed: 6/11/2019 8:45 am;  
Publication Date: 6/12/2019]