

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Ad
(1)	#1 Catwalk US	7	26 Deg S4 575w	F/L	 R119		
(2)	#1 Catwalk US	6	26 Deg S4 575w	F/L	 R119		
(3)	#1 Catwalk US	3	26 Deg S4 575w	F/L	 R119		
(4)	#1 Catwalk US	2	26 Deg S4 575w	F/L	 R119		
(5)	#1 Catwalk US	1	26 Deg S4 575w	F/L	 R119		
(6)	1st Electric	10	26 Deg S4 575w	F/L	 R119		
(7)	1st Electric	4	26 Deg S4 575w	F/L	 R119		
(8)	4th Electric	13	26 Deg S4 575w	F/L	 R119		
(9)	4th Electric	5	26 Deg S4 575w	F/L	 R119		
(11)	4th Electric	14	26 Deg S4 575w	BAX	 R132		
(12)	4th Electric	10	26 Deg S4 575w	BAX	 R132		
(13)	4th Electric	9	26 Deg S4 575w	BAX	 R132		
(14)	4th Electric	8	26 Deg S4 575w	BAX	 R132		
(15)	4th Electric	4	26 Deg S4 575w	BAX	 R132		
(16)	MS Truss	13	36 Deg S4 575w	BAX	 R132		
(17)	MS Truss	3	36 Deg S4 575w	BAX	 R132		
(18)	6th Electric	5	36 Deg S4 575w	BAX	 R132		
(19)	6th Electric	3	36 Deg S4 575w	BAX	 R132		
(21)	2nd Electric	19	36 Deg S4 575w	SIDE WM>	 L203+ R132		
(22)	2nd Electric	18	26 Deg S4 575w	SIDE WM>	 L203+ R132		
(23)	2nd Electric	16	26 Deg S4 575w	SIDE WM>	 L203+ R132		
(24)	2nd Electric	14	26 Deg S4 575w	SIDE WM>	 L203+ R132		
(25)	2nd Electric	11	26 Deg S4 575w	SIDE WM>	 L203+ R132		

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Ad
(26)	4th Electric	17	36 Deg S4 575w	SIDE WM>	 L203+ R132		
(27)	4th Electric	7	36 Deg S4 575w	SIDE WM>	 L203+ R132		
(30)	MS Truss	15	36 Deg S4 575w	SIDE WM>	 L203+ R132		
(31)	MS Truss	6	36 Deg S4 575w	SIDE WM>	 L203+ R132		
(41)	2nd Electric	9	26 Deg S4 575w	SIDE WM<	 L203+ R132		
(42)	2nd Electric	6	26 Deg S4 575w	SIDE WM<	 L203+ R132		
(43)	2nd Electric	4	26 Deg S4 575w	SIDE WM<	 L203+ R132		
(44)	2nd Electric	2	26 Deg S4 575w	SIDE WM<	 L203+ R132		
(45)	2nd Electric	1	36 Deg S4 575w	SIDE WM<	 L203+ R132		
(46)	4th Electric	12	36 Deg S4 575w	SIDE WM<	 L203+ R132		
(47)	4th Electric	2	36 Deg S4 575w	SIDE WM<	 L203+ R132		
(50)	MS Truss	10	36 Deg S4 575w	SIDE WM<	 L203+ R132		
(51)	MS Truss	2	36 Deg S4 575w	SIDE WM<	 L203+ R132		
(61)	3rd Electric	11	36 Deg S4 575w	SIDE CL>	 L161+ R132		
(62)	3rd Electric	10	26 Deg S4 575w	SIDE CL>	 L161+ R132		
(63)	3rd Electric	9	26 Deg S4 575w	SIDE CL>	 L161+ R132		
(64)	3rd Electric	8	26 Deg S4 575w	SIDE CL>	 L161+ R132		

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Ad
(65)	3rd Electric	7	26 Deg S4 575w	SIDE CL>	 L161+ R132		
(66)	4th Electric	16	36 Deg S4 575w	SIDE CL>	 L161+ R132		
(67)	4th Electric	6	36 Deg S4 575w	SIDE CL>	 L161+ R132		
(70)	MS Truss	14	36 Deg S4 575w	SIDE CL>	 L161+ R132		
(71)	MS Truss	5	36 Deg S4 575w	SIDE CL>	 L161+ R132		
(81)	3rd Electric	6	26 Deg S4 575w	SIDE CL<	 L161+ R132		
(82)	3rd Electric	5	26 Deg S4 575w	SIDE CL<	 L161+ R132		
(83)	3rd Electric	3	26 Deg S4 575w	SIDE CL<	 L161+ R132		
(84)	3rd Electric	2	26 Deg S4 575w	SIDE CL<	 L161+ R132		
(85)	3rd Electric	1	36 Deg S4 575w	SIDE CL<	 L161+ R132		
(86)	4th Electric	11	36 Deg S4 575w	SIDE CL<	 L161+ R132		
(87)	4th Electric	1	36 Deg S4 575w	SIDE CL<	 L161+ R132		
(90)	MS Truss	9	36 Deg S4 575w	SIDE CL<	 L161+ R132		
(91)	MS Truss	1	36 Deg S4 575w	SIDE CL<	 L161+ R132		
(101)	2nd Electric	15	ETC ColorSource PAR Medium Oval+ Light Acc C Clamp+6" Barndoor 90w	TOP LED	 LED		
(102)	2nd Electric	13	ETC ColorSource PAR Medium Oval+ Light Acc C Clamp+6" Barndoor 90w	TOP LED	 LED		
(103)	2nd Electric	10	ETC ColorSource PAR Medium Oval+ Light Acc C Clamp+6" Barndoor 90w	TOP LED	 LED		
(104)	2nd Electric	7	ETC ColorSource PAR Medium Oval+ Light Acc C Clamp+6" Barndoor 90w	TOP LED	 LED		

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Ad
(105)	2nd Electric	5	ETC ColorSource PAR Medium Oval+ Light Acc C Clamp+6" Barndoor 90w	TOP LED	 LED		
(106)	4th Electric	15	ETC ColorSource PAR Medium Oval+ Light Acc C Clamp+6" Barndoor 90w	TOP LED	 LED		
(107)	4th Electric	3	ETC ColorSource PAR Medium Oval+ Light Acc C Clamp+6" Barndoor 90w	TOP LED	 LED		
(108)	MS Truss	12	ETC ColorSource PAR Medium Oval+ Light Acc C Clamp+6" Barndoor 90w	TOP LED	 LED		
(109)	MS Truss	4	ETC ColorSource PAR Medium Oval+ Light Acc C Clamp+6" Barndoor 90w	TOP LED	 LED		
(110)	6th Electric	6	ETC ColorSource PAR Medium Oval+ Light Acc C Clamp+6" Barndoor 90w	TOP LED	 LED		
(111)	6th Electric	4	ETC ColorSource PAR Medium Oval+ Light Acc C Clamp+6" Barndoor 90w	TOP LED	 LED		
(112)	6th Electric	2	ETC ColorSource PAR Medium Oval+ Light Acc C Clamp+6" Barndoor 90w	TOP LED	 LED		
(121)	1st Electric	13	26 Deg S4 575w	DS SIDE>	 R80+ R132		
(122)	1st Electric	12	26 Deg S4 575w	DS SIDE>	 R80+ R132		
(123)	1st Electric	11	26 Deg S4 575w	DS SIDE>	 R80+ R132		
(124)	1st Electric	9	26 Deg S4 575w	DS SIDE>	 R80+ R132		
(125)	1st Electric	8	26 Deg S4 575w	DS SIDE>	 R80+ R132		
(131)	Under Balc Rail SR	1	26 Deg S4 575w	DS FILL NIGHT	 L161+ R132		
(141)	1st Electric	7	26 Deg S4 575w	DS SIDE<	 R80+ R132		
(142)	1st Electric	5	26 Deg S4 575w	DS SIDE<	 R80+ R132		
(143)	1st Electric	3	26 Deg S4 575w	DS SIDE<	 R80+ R132		
(144)	1st Electric	2	26 Deg S4 575w	DS SIDE<	 R80+ R132		
(145)	1st Electric	1	26 Deg S4 575w	DS SIDE<	 R80+ R132		

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Ad
(191)	1st Electric	6	19 Deg S4 575w	SP FRIDGE	 R132		
(192)	3rd Electric	4	19 Deg S4 575w	SP GANKA	 R132		
(193)	MS Truss	11	19 Deg S4 575w	SP TV	 R132		
(194)	SR BOOM 3	3	19 Deg S4 575w	SP BOOKSHELF	 R132		
(195)	MS Truss	7	19 Deg S4 575w	SP PLANT	 R132		
(201)	SET LX	1	Practical	CEILING LIGHT	 NC		
(202)	SET LX	2	Practical	CEILING LED	 LED		
(203)	DECK	1	Practical	FLOOR LAMP	 NC		
(204)	DECK	2	Practical	FLOOR LAMP LED	 LED		
(205)	SET LX	3	RGBW LED Tape 24w	SPACE SHIP	 LED		
(206)	SET LX	5	RGBW LED Tape 24w	SPACE SHIP	 LED		
(207)	SET LX	6	RGBW LED Tape 24w	SPACE SHIP	 LED		
(208)	SET LX	4	RGBW LED Tape 24w	SPACE SHIP	 LED		
(210)	DECK	4	S4 PAR MFL 575w	SASHA SP	 L202		
(211)	SR BOOM 1	8	26 Deg S4 575w	SHIN>	 R21+ R132		
(212)	SR BOOM 2	8	50 Deg S4 575w	SHIN>	 R21+ R132		
(213)	SR BOOM 3	8	26 Deg S4 575w	SHIN>	 R21+ R132		
(214)	SL BOOM 1	8	26 Deg S4 575w	SHIN<	 R21+ R132		
(215)	SL BOOM 2	8	50 Deg S4 575w	SHIN<	 R21+ R132		

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Ad
(216)	SL BOOM 3	8	26 Deg S4 575w	SHIN<	 R21+ R132		
(217)	DECK	3	Practical	TV	 NC		
(221)	SR BOOM 1	7	26 Deg S4 575w	MID>	 L161+ R132		
(222)	SR BOOM 2	7	50 Deg S4 575w	MID>	 L161+ R132		
(223)	SR BOOM 3	7	26 Deg S4 575w	MID>	 L161+ R132		
(224)	SL BOOM 1	7	26 Deg S4 575w	MID<	 L161+ R132		
(225)	SL BOOM 2	7	50 Deg S4 575w	MID<	 L161+ R132		
(226)	SL BOOM 3	7	26 Deg S4 575w	MID<	 L161+ R132		
(231)	SR BOOM 1	6	Forerunner Scroller	HH>	 Blackside of the Moon		
	"	"	S4 PAR MFL 575w	"	 NC		
(232)	SR BOOM 2	6	Forerunner Scroller	HH>	 Blackside of the Moon		
	"	"	S4 PAR MFL 575w	"	 NC		
(233)	SR BOOM 3	6	Forerunner Scroller	HH>	 Blackside of the Moon		
	"	"	S4 PAR MFL 575w	"	 NC		
(234)	SL BOOM 1	6	Forerunner Scroller	HH<	 Blackside of the Moon		
	"	"	S4 PAR MFL 575w	"	 NC		
(235)	SL BOOM 2	6	Forerunner Scroller	HH<	 Blackside of the Moon		
	"	"	S4 PAR MFL 575w	"	 NC		
(236)	SL BOOM 3	6	Forerunner Scroller	HH<	 Blackside of the Moon		
	"	"	S4 PAR MFL 575w	"	 NC		
(251)	Balcony Rail SR	1	ETC Source4 LEDLS 50deg+ Light Acc C Clamp 117w	SHIP DIAG>	 R119		

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Ad
(252)	Balcony Rail SL	1	ETC Source4 LEDLS 50deg+ Light Acc C Clamp 117w	SHIP DIAG<	 R119		
(253)	6th Electric	7	ETC Source4 LEDLS 50deg+ Light Acc C Clamp 117w	SHIP DIAG BAX>	 R119		
(254)	6th Electric	1	ETC Source4 LEDLS 50deg+ Light Acc C Clamp 117w	SHIP DIAG BAX<	 R119		
(255)	SR BOOM 2	5	ETC Source4 LEDLS 36deg 117w	SHIP SIDE LED>	 R119		
(256)	SL BOOM 2	5	ETC Source4 LEDLS 36deg 117w	SHIP SIDE LED<	 R119		
(301)	2nd Electric	8	50 Deg S4 575w	ROOF F/L	 L203+ R132		
(302)	2nd Electric	12	50 Deg S4 575w	ROOF F/L	 L203+ R132		
(303)	5th Electric	3	50 Deg S4 575w	ROOF SIDE>	 R80+ R132		
(304)	5th Electric	1	50 Deg S4 575w	ROOF SIDE<	 R80+ R132		
(305)	MS Truss	8	50 Deg S4 575w	ROOF BAX	 R132		
(311)	SR BOOM 2	3	26 Deg S4 575w	ROOF SHIN>	 L161+ R132		
(312)	SL BOOM 2	3	26 Deg S4 575w	ROOF SHIN<	 L161+ R132		
(321)	SR BOOM 2	2	26 Deg S4 575w	ROOF MID>	 R21+ R132		
(322)	SL BOOM 2	2	26 Deg S4 575w	ROOF MID<	 R21+ R132		
(332)	SL BOOM 2	1	26 Deg S4 575w	ROOF HH<	 L110+ R132		
(351)	SR BOOM 1	5	36 Deg S4 575w	MM2 SHIP INT TEMP	 L728+R132, T:TBD		
(352)	SR BOOM 1	1	36 Deg S4 575w	MM2 SHIP EXT TEMP	 L200+R132, T:TBD		

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Ad
(353)	SL BOOM 2	4	26 Deg S4 575w	MM2 SHIP WINDOW	 R132		
(361)	Under Balc Rail SR	2	50 Deg S4 575w	MM3 SHIP INT TEMP	 L728+R132, T:TBD		
(362)	SL BOOM 1	3	26 Deg S4 575w	MM3 SHIP BALCONY	 R132		
(363)	SL BOOM 3	3	26 Deg S4 575w	MM3 BAX	 R21+ R132		
(371)	Balcony Rail Ctr	3	S4 14 575w	MM4 SHIP INT TEMP	 L728+R132, T:TBD		
(381)	#1 Catwalk US	5	36 Deg S4 575w	MM6 F/L	 L203+ R119		
(382)	Balcony Rail Ctr	4	S4 14 575w	MM6 SHIP INT TEMP	 L728+R132, T:TBD		
(383)	Balcony Rail Ctr	2	S4 14 575w	MM6 SHIP INT TEMP	 L728+R132, T:TBD		
(384)	SR BOOM 2	1	26 Deg S4 575w	MM6 SHIP WINDOW>	 R132		
(385)	SL BOOM 3	1	26 Deg S4 575w	MM6 BALC BAX	 R21		
(391)	Balcony Rail Ctr	6	19 Deg S4 575w	POD F/L	 R132		
(392)	Balcony Rail Ctr	5	19 Deg S4 575w	POD F/L	 R132		
(393)	Balcony Rail Ctr	1	19 Deg S4 575w	POD F/L	 R132		
(394)	#2 Catwalk US	1	26 Deg S4 575w	POF CL F/L	 L161+ R132		
(395)	#2 Catwalk US	2	26 Deg S4 575w	POF CL F/L	 L161+ R132		
(396)	#2 Catwalk US	3	26 Deg S4 575w	POF CL F/L	 L161+ R132		
(401)	#1 Catwalk DS Low	1	Martin MAC Viper Performance 1,225w	MOVER SPOT	 LED		

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Ad
(402)	2nd Electric	17	Martin MAC Viper Performance 1,225w	MOVER SPOT	 LED		
(403)	2nd Electric	3	Martin MAC Viper Performance 1,225w	MOVER SPOT	 LED		
(404)	5th Electric	2	Martin MAC Viper Performance 1,225w	MOVER SPOT	 LED		
(411)	#1 Catwalk US	4	19 Deg S4 575w	IQ	 L203+ R132		
	"	"	DMX Iris	"			
	"	"	IQ Mirror 35w	"			
(420)	UNDER DECK	1	Look Solutions Viper 2.6 2.6kW	FOGGER			
(421)	SL GALLERY	1	Radiance Hazer	HAZER			