





MKTG 2018

Concert Lighting Package


Overall PM: Eric Wenzel
Concert PM: John Vasquez






Scale: 1/4" = 1'-0"
Light Plot Overall

5



Concert Key To Instrumentation

LEKOS		
	S4 36 Deg LED Profile	8
WASH		
	GLP Impression X4	15
BEAM		
	Clay Paky Sharpy	9
PROFILE		
	Martin MAC2000 Profile	17
	Varilite VL 3000 Spot	10
	Robe Robin BMFL Blade	8
FOLLOW SPOTS		
	PRG GC Bad Boy Spot	2
STRIPS		
	Color Force 48 m3	17
SFX		
	GLP JDC1 Strobe	8
	Base Hazer Pro	2



	Design Firm	23161 Antonio Parkway Reno, CA 92568 Phone (949) 460-2070 Fax (949) 460-2077 www.briteideaslighting.com	Project Title	MKTG 2018	Project Manager	ERIC WENZEL	Project ID	TBP
	Client	GREG CHRISTY	Drawn By	ECM	Drawn By	ECM	Drawn By	N/A
	Checked By		Checked By	EW	Checked By	EW	Checked By	
	Scale		Scale		Scale		Scale	

MKTG 2018 - Concert

Page 1 of 6

5/25/18

CHANNEL HOOKUP

Overall PM: Eric Wenzel
Concert PM: John Vasquez

Venue: West Hall AB @ LA Convention Center
Show Dates: 05/29 - 06/01/2018

CHAN	ADDRES	INST TYPE	POSITIO	U#	FIXTURE MODE	CKT NAME & CIR#
(101)	1/1	S4 36 Deg LED Profile	TRUSS L2	3	Quick High Impact 6Ch	405--4
(102)	1/7	S4 36 Deg LED Profile	TRUSS L2	6	Quick High Impact 6Ch	405--4
(103)	1/13	S4 36 Deg LED Profile	TRUSS L2	8	Quick High Impact 6Ch	405--4
(104)	1/19	S4 36 Deg LED Profile	TRUSS L2	10	Quick High Impact 6Ch	405--4
(105)	1/25	S4 36 Deg LED Profile	TRUSS L2	14	Quick High Impact 6Ch	405--4
(106)	1/31	S4 36 Deg LED Profile	TRUSS L2	16	Quick High Impact 6Ch	405--4
(107)	1/37	S4 36 Deg LED Profile	TRUSS L2	18	Quick High Impact 6Ch	405--4
(108)	1/43	S4 36 Deg LED Profile	TRUSS L2	21	Quick High Impact 6Ch	405--4
(201)	1/49	GLP Impression X4	TRUSS L2	5	Mode 3 Extended 21Ch	405--5
(202)	1/70	GLP Impression X4	TRUSS L2	7	Mode 3 Extended 21Ch	405--5
(203)	1/91	GLP Impression X4	TRUSS L2	9	Mode 3 Extended 21Ch	405--5
(204)	1/112	GLP Impression X4	TRUSS L2	12	Mode 3 Extended 21Ch	405--6
(205)	1/133	GLP Impression X4	TRUSS L2	15	Mode 3 Extended 21Ch	405--6
(206)	1/154	GLP Impression X4	TRUSS L2	17	Mode 3 Extended 21Ch	405--6
(207)	1/175	GLP Impression X4	TRUSS L2	19	Mode 3 Extended 21Ch	405--6
(208)	8/1	GLP Impression X4	STAGE DECK	1	Mode 3 Extended 21Ch	504--2

CHANNEL HOOKUP

CHAN	ADDRES	INST TYPE	POSITIO	U#	FIXTURE MODE	CKT NAME & CIR#
(209)	8/22	GLP Impression X4	STAGE DECK	2	Mode 3 Extended 21Ch	504--2
(210)	8/43	GLP Impression X4	STAGE DECK	3	Mode 3 Extended 21Ch	504--2
(211)	8/64	GLP Impression X4	STAGE DECK	4	Mode 3 Extended 21Ch	504--2
(212)	8/85	GLP Impression X4	STAGE DECK	5	Mode 3 Extended 21Ch	504--3
(213)	8/106	GLP Impression X4	STAGE DECK	6	Mode 3 Extended 21Ch	504--3
(214)	8/127	GLP Impression X4	STAGE DECK	7	Mode 3 Extended 21Ch	504--3
(215)	8/148	GLP Impression X4	STAGE DECK	8	Mode 3 Extended 21Ch	504--3
(301)	6/1	Clay Paky Sharpy	TRUSS Q	2	Vector Mode 20Ch	406--6
(302)	6/21	Clay Paky Sharpy	TRUSS Q	4	Vector Mode 20Ch	406--6
(303)	6/41	Clay Paky Sharpy	TRUSS Q	6	Vector Mode 20Ch	406--6
(304)	6/61	Clay Paky Sharpy	TRUSS Q	8	Vector Mode 20Ch	406--6
(305)	6/81	Clay Paky Sharpy	TRUSS Q	9	Vector Mode 20Ch	406--6
(306)	6/101	Clay Paky Sharpy	TRUSS Q	10	Vector Mode 20Ch	407--6
(307)	6/121	Clay Paky Sharpy	TRUSS Q	12	Vector Mode 20Ch	407--6
(308)	6/141	Clay Paky Sharpy	TRUSS Q	14	Vector Mode 20Ch	407--6
(309)	6/161	Clay Paky Sharpy	TRUSS Q	16	Vector Mode 20Ch	407--6
(401)	1/196	Robe Robin BMFL Blade	TRUSS L2	1	Mode2 Reduced 42Ch	404--1
(402)	1/238	Robe Robin BMFL Blade	TRUSS L2	11	Mode2 Reduced 42Ch	405--1
(403)	1/280	Robe Robin BMFL Blade	TRUSS L2	13	Mode2 Reduced 42Ch	405--3

CHANNEL HOOKUP

CHAN	ADDRES	INST TYPE	POSITIO	U#	FIXTURE MODE	CKT NAME & CIR#
(404)	1/322	Robe Robin BMFL Blade	TRUSS L2	23	Mode2 Reduced 42Ch	404--5
(405)	6/181	Robe Robin BMFL Blade	TRUSS Q	3	Mode2 Reduced 42Ch	406--1
(406)	6/223	Robe Robin BMFL Blade	TRUSS Q	7	Mode2 Reduced 42Ch	406--2
(407)	6/265	Robe Robin BMFL Blade	TRUSS Q	11	Mode2 Reduced 42Ch	407--3
(408)	6/307	Robe Robin BMFL Blade	TRUSS Q	15	Mode2 Reduced 42Ch	407--5
(501)	1/364	GLP JDC1 Strobe	TRUSS L2	4	23Ch	404--3
(502)	1/387	GLP JDC1 Strobe	TRUSS L2	20	23Ch	404--4
(503)	4/1	GLP JDC1 Strobe	TRUSS O	5	23Ch	403--5
(504)	5/1	GLP JDC1 Strobe	TRUSS P	2	23Ch	403--2
(505)	6/349	GLP JDC1 Strobe	TRUSS Q	1	23Ch	406--3
(506)	6/372	GLP JDC1 Strobe	TRUSS Q	5	23Ch	406--4
(507)	6/395	GLP JDC1 Strobe	TRUSS Q	13	23Ch	407--1
(508)	6/418	GLP JDC1 Strobe	TRUSS Q	17	23Ch	407--2
(601)	9/1	MAC2000 Profile	GROUND DS	1	16-Bit 24Ch	501--1
(602)	9/25	MAC2000 Profile	GROUND DS	2	16-Bit 24Ch	501--2
(603)	9/49	MAC2000 Profile	GROUND DS	3	16-Bit 24Ch	501--3

CHANNEL HOOKUP

CHAN	ADDRES	INST TYPE	POSITIO	U#	FIXTURE MODE	CKT NAME & CIR#
(604)	9/73	MAC2000 Profile	GROUND DS	4	16-Bit 24Ch	501--4
(605)	9/97	MAC2000 Profile	GROUND DS	5	16-Bit 24Ch	501--5
(606)	9/121	MAC2000 Profile	GROUND DS	6	16-Bit 24Ch	502--2
(607)	9/145	MAC2000 Profile	GROUND DS	7	16-Bit 24Ch	502--3
(608)	9/169	MAC2000 Profile	GROUND DS	8	16-Bit 24Ch	502--4
(609)	9/193	MAC2000 Profile	GROUND DS	9	16-Bit 24Ch	502--5
(610)	9/217	MAC2000 Profile	GROUND DS	10	16-Bit 24Ch	502--6
(611)	10/1	MAC2000 Profile	GROUND US	1	16-Bit 24Ch	503--1
(612)	10/25	MAC2000 Profile	GROUND US	2	16-Bit 24Ch	503--2
(613)	10/49	MAC2000 Profile	GROUND US	3	16-Bit 24Ch	503--3
(614)	10/73	MAC2000 Profile	GROUND US	4	16-Bit 24Ch	503--4
(615)	10/97	MAC2000 Profile	GROUND US	5	16-Bit 24Ch	503--5
(616)	10/121	MAC2000 Profile	GROUND US	6	16-Bit 24Ch	503--6
(617)	10/145	MAC2000 Profile	GROUND US	7	16-Bit 24Ch	503--7
(701)	4/24	Color Force 48 m3	TRUSS 0	1	12xHSI 24Ch	403--6
(702)	4/48	Color Force 48 m3	TRUSS 0	2	12xHSI 24Ch	403--6

CHANNEL HOOKUP

CHAN	ADDRES	INST TYPE	POSITIO	U#	FIXTURE MODE	CKT NAME & CIR#
(703)	4/72	Color Force 48 m3	TRUSS O	3	12xHSI 24Ch	403--6
(704)	4/96	Color Force 48 m3	TRUSS O	4	12xHSI 24Ch	403--4
(705)	4/120	Color Force 48 m3	TRUSS O	6	12xHSI 24Ch	403--4
(706)	5/24	Color Force 48 m3	TRUSS P	1	12xHSI 24Ch	403--1
(707)	5/48	Color Force 48 m3	TRUSS P	3	12xHSI 24Ch	403--1
(708)	5/72	Color Force 48 m3	TRUSS P	4	12xHSI 24Ch	403--3
(709)	5/96	Color Force 48 m3	TRUSS P	5	12xHSI 24Ch	403--3
(710)	5/120	Color Force 48 m3	TRUSS P	6	12xHSI 24Ch	403--3
(711)	7/1	Color Force 48 m3	SUMNER TRUSS	1	12xHSI 24Ch	504--4
(712)	7/25	Color Force 48 m3	SUMNER TRUSS	2	12xHSI 24Ch	504--4
(713)	7/49	Color Force 48 m3	SUMNER TRUSS	3	12xHSI 24Ch	504--4
(714)	7/73	Color Force 48 m3	SUMNER TRUSS	4	12xHSI 24Ch	504--4
(715)	7/97	Color Force 48 m3	SUMNER TRUSS	5	12xHSI 24Ch	504--6
(716)	7/121	Color Force 48 m3	SUMNER TRUSS	6	12xHSI 24Ch	504--6
(717)	7/145	Color Force 48 m3	SUMNER TRUSS	7	12xHSI 24Ch	504--6
(801)	1/410	PRG GC Bad Boy Spot	TRUSS L2	2	Mode Standard 42Ch	404--2

CHANNEL HOOKUP

CHAN	ADDRES	INST TYPE	POSITIO	U#	FIXTURE MODE	CKT NAME & CIR#
(802)	1/452	PRG GC Bad Boy Spot	TRUSS L2	22	Mode Standard 42Ch	404--6
(901)	2/1	VL 3000 Spot	TRUSS M	1	Enhanced 16-Bit Mode 28Ch	402--2
	11/1	Base Hazer Pro	DECK	1	Mode 12Ch	
	11/1	Base Hazer Pro	DECK	2	Mode 12Ch	
(902)	2/29	VL 3000 Spot	TRUSS M	2	Enhanced 16-Bit Mode 28Ch	402--3
(903)	2/57	VL 3000 Spot	TRUSS M	3	Enhanced 16-Bit Mode 28Ch	402--4
(904)	2/85	VL 3000 Spot	TRUSS M	4	Enhanced 16-Bit Mode 28Ch	402--5
(905)	2/113	VL 3000 Spot	TRUSS M	5	Enhanced 16-Bit Mode 28Ch	402--6
(906)	3/1	VL 3000 Spot	TRUSS N	1	Enhanced 16-Bit Mode 28Ch	401--1
(907)	3/29	VL 3000 Spot	TRUSS N	2	Enhanced 16-Bit Mode 28Ch	401--2
(908)	3/57	VL 3000 Spot	TRUSS N	3	Enhanced 16-Bit Mode 28Ch	401--3
(909)	3/85	VL 3000 Spot	TRUSS N	4	Enhanced 16-Bit Mode 28Ch	401--4
(910)	3/113	VL 3000 Spot	TRUSS N	5	Enhanced 16-Bit Mode 28Ch	401--5



MKTG 2018 - Concert

5/25/18

INSTRUMENT SCHEDULE

Overall PM: Eric Wenzel
Concert PM: John Vasquez

Venue: West Hall AB @ LA Convention Center
Show Dates: 05/29 - 06/01/2018

TABLE OF CONTENTS

TRUSS L2	1	TRUSS Q	5
TRUSS M	3	SUMNER TRUSS	6
TRUSS N	3	STAGE DECK	7
TRUSS O	4	GROUND DS	8
TRUSS P	4	GROUND US	8
		DECK	9

MKTG 2018 - Concert

INSTRUMENT SCHEDULE

Overall PM: Eric Wenzel
Concert PM: John Vasquez

Venue: West Hall AB @ LA Convention Center
Show Dates: 05/29 - 06/01/2018

TRUSS L2

UNIT	INSTRUMENT	CHAN	ADDR	FIXTURE MODE	LOAD	CKT NAME & CIR#
1	Robe Robin BMFL Blade	(401)	1/196	Mode2 Reduced 42Ch	2kW	404--1
2	PRG GC Bad Boy Spot	(801)	1/410	Mode Standard 42Ch	1.4kW	404--2
3	S4 36 Deg LED Profile	(101)	1/1	Quick High Impact 6Ch	200w	405--4
4	GLP JDC1 Strobe	(501)	1/364	23Ch	1.2kW	404--3
5	GLP Impression X4	(201)	1/49	Mode 3 Extended 21Ch	350w	405--5
6	S4 36 Deg LED Profile	(102)	1/7	Quick High Impact 6Ch	200w	405--4
7	GLP Impression X4	(202)	1/70	Mode 3 Extended 21Ch	350w	405--5
8	S4 36 Deg LED Profile	(103)	1/13	Quick High Impact 6Ch	200w	405--4
9	GLP Impression X4	(203)	1/91	Mode 3 Extended 21Ch	350w	405--5
10	S4 36 Deg LED Profile	(104)	1/19	Quick High Impact 6Ch	200w	405--4
11	Robe Robin BMFL Blade	(402)	1/238	Mode2 Reduced 42Ch	2kW	405--1
12	GLP Impression X4	(204)	1/112	Mode 3 Extended 21Ch	350w	405--6
13	Robe Robin BMFL Blade	(403)	1/280	Mode2 Reduced 42Ch	2kW	405--3

MKTG 2018 - Concert

INSTRUMENT SCHEDULE

TRUSS L2

UNIT	INSTRUMENT	CHAN	ADDR	FIXTURE MODE	LOAD	CKT NAME & CIR#
14	S4 36 Deg LED Profile	(105)	1/25	Quick High Impact 6Ch	200w	405--4
15	GLP Impression X4	(205)	1/133	Mode 3 Extended 21Ch	350w	405--6
16	S4 36 Deg LED Profile	(106)	1/31	Quick High Impact 6Ch	200w	405--4
17	GLP Impression X4	(206)	1/154	Mode 3 Extended 21Ch	350w	405--6
18	S4 36 Deg LED Profile	(107)	1/37	Quick High Impact 6Ch	200w	405--4
19	GLP Impression X4	(207)	1/175	Mode 3 Extended 21Ch	350w	405--6
20	GLP JDC1 Strobe	(502)	1/387	23Ch	1.2kW	404--4
21	S4 36 Deg LED Profile	(108)	1/43	Quick High Impact 6Ch	200w	405--4
22	PRG GC Bad Boy Spot	(802)	1/452	Mode Standard 42Ch	1.4kW	404--6
23	Robe Robin BMFL Blade	(404)	1/322	Mode2 Reduced 42Ch	2kW	404--5

MKTG 2018 - Concert

INSTRUMENT SCHEDULE

TRUSS M

<u>UNIT</u>	<u>INSTRUMENT</u>	<u>CHAN</u>	<u>ADDR</u>	<u>FIXTURE MODE</u>	<u>LOAD</u>	<u>CKT NAME & CIR#</u>
1	VL 3000 Spot	(901)	2/1	Enhanced 16-Bit Mode 28Ch	1.2kW	402--2
2	VL 3000 Spot	(902)	2/29	Enhanced 16-Bit Mode 28Ch	1.2kW	402--3
3	VL 3000 Spot	(903)	2/57	Enhanced 16-Bit Mode 28Ch	1.2kW	402--4
4	VL 3000 Spot	(904)	2/85	Enhanced 16-Bit Mode 28Ch	1.2kW	402--5
5	VL 3000 Spot	(905)	2/113	Enhanced 16-Bit Mode 28Ch	1.2kW	402--6

TRUSS N

<u>UNIT</u>	<u>INSTRUMENT</u>	<u>CHAN</u>	<u>ADDR</u>	<u>FIXTURE MODE</u>	<u>LOAD</u>	<u>CKT NAME & CIR#</u>
1	VL 3000 Spot	(906)	3/1	Enhanced 16-Bit Mode 28Ch	1.2kW	401--1
2	VL 3000 Spot	(907)	3/29	Enhanced 16-Bit Mode 28Ch	1.2kW	401--2
3	VL 3000 Spot	(908)	3/57	Enhanced 16-Bit Mode 28Ch	1.2kW	401--3
4	VL 3000 Spot	(909)	3/85	Enhanced 16-Bit Mode 28Ch	1.2kW	401--4
5	VL 3000 Spot	(910)	3/113	Enhanced 16-Bit Mode 28Ch	1.2kW	401--5

MKTG 2018 - Concert

INSTRUMENT SCHEDULE

TRUSS O

<u>UNIT</u>	<u>INSTRUMENT</u>	<u>CHAN</u>	<u>ADDR</u>	<u>FIXTURE MODE</u>	<u>LOAD</u>	<u>CKT NAME & CIR#</u>
1	Color Force 48 m3	(701)	4/24	12xHSI 24Ch	480w	403--6
2	Color Force 48 m3	(702)	4/48	12xHSI 24Ch	480w	403--6
3	Color Force 48 m3	(703)	4/72	12xHSI 24Ch	480w	403--6
4	Color Force 48 m3	(704)	4/96	12xHSI 24Ch	480w	403--4
5	GLP JDC1 Strobe	(503)	4/1	23Ch	1.2kW	403--5
6	Color Force 48 m3	(705)	4/120	12xHSI 24Ch	480w	403--4

TRUSS P

<u>UNIT</u>	<u>INSTRUMENT</u>	<u>CHAN</u>	<u>ADDR</u>	<u>FIXTURE MODE</u>	<u>LOAD</u>	<u>CKT NAME & CIR#</u>
1	Color Force 48 m3	(706)	5/24	12xHSI 24Ch	480w	403--1
2	GLP JDC1 Strobe	(504)	5/1	23Ch	1.2kW	403--2
3	Color Force 48 m3	(707)	5/48	12xHSI 24Ch	480w	403--1
4	Color Force 48 m3	(708)	5/72	12xHSI 24Ch	480w	403--3
5	Color Force 48 m3	(709)	5/96	12xHSI 24Ch	480w	403--3
6	Color Force 48 m3	(710)	5/120	12xHSI 24Ch	480w	403--3

MKTG 2018 - Concert

INSTRUMENT SCHEDULE

TRUSS Q

UNIT	INSTRUMENT	CHAN	ADDR	FIXTURE MODE	LOAD	CKT NAME & CIR#
1	GLP JDC1 Strobe	(505)	6/349	23Ch	1.2kW	406--3
2	Clay Paky Sharpy	(301)	6/1	Vector Mode 20Ch	189w	406--6
3	Robe Robin BMFL Blade	(405)	6/181	Mode2 Reduced 42Ch	2kW	406--1
4	Clay Paky Sharpy	(302)	6/21	Vector Mode 20Ch	189w	406--6
5	GLP JDC1 Strobe	(506)	6/372	23Ch	1.2kW	406--4
6	Clay Paky Sharpy	(303)	6/41	Vector Mode 20Ch	189w	406--6
7	Robe Robin BMFL Blade	(406)	6/223	Mode2 Reduced 42Ch	2kW	406--2
8	Clay Paky Sharpy	(304)	6/61	Vector Mode 20Ch	189w	406--6
9	Clay Paky Sharpy	(305)	6/81	Vector Mode 20Ch	189w	406--6
10	Clay Paky Sharpy	(306)	6/101	Vector Mode 20Ch	189w	407--6
11	Robe Robin BMFL Blade	(407)	6/265	Mode2 Reduced 42Ch	2kW	407--3
12	Clay Paky Sharpy	(307)	6/121	Vector Mode 20Ch	189w	407--6
13	GLP JDC1 Strobe	(507)	6/395	23Ch	1.2kW	407--1
14	Clay Paky Sharpy	(308)	6/141	Vector Mode 20Ch	189w	407--6

MKTG 2018 - Concert

INSTRUMENT SCHEDULE

TRUSS Q

<u>UNIT</u>	<u>INSTRUMENT</u>	<u>CHAN</u>	<u>ADDR</u>	<u>FIXTURE MODE</u>	<u>LOAD</u>	<u>CKT NAME & CIR#</u>
15	Robe Robin BMFL Blade	(408)	6/307	Mode2 Reduced 42Ch	2kW	407--5
16	Clay Paky Sharpy	(309)	6/161	Vector Mode 20Ch	189w	407--6
17	GLP JDC1 Strobe	(508)	6/418	23Ch	1.2kW	407--2

SUMNER TRUSS

<u>UNIT</u>	<u>INSTRUMENT</u>	<u>CHAN</u>	<u>ADDR</u>	<u>FIXTURE MODE</u>	<u>LOAD</u>	<u>CKT NAME & CIR#</u>
1	Color Force 48 m3	(711)	7/1	12xHSI 24Ch	480w	504--4
2	Color Force 48 m3	(712)	7/25	12xHSI 24Ch	480w	504--4
3	Color Force 48 m3	(713)	7/49	12xHSI 24Ch	480w	504--4
4	Color Force 48 m3	(714)	7/73	12xHSI 24Ch	480w	504--4
5	Color Force 48 m3	(715)	7/97	12xHSI 24Ch	480w	504--6
6	Color Force 48 m3	(716)	7/121	12xHSI 24Ch	480w	504--6
7	Color Force 48 m3	(717)	7/145	12xHSI 24Ch	480w	504--6

MKTG 2018 - Concert

INSTRUMENT SCHEDULE

STAGE DECK

UNIT	INSTRUMENT	CHAN	ADDR	FIXTURE MODE	LOAD	CKT NAME & CIR#
1	GLP Impression X4	(208)	8/1	Mode 3 Extended 21Ch	350w	504--2
2	GLP Impression X4	(209)	8/22	Mode 3 Extended 21Ch	350w	504--2
3	GLP Impression X4	(210)	8/43	Mode 3 Extended 21Ch	350w	504--2
4	GLP Impression X4	(211)	8/64	Mode 3 Extended 21Ch	350w	504--2
5	GLP Impression X4	(212)	8/85	Mode 3 Extended 21Ch	350w	504--3
6	GLP Impression X4	(213)	8/106	Mode 3 Extended 21Ch	350w	504--3
7	GLP Impression X4	(214)	8/127	Mode 3 Extended 21Ch	350w	504--3
8	GLP Impression X4	(215)	8/148	Mode 3 Extended 21Ch	350w	504--3

MKTG 2018 - Concert

INSTRUMENT SCHEDULE

GROUND DS

UNIT	INSTRUMENT	CHAN	ADDR	FIXTURE MODE	LOAD	CKT NAME & CIR#
1	MAC2000 Profile	(601)	9/1	16-Bit 24Ch	1.2kW	501--1
2	MAC2000 Profile	(602)	9/25	16-Bit 24Ch	1.2kW	501--2
3	MAC2000 Profile	(603)	9/49	16-Bit 24Ch	1.2kW	501--3
4	MAC2000 Profile	(604)	9/73	16-Bit 24Ch	1.2kW	501--4
5	MAC2000 Profile	(605)	9/97	16-Bit 24Ch	1.2kW	501--5
6	MAC2000 Profile	(606)	9/121	16-Bit 24Ch	1.2kW	502--2
7	MAC2000 Profile	(607)	9/145	16-Bit 24Ch	1.2kW	502--3
8	MAC2000 Profile	(608)	9/169	16-Bit 24Ch	1.2kW	502--4
9	MAC2000 Profile	(609)	9/193	16-Bit 24Ch	1.2kW	502--5
10	MAC2000 Profile	(610)	9/217	16-Bit 24Ch	1.2kW	502--6

GROUND US

UNIT	INSTRUMENT	CHAN	ADDR	FIXTURE MODE	LOAD	CKT NAME & CIR#
1	MAC2000 Profile	(611)	10/1	16-Bit 24Ch	1.2kW	503--1
2	MAC2000 Profile	(612)	10/25	16-Bit 24Ch	1.2kW	503--2
3	MAC2000 Profile	(613)	10/49	16-Bit 24Ch	1.2kW	503--3
4	MAC2000 Profile	(614)	10/73	16-Bit 24Ch	1.2kW	503--4
5	MAC2000 Profile	(615)	10/97	16-Bit 24Ch	1.2kW	503--5
6	MAC2000 Profile	(616)	10/121	16-Bit 24Ch	1.2kW	503--6
7	MAC2000 Profile	(617)	10/145	16-Bit 24Ch	1.2kW	503--7

MKTG 2018 - Concert

INSTRUMENT SCHEDULE

DECK

<u>UNIT</u>	<u>INSTRUMENT</u>	<u>CHAN</u>	<u>ADDR</u>	<u>FIXTURE MODE</u>	<u>LOAD</u>	<u>CKT NAME & CIR#</u>
1	Base Hazer Pro	(901)	11/1	Mode 1 2Ch	675w	
2	Base Hazer Pro	(901)	11/1	Mode 1 2Ch	675w	

MKTG 2018 - Concert

DMX ADDRESS HOOKUP

Overall PM: Eric Wenzel
Concert PM: John Vasquez

Venue: West Hall AB @ LA Convention Center
Show Dates: 05/29 - 06/01/2018

<u>ADDRESS</u>	<u>CHAN</u>	<u>INSTRUMENT TYPE</u>	<u>FIXTURE MODE</u>	<u>POSITION</u>	<u>U#</u>
1/1	(101)	S4 36 Deg LED Profile	Quick High Impact 6Ch	TRUSS L2	3
1/7	(102)	S4 36 Deg LED Profile	Quick High Impact 6Ch	TRUSS L2	6
1/13	(103)	S4 36 Deg LED Profile	Quick High Impact 6Ch	TRUSS L2	8
1/19	(104)	S4 36 Deg LED Profile	Quick High Impact 6Ch	TRUSS L2	10
1/25	(105)	S4 36 Deg LED Profile	Quick High Impact 6Ch	TRUSS L2	14
1/31	(106)	S4 36 Deg LED Profile	Quick High Impact 6Ch	TRUSS L2	16
1/37	(107)	S4 36 Deg LED Profile	Quick High Impact 6Ch	TRUSS L2	18
1/43	(108)	S4 36 Deg LED Profile	Quick High Impact 6Ch	TRUSS L2	21
1/49	(201)	GLP Impression X4	Mode 3 Extended 21Ch	TRUSS L2	5
1/70	(202)	GLP Impression X4	Mode 3 Extended 21Ch	TRUSS L2	7
1/91	(203)	GLP Impression X4	Mode 3 Extended 21Ch	TRUSS L2	9
1/112	(204)	GLP Impression X4	Mode 3 Extended 21Ch	TRUSS L2	12
1/133	(205)	GLP Impression X4	Mode 3 Extended 21Ch	TRUSS L2	15
1/154	(206)	GLP Impression X4	Mode 3 Extended 21Ch	TRUSS L2	17
1/175	(207)	GLP Impression X4	Mode 3 Extended 21Ch	TRUSS L2	19
1/196	(401)	Robe Robin BMFL Blade	Mode2 Reduced 42Ch	TRUSS L2	1
1/238	(402)	Robe Robin BMFL Blade	Mode2 Reduced 42Ch	TRUSS L2	11
1/280	(403)	Robe Robin BMFL Blade	Mode2 Reduced 42Ch	TRUSS L2	13
1/322	(404)	Robe Robin BMFL Blade	Mode2 Reduced 42Ch	TRUSS L2	23
1/364	(501)	GLP JDC1 Strobe	23Ch	TRUSS L2	4
1/387	(502)	GLP JDC1 Strobe	23Ch	TRUSS L2	20

MKTG 2018 - Concert

DMX ADDRESS HOOKUP

<u>ADDRESS</u>	<u>CHAN</u>	<u>INSTRUMENT TYPE</u>	<u>FIXTURE MODE</u>	<u>POSITION</u>	<u>U#</u>
1/410	(801)	PRG GC Bad Boy Spot	Mode Standard 42Ch	TRUSS L2	2
1/452	(802)	PRG GC Bad Boy Spot	Mode Standard 42Ch	TRUSS L2	22
2/1	(901)	VL 3000 Spot	Enhanced 16-Bit Mode 28Ch	TRUSS M	1
2/29	(902)	VL 3000 Spot	Enhanced 16-Bit Mode 28Ch	TRUSS M	2
2/57	(903)	VL 3000 Spot	Enhanced 16-Bit Mode 28Ch	TRUSS M	3
2/85	(904)	VL 3000 Spot	Enhanced 16-Bit Mode 28Ch	TRUSS M	4
2/113	(905)	VL 3000 Spot	Enhanced 16-Bit Mode 28Ch	TRUSS M	5
3/1	(906)	VL 3000 Spot	Enhanced 16-Bit Mode 28Ch	TRUSS N	1
3/29	(907)	VL 3000 Spot	Enhanced 16-Bit Mode 28Ch	TRUSS N	2
3/57	(908)	VL 3000 Spot	Enhanced 16-Bit Mode 28Ch	TRUSS N	3
3/85	(909)	VL 3000 Spot	Enhanced 16-Bit Mode 28Ch	TRUSS N	4
3/113	(910)	VL 3000 Spot	Enhanced 16-Bit Mode 28Ch	TRUSS N	5
4/1	(503)	GLP JDC1 Strobe	23Ch	TRUSS O	5
4/24	(701)	Color Force 48 m3	12xHSI 24Ch	TRUSS O	1
4/48	(702)	Color Force 48 m3	12xHSI 24Ch	TRUSS O	2
4/72	(703)	Color Force 48 m3	12xHSI 24Ch	TRUSS O	3
4/96	(704)	Color Force 48 m3	12xHSI 24Ch	TRUSS O	4
4/120	(705)	Color Force 48 m3	12xHSI 24Ch	TRUSS O	6
5/1	(504)	GLP JDC1 Strobe	23Ch	TRUSS P	2
5/24	(706)	Color Force 48 m3	12xHSI 24Ch	TRUSS P	1
5/48	(707)	Color Force 48 m3	12xHSI 24Ch	TRUSS P	3
5/72	(708)	Color Force 48 m3	12xHSI 24Ch	TRUSS P	4
5/96	(709)	Color Force 48 m3	12xHSI 24Ch	TRUSS P	5

MKTG 2018 - Concert

DMX ADDRESS HOOKUP

<u>ADDRESS</u>	<u>CHAN</u>	<u>INSTRUMENT TYPE</u>	<u>FIXTURE MODE</u>	<u>POSITION</u>	<u>U#</u>
5/120	(710)	Color Force 48 m3	12xHSI 24Ch	TRUSS P	6
6/1	(301)	Clay Paky Sharpy	Vector Mode 20Ch	TRUSS Q	2
6/21	(302)	Clay Paky Sharpy	Vector Mode 20Ch	TRUSS Q	4
6/41	(303)	Clay Paky Sharpy	Vector Mode 20Ch	TRUSS Q	6
6/61	(304)	Clay Paky Sharpy	Vector Mode 20Ch	TRUSS Q	8
6/81	(305)	Clay Paky Sharpy	Vector Mode 20Ch	TRUSS Q	9
6/101	(306)	Clay Paky Sharpy	Vector Mode 20Ch	TRUSS Q	10
6/121	(307)	Clay Paky Sharpy	Vector Mode 20Ch	TRUSS Q	12
6/141	(308)	Clay Paky Sharpy	Vector Mode 20Ch	TRUSS Q	14
6/161	(309)	Clay Paky Sharpy	Vector Mode 20Ch	TRUSS Q	16
6/181	(405)	Robe Robin BMFL Blade	Mode2 Reduced 42Ch	TRUSS Q	3
6/223	(406)	Robe Robin BMFL Blade	Mode2 Reduced 42Ch	TRUSS Q	7
6/265	(407)	Robe Robin BMFL Blade	Mode2 Reduced 42Ch	TRUSS Q	11
6/307	(408)	Robe Robin BMFL Blade	Mode2 Reduced 42Ch	TRUSS Q	15
6/349	(505)	GLP JDC1 Strobe	23Ch	TRUSS Q	1
6/372	(506)	GLP JDC1 Strobe	23Ch	TRUSS Q	5
6/395	(507)	GLP JDC1 Strobe	23Ch	TRUSS Q	13
6/418	(508)	GLP JDC1 Strobe	23Ch	TRUSS Q	17
7/1	(711)	Color Force 48 m3	12xHSI 24Ch	SUMNER TRUSS	1
7/25	(712)	Color Force 48 m3	12xHSI 24Ch	SUMNER TRUSS	2
7/49	(713)	Color Force 48 m3	12xHSI 24Ch	SUMNER TRUSS	3

MKTG 2018 - Concert

DMX ADDRESS HOOKUP

<u>ADDRESS</u>	<u>CHAN</u>	<u>INSTRUMENT TYPE</u>	<u>FIXTURE MODE</u>	<u>POSITION</u>	<u>U#</u>
7/73	(714)	Color Force 48 m3	12xHSI 24Ch	SUMNER TRUSS	4
7/97	(715)	Color Force 48 m3	12xHSI 24Ch	SUMNER TRUSS	5
7/121	(716)	Color Force 48 m3	12xHSI 24Ch	SUMNER TRUSS	6
7/145	(717)	Color Force 48 m3	12xHSI 24Ch	SUMNER TRUSS	7
8/1	(208)	GLP Impression X4	Mode 3 Extended 21Ch	STAGE DECK	1
8/22	(209)	GLP Impression X4	Mode 3 Extended 21Ch	STAGE DECK	2
8/43	(210)	GLP Impression X4	Mode 3 Extended 21Ch	STAGE DECK	3
8/64	(211)	GLP Impression X4	Mode 3 Extended 21Ch	STAGE DECK	4
8/85	(212)	GLP Impression X4	Mode 3 Extended 21Ch	STAGE DECK	5
8/106	(213)	GLP Impression X4	Mode 3 Extended 21Ch	STAGE DECK	6
8/127	(214)	GLP Impression X4	Mode 3 Extended 21Ch	STAGE DECK	7
8/148	(215)	GLP Impression X4	Mode 3 Extended 21Ch	STAGE DECK	8
9/1	(601)	MAC2000 Profile	16-Bit 24Ch	GROUND DS	1
9/25	(602)	MAC2000 Profile	16-Bit 24Ch	GROUND DS	2
9/49	(603)	MAC2000 Profile	16-Bit 24Ch	GROUND DS	3
9/73	(604)	MAC2000 Profile	16-Bit 24Ch	GROUND DS	4
9/97	(605)	MAC2000 Profile	16-Bit 24Ch	GROUND DS	5
9/121	(606)	MAC2000 Profile	16-Bit 24Ch	GROUND DS	6
9/145	(607)	MAC2000 Profile	16-Bit 24Ch	GROUND DS	7
9/169	(608)	MAC2000 Profile	16-Bit 24Ch	GROUND DS	8
9/193	(609)	MAC2000 Profile	16-Bit 24Ch	GROUND DS	9

MKTG 2018 - Concert

DMX ADDRESS HOOKUP

<u>ADDRESS</u>	<u>CHAN</u>	<u>INSTRUMENT TYPE</u>	<u>FIXTURE MODE</u>	<u>POSITION</u>	<u>U#</u>
9/217	(610)	MAC2000 Profile	16-Bit 24Ch	GROUND DS	10
10/1	(611)	MAC2000 Profile	16-Bit 24Ch	GROUND US	1
10/25	(612)	MAC2000 Profile	16-Bit 24Ch	GROUND US	2
10/49	(613)	MAC2000 Profile	16-Bit 24Ch	GROUND US	3
10/73	(614)	MAC2000 Profile	16-Bit 24Ch	GROUND US	4
10/97	(615)	MAC2000 Profile	16-Bit 24Ch	GROUND US	5
10/121	(616)	MAC2000 Profile	16-Bit 24Ch	GROUND US	6
10/145	(617)	MAC2000 Profile	16-Bit 24Ch	GROUND US	7
11/1	(901)	Base Hazer Pro	Mode 1 2Ch	DECK	1
	(901)	Base Hazer Pro	Mode 1 2Ch	DECK	2