

TrunkPump® GET YOUR PUMP ON!

On your tractor... on the job.

PTO POWERED PUMPS and ACCESSORIES



*Golf Courses
Municipalities
Disaster Relief
Farms
Impoundments
Rental Market
Sportsfields
Sod Farms
Fire Fighting
Construction
Pond Maintenance
Landscaping*

"Purchasing your pump was a great investment for our farm. The money saved in pump rentals will pay for itself in two years. Thanks again for your great customer service."

- Ed Rodelsberger, Johns Island, SC

"We've had our TrunkPump® for over four years and use it in multiple applications all over the city. It's a huge asset for our staff."

- John Cannon, Apex, NC

"The TrunkPump® is perfect. Driven by the PTO of our tractor, it is much more cost-effective than using a separate petrol powered pump. It makes pumping a one-man operation, saving time and staff resources, and it moves water amazingly fast... I would definitely recommend it to other clubs."

- Chris Brook, GCS Mentmore Golf Club, UK

www.TrunkPump.com

© 2012 Lowell Scott Enterprises, Inc.

TrunkPump®

PTO Powered Pumps

- TP-2PTP 2" PTO-powered high pressure pump
- TP-2PTR 2" PTO-powered trash pump
- TP-3PT 3" PTO-powered dewatering pump
- TP-3PTR 3" PTO-powered trash pump
- TP-4PTR 4" PTO-powered trash pump

One Operator
TrunkPump attaches quickly
Tractor does the heavy lifting



You've Got Options
Dewatering, Trash and
Pressure pumps from
trusted manufacturers

PTO - Powered
540 rpm, 15 hp
No engine to maintain
No gas tank to babysit

Primed and Ready
Quick Priming Pumps have
built-in check valves

Quality Components
Low maintenance gearbox
Cast iron sheaves
Premium V-belt

Rugged Construction
Compact and tough
Powder-coated steel frame
Hoses stay attached for transport



TrunkPump® GET YOUR PUMP ON!

On your skid steer... on the job.

HYDRAULICALLY-DRIVEN PUMPS and ACCESSORIES

Versatile Hydraulic Attachment




The new TP-HYD2 and TP-HYD3 transfer/dewatering pumps provide the same low-maintenance, one-person operation convenience as other TrunkPump® models, but are powered by remote hydraulics on compact equipment from most manufacturers. Imagine multiple new ways to generate and capture revenue through improved efficiency and productivity with TrunkPump® .

Run your TrunkPump® all night to draw down a retention pond for maintenance the next day - overnight labor from an employee who works odd hours, is always on time and never complains.

Versatile Transfer Pump
Poly pump handles chemicals
Up to 280 gallons per minute

Tubular Steel Roll Cage
Lightweight, compact and sturdy
Easy to handle and strap in place



Long Supply Hoses
8 foot hoses included
Flush face couplers included

Priority Flow Manifold
Accepts inputs from 9 gpm
Check valves protect the system

Municipalities - Disaster Relief - Farms - Rental Market - Sportsfields - Sod Farms - Fire Fighting - Construction - Pool Construction/Maintenance - Landscaping - Retention Pond Maintenance

www.TrunkPump.com

© 2012 Lowell Scott Enterprises, Inc.





PTO Powered

| | | FLOW | PRESSURE | SOLIDS |
|---------|--|----------------------|-----------------------|-------------|
| TP-2PTP |  2" Pressure | 180gpm 10,800gph | 88psi 205 ft head | NO |
| TP-2PTR |  2" Trash | 220gpm 13,200gph | 49psi 115 ft head | 1.00" |
| TP-3PT |  3" Transfer | 440 gpm 26,400gph | 52psi 120 ft head | Dirty water |
| TP-3PTR |  3" Trash | 320 gpm 19,200gph | 45 psi 105 ft head | 1.25" |
| TP-4PTR |  4" Trash | 520 gpm 31,200gph | 52 psi 120 ft head | 2.00" |
| TP-3VS |  3" Transfer | 310 gpm 18,600gph | 37psi 85 ft head | Dirty water |

- Pumps require between 8-15hp

Hydraulically Driven

| | | FLOW | PRESSURE | SOLIDS |
|---------|---|---------------------|---------------------|-------------|
| TP-HYD2 |  2" Transfer | 240gpm 14,400gph | 37psi 85 ft head | Dirty water |
| TP-HYD3 |  3" Transfer | 280gpm 16,800gph | 37psi 85 ft head | Dirty water |

- Pumps require 9 gpm hydraulic flow

Accessories

- HP-2LG 2" Hose Package
(2"x20"suct, 2"x25'disch, strainer)
- HP-3PT 3" 'Trunk' Hose Package
(3"x7'suct, 3"x25'disch, strainer)
- HP-3LG 3" Long Hose Package
(3"x20'suct, 3"x25'disch, strainer)
- HP-4LG 4" Hose Package
(4"x20'suct, 4"x25'disch)
- CS-2 2" Shallow Water Strainer w/elbow
- CS-3 3" Shallow Water Strainer w/elbow
- CS-4 4" Shallow Water Strainer
- SS-2 2" Top-Hole Strainer w/elbow
- SS-3 3" Top-Hole Strainer w/elbow
- NP-2 2" Adjustable flow nozzle
- NP-3 3" Adjustable flow nozzle

TrunkPump
8209-A Market St #203
Wilmington, NC 28411
866.381.1565
info@trunkpump.com

www.TrunkPump.com

Contact your local dealer

*All specifications subject to change without notice or obligation

WARRANTY INFORMATION: TrunkPump warrants its products to be free from defects of material and workmanship for a period of one year (12 months) from date of purchase. Wearable items (Hoses, fittings, strainer[s], gaskets and seals) will carry a limited 3 month (90 days) warranty. The company warrants that its products will be free of defects of material and workmanship for normal use and service. This warranty will not apply or be extended to products subjected to misuse, neglect, accident, or improper installation, or to maintenance of products which have been altered or repaired by anyone except TrunkPump or its authorized representatives. The buyer, or any person receiving such a product during the duration of the warranty, shall contact a TrunkPump dealer as soon as any defect occurs. Contact TrunkPump for more information.

© 2012 Lowell Scott Enterprises, Inc.